

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	BLOOD SODIUM NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	BLOOD UREA NITROGEN/CREATININE RATIO	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	BLOOD UREA NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	C-REACTIVE PROTEIN INCREASED	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	CARBON DIOXIDE NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	CHEST DISCOMFORT	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	CHEST PAIN	902479-1	"rPfizer-BionNTech COVID-19 Vaccine EUA 5-7 minutes after the vaccine Associate stated she did not feel right, mentioned chest pain. ""My chest feels funny. It feels like when you have really bad heartburn coming on"". ""I feel flushed like when you get contrast for a CT"". Pulse 90 BP 160/90 checked later 130/90"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	CONDITION AGGRAVATED	903260-1	Approximately 10 minutes after vaccine administration, patient reported wheezing and coughing. Patient received epinephrine IM, IV Benadryl, IV solumedrol and racemic epinephrine SVN. Patient never developed a rash, hypotension, swelling of the lips, mouth or tongue, other GI side effects . Per ER attending and admitting physician, this reaction seems to be a clear exacerbation of the patient's tracheomalacia. The patient was more responsive to racemic epi SVN as opposed to IM epi. Patient admits that psychological stress may have been a component of her symptoms. The admitting physician does not consider this to be an anaphylactic reaction to the vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	COUGH	903260-1	Approximately 10 minutes after vaccine administration, patient reported wheezing and coughing. Patient received epinephrine IM, IV Benadryl, IV solumedrol and racemic epinephrine SVN. Patient never developed a rash, hypotension, swelling of the lips, mouth or tongue, other GI side effects . Per ER attending and admitting physician, this reaction seems to be a clear exacerbation of the patient's tracheomalacia. The patient was more responsive to racemic epi SVN as opposed to IM epi. Patient admits that psychological stress may have been a component of her symptoms. The admitting physician does not consider this to be an anaphylactic reaction to the vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	DIZZINESS	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	DYSKINESIA	903400-1	"5 minutes after the Pfizer Covid-19 vaccine administration, the patient developed flushing, hives, felt warm and eventually short of breath. She started to wheeze and was wheeled into ER c/o ""I can't breathe while holding throat and thrashing with facial flushness noted. PT took 2 Benadryls and had several Epi shots. She was then discharged from the ER and later on that day, started to feel short of breath again. In the ED today she was audibly gasping for air, however had no wheezing, had a normal saturation and a normal blood pressure. She had taken another dose of her EpiPen IM and diphenhydramine 50 mg by mouth prior to coming. She was then admitted to the hospital for further observation. While on the floor, she started to feel short of breath again (about 9 am on 12/18/2020), which required an RRT . Patient received another dose of diphenhydramine IV, methylprednisolone 125 mg IV and several doses of IM epinephrine. She also required oxygen. She was then transferred to an ICU for further care."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	DYSPHAGIA	903324-1	40 min after injection my throat and tongue started to feel weird and tight, pharmacy at my work hospital gave me 25 mg Benadryl and 650mg Tylenol. At about 1 hr 45 min after injection my throat got to the point of so swollen and itchy I couldn't swallow. I went to nearest emergency room hospital they administered decadron orally, Pepcid P.O., and Toradol via IM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	DYSPNOEA	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	DYSPNOEA	903400-1	"5 minutes after the Pfizer Covid-19 vaccine administration, the patient developed flushing, hives, felt warm and eventually short of breath. She started to wheeze and was wheeled into ER c/o ""I can't breathe while holding throat and thrashing with facial flushness noted. PT took 2 Benadryls and had several Epi shots. She was then discharged from the ER and later on that day, started to feel short of breath again. In the ED today she was audibly gasping for air, however had no wheezing, had a normal saturation and a normal blood pressure. She had taken another dose of her EpiPen IM and diphenhydramine 50 mg by mouth prior to coming. She was then admitted to the hospital for further observation. While on the floor, she started to feel short of breath again (about 9 am on 12/18/2020), which required an RRT . Patient received another dose of diphenhydramine IV, methylprednisolone 125 mg IV and several doses of IM epinephrine. She also required oxygen. She was then transferred to an ICU for further care."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	EOSINOPHIL COUNT NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	EOSINOPHIL PERCENTAGE DECREASED	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	FEELING ABNORMAL	902479-1	"rPfizer-BionNTech COVID-19 Vaccine EUA 5-7 minutes after the vaccine Associate stated she did not feel right, mentioned chest pain. ""My chest feels funny. It feels like when you have really bad heartburn coming on"". ""I feel flushed like when you get contrast for a CT"". Pulse 90 BP 160/90 checked later 130/90"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	FEELING HOT	903400-1	"5 minutes after the Pfizer Covid-19 vaccine administration, the patient developed flushing, hives, felt warm and eventually short of breath. She started to wheeze and was wheeled into ER c/o ""I can't breathe while holding throat and thrashing with facial flushness noted. PT took 2 Benadryls and had several Epi shots. She was then discharged from the ER and later on that day, started to feel short of breath again. In the ED today she was audibly gasping for air, however had no wheezing, had a normal saturation and a normal blood pressure. She had taken another dose of her EpiPen IM and diphenhydramine 50 mg by mouth prior to coming. She was then admitted to the hospital for further observation. While on the floor, she started to feel short of breath again (about 9 am on 12/18/2020), which required an RRT . Patient received another dose of diphenhydramine IV, methylprednisolone 125 mg IV and several doses of IM epinephrine. She also required oxygen. She was then transferred to an ICU for further care."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	FIBRIN D DIMER	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	FLUSHING	902479-1	"rPfizer-BionNTech COVID-19 Vaccine EUA 5-7 minutes after the vaccine Associate stated she did not feel right, mentioned chest pain. ""My chest feels funny. It feels like when you have really bad heartburn coming on"". ""I feel flushed like when you get contrast for a CT"". Pulse 90 BP 160/90 checked later 130/90"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	FLUSHING	903400-1	"5 minutes after the Pfizer Covid-19 vaccine administration, the patient developed flushing, hives, felt warm and eventually short of breath. She started to wheeze and was wheeled into ER c/o ""I can't breathe while holding throat and thrashing with facial flushness noted. PT took 2 Benadryls and had several Epi shots. She was then discharged from the ER and later on that day, started to feel short of breath again. In the ED today she was audibly gasping for air, however had no wheezing, had a normal saturation and a normal blood pressure. She had taken another dose of her EpiPen IM and diphenhydramine 50 mg by mouth prior to coming. She was then admitted to the hospital for further observation. While on the floor, she started to feel short of breath again (about 9 am on 12/18/2020), which required an RRT . Patient received another dose of diphenhydramine IV, methylprednisolone 125 mg IV and several doses of IM epinephrine. She also required oxygen. She was then transferred to an ICU for further care."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	GLOMERULAR FILTRATION RATE DECREASED	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	HAEMATOCRIT NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	HAEMOGLOBIN NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	IMMATURE GRANULOCYTE COUNT INCREASED	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	INJECTION SITE PAIN	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	INTENSIVE CARE	902479-1	"rPfizer-BionNTech COVID-19 Vaccine EUA 5-7 minutes after the vaccine Associate stated she did not feel right, mentioned chest pain. ""My chest feels funny. It feels like when you have really bad heartburn coming on"". ""I feel flushed like when you get contrast for a CT"". Pulse 90 BP 160/90 checked later 130/90"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	INTENSIVE CARE	903400-1	"5 minutes after the Pfizer Covid-19 vaccine administration, the patient developed flushing, hives, felt warm and eventually short of breath. She started to wheeze and was wheeled into ER c/o ""I can't breathe while holding throat and thrashing with facial flushness noted. PT took 2 Benadryls and had several Epi shots. She was then discharged from the ER and later on that day, started to feel short of breath again. In the ED today she was audibly gasping for air, however had no wheezing, had a normal saturation and a normal blood pressure. She had taken another dose of her EpiPen IM and diphenhydramine 50 mg by mouth prior to coming. She was then admitted to the hospital for further observation. While on the floor, she started to feel short of breath again (about 9 am on 12/18/2020), which required an RRT . Patient received another dose of diphenhydramine IV, methylprednisolone 125 mg IV and several doses of IM epinephrine. She also required oxygen. She was then transferred to an ICU for further care."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	INTERNATIONAL NORMALISED RATIO NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	LYMPHOCYTE COUNT NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	LYMPHOCYTE PERCENTAGE	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	MEAN CELL HAEMOGLOBIN CONCENTRATION DECREASED	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	MEAN CELL HAEMOGLOBIN NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	MEAN CELL VOLUME NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	MEAN PLATELET VOLUME INCREASED	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	MONOCYTE COUNT NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	MONOCYTE PERCENTAGE	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	N-TERMINAL PROHORMONE BRAIN NATRIURETIC PEPTIDE NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	NEUTROPHIL COUNT NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	NEUTROPHIL PERCENTAGE	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	OROPHARYNGEAL DISCOMFORT	903324-1	40 min after injection my throat and tongue started to feel weird and tight, pharmacy at my work hospital gave me 25 mg Benadryl and 650mg Tylenol. At about 1 hr 45 min after injection my throat got to the point of so swollen and itchy I couldn't swallow. I went to nearest emergency room hospital they administered decadron orally, Pepcid P.O., and Toradol via IM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	PALPITATIONS	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	PERIPHERAL SWELLING	902946-1	Swelling of hands followed by angioedema
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	PHARYNGEAL SWELLING	903324-1	40 min after injection my throat and tongue started to feel weird and tight, pharmacy at my work hospital gave me 25 mg Benadryl and 650mg Tylenol. At about 1 hr 45 min after injection my throat got to the point of so swollen and itchy I couldn't swallow. I went to nearest emergency room hospital they administered decadron orally, Pepcid P.O., and Toradol via IM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	PLATELET COUNT NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	PROTEIN TOTAL NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	PROTHROMBIN TIME SHORTENED	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	RASH	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	RASH ERYTHEMATOUS	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	RED BLOOD CELL COUNT NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	RED BLOOD CELL SEDIMENTATION RATE INCREASED	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	RED CELL DISTRIBUTION WIDTH NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	RESPIRATORY ARREST	903400-1	"5 minutes after the Pfizer Covid-19 vaccine administration, the patient developed flushing, hives, felt warm and eventually short of breath. She started to wheeze and was wheeled into ER c/o ""I can't breathe while holding throat and thrashing with facial flushness noted. PT took 2 Benadryls and had several Epi shots. She was then discharged from the ER and later on that day, started to feel short of breath again. In the ED today she was audibly gasping for air, however had no wheezing, had a normal saturation and a normal blood pressure. She had taken another dose of her EpiPen IM and diphenhydramine 50 mg by mouth prior to coming. She was then admitted to the hospital for further observation. While on the floor, she started to feel short of breath again (about 9 am on 12/18/2020), which required an RRT . Patient received another dose of diphenhydramine IV, methylprednisolone 125 mg IV and several doses of IM epinephrine. She also required oxygen. She was then transferred to an ICU for further care."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	SARS-COV-2 TEST NEGATIVE	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	SEIZURE	903332-1	Seizure approximately 24 hours after vaccination
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	THROAT IRRITATION	903324-1	40 min after injection my throat and tongue started to feel weird and tight, pharmacy at my work hospital gave me 25 mg Benadryl and 650mg Tylenol. At about 1 hr 45 min after injection my throat got to the point of so swollen and itchy I couldn't swallow. I went to nearest emergency room hospital they administered decadron orally, Pepcid P.O., and Toradol via IM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	THROAT TIGHTNESS	903132-1	40 year female received Pfizer-BioNTech COVID-19 Vaccine today Patient reported prior h/o severe allergic reaction to influenza vaccine with eggs preservative. She has received flu vaccine w/o egg w/o problem. Due to her prior history of severe allergic reaction/ anaphylaxis to another vaccine, in this case flu vaccine with eggs, we should proceed with caution. She was told we could defer vaccination until more information becomes available. She opted to proceed with receiving Pfizer-BioNTech COVID-19 Vaccine and be observed for 30 minute observation period. Patient developed throat tightening approximately 20 minutes after vaccination. She received EpiPen within 1 minute of symptoms and was sent to ER immediately in wheelchair by nursing staff. Patient was evaluated in ED and was hemodynamically stable. She was given IV benadryl and was stable throughout observation
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	THROAT TIGHTNESS	903324-1	40 min after injection my throat and tongue started to feel weird and tight, pharmacy at my work hospital gave me 25 mg Benadryl and 650mg Tylenol. At about 1 hr 45 min after injection my throat got to the point of so swollen and itchy I couldn't swallow. I went to nearest emergency room hospital they administered decadron orally, Pepcid P.O., and Toradol via IM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	TONGUE DISCOMFORT	903324-1	40 min after injection my throat and tongue started to feel weird and tight, pharmacy at my work hospital gave me 25 mg Benadryl and 650mg Tylenol. At about 1 hr 45 min after injection my throat got to the point of so swollen and itchy I couldn't swallow. I went to nearest emergency room hospital they administered decadron orally, Pepcid P.O., and Toradol via IM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	TRACHEOMALACIA	903260-1	Approximately 10 minutes after vaccine administration, patient reported wheezing and coughing. Patient received epinephrine IM, IV Benadryl, IV solumedrol and racemic epinephrine SVN. Patient never developed a rash, hypotension, swelling of the lips, mouth or tongue, other GI side effects . Per ER attending and admitting physician, this reaction seems to be a clear exacerbation of the patient's tracheomalacia. The patient was more responsive to racemic epi SVN as opposed to IM epi. Patient admits that psychological stress may have been a component of her symptoms. The admitting physician does not consider this to be an anaphylactic reaction to the vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	TROPONIN T NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	URTICARIA	903400-1	"5 minutes after the Pfizer Covid-19 vaccine administration, the patient developed flushing, hives, felt warm and eventually short of breath. She started to wheeze and was wheeled into ER c/o ""I can't breathe while holding throat and thrashing with facial flushness noted. PT took 2 Benadryls and had several Epi shots. She was then discharged from the ER and later on that day, started to feel short of breath again. In the ED today she was audibly gasping for air, however had no wheezing, had a normal saturation and a normal blood pressure. She had taken another dose of her EpiPen IM and diphenhydramine 50 mg by mouth prior to coming. She was then admitted to the hospital for further observation. While on the floor, she started to feel short of breath again (about 9 am on 12/18/2020), which required an RRT . Patient received another dose of diphenhydramine IV, methylprednisolone 125 mg IV and several doses of IM epinephrine. She also required oxygen. She was then transferred to an ICU for further care."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	WHEELCHAIR USER	903132-1	40 year female received Pfizer-BioNTech COVID-19 Vaccine today Patient reported prior h/o severe allergic reaction to influenza vaccine with eggs preservative. She has received flu vaccine w/o egg w/o problem. Due to her prior history of severe allergic reaction/ anaphylaxis to another vaccine, in this case flu vaccine with eggs, we should proceed with caution. She was told we could defer vaccination until more information becomes available. She opted to proceed with receiving Pfizer-BioNTech COVID-19 Vaccine and be observed for 30 minute observation period. Patient developed throat tightening approximately 20 minutes after vaccination. She received EpiPen within 1 minute of symptoms and was sent to ER immediately in wheelchair by nursing staff. Patient was evaluated in ED and was hemodynamically stable. She was given IV benadryl and was stable throughout observation
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	WHEEZING	903260-1	Approximately 10 minutes after vaccine administration, patient reported wheezing and coughing. Patient received epinephrine IM, IV Benadryl, IV solumedrol and racemic epinephrine SVN. Patient never developed a rash, hypotension, swelling of the lips, mouth or tongue, other GI side effects . Per ER attending and admitting physician, this reaction seems to be a clear exacerbation of the patient's tracheomalacia. The patient was more responsive to racemic epi SVN as opposed to IM epi. Patient admits that psychological stress may have been a component of her symptoms. The admitting physician does not consider this to be an anaphylactic reaction to the vaccination.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	WHEEZING	903400-1	"5 minutes after the Pfizer Covid-19 vaccine administration, the patient developed flushing, hives, felt warm and eventually short of breath. She started to wheeze and was wheeled into ER c/o ""I can't breathe while holding throat and thrashing with facial flushness noted. PT took 2 Benadryls and had several Epi shots. She was then discharged from the ER and later on that day, started to feel short of breath again. In the ED today she was audibly gasping for air, however had no wheezing, had a normal saturation and a normal blood pressure. She had taken another dose of her EpiPen IM and diphenhydramine 50 mg by mouth prior to coming. She was then admitted to the hospital for further observation. While on the floor, she started to feel short of breath again (about 9 am on 12/18/2020), which required an RRT . Patient received another dose of diphenhydramine IV, methylprednisolone 125 mg IV and several doses of IM epinephrine. She also required oxygen. She was then transferred to an ICU for further care."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	Yes	WHITE BLOOD CELL COUNT NORMAL	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ABDOMINAL PAIN	903001-1	12/15/2020 615 received vaccine 2pm belly pains, relief 'not like normal bowel movement', 'urge to go' 5 belly pain, relief self'not like normal bowel movement', 'urge to go' 8-10 pm body chills, covered with 3+ blankets 10 pm body chills subsided 12/16/2020 fatigue; not exercise; 5miles per day (only able to walk 2 miles) Flu vaccine; 'pretty sure it was 09/2020'; Unknown brand
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ABDOMINAL PAIN	903120-1	12/16/2020 episode of abdominal cramps I had a BM episode of loose stools and soon after that within seconds I started profusely sweating on my forehead and felt lightheaded and very weak, My wife noticed how much i was sweating my body was cool and clammy, episode lasted at least 5 mins if not more so I just laid down until I started feeling better. Once symptoms subsided I took 1000 mg of tylenol, Heavy head throughout the day.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ABDOMINAL PAIN	903198-1	Morning after he got the shot....Wave of severe fatigue, had to lay down as he thought he would fall over. Temperature went up a 1/2 degree celsius. Went back down later that day. 12/17/2020 2:34 am he woke up with rigors and chills, went away in 3-4 min. Had abdominal pain later during the day.N
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ABDOMINAL PAIN	903535-1	First day right after the vaccine the left arm was extremely sore, the next day I felt like I had the flu. body aches , headache, knees aching , abdominal pain, could not eat, lots of chill, breaking out in sweats .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ABDOMINAL PAIN UPPER	902666-1	redness around the injection spot, fever chills, Stomach Ache, Body Ache, Short of breath (walking up stairs), Headaches no appetite, Dry heating .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ABDOMINAL PAIN UPPER	902744-1	12/15/2020 5:00 PM Nauseas(worst) 5:30 Pm Headache 6:00 Pm Stomach Pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ABDOMINAL PAIN UPPER	902928-1	Stomach crump & vomiting
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ABDOMINAL PAIN UPPER	903139-1	Today I have really bad stomach cramps and diarrhea. Yesterday I had a temp 101.2 with tylenol, chills, joint pain and really bad headache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ABDOMINAL PAIN UPPER	903180-1	Muscle aches , Joint aches, cold sweats, chills, Stomach Pain, Diarrhea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ABDOMINAL PAIN UPPER	903207-1	I had headache, muscle fatigue, nausea, stomach pain, severe joint pain in the shoulder where I received the injection. I got Covid tested yesterday afternoon to be safe and I'm waiting on the results.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ABDOMINAL PAIN UPPER	903287-1	Soreness injection site Headache Prickly sensation of skin Weakness/fatigue Stomach pain/nausea/ loss of appetite
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ABNORMAL SENSATION IN EYE	902758-1	"@ ~5 min felt cotton mouth. Got up to ask if he could go early. Then at 10 min post injection, felt eyes feeling weird and he felt ""high"". As in lightheaded. @ 10 min, skin surrounding the eyes are puffy. Given 25 mf benedryl. No immediate SOB or wheeze. No lip or mouth or throat swelling. Taken to ED. Given IM epi 1:1000 0.3ml. Pepcid and more benedryll PO."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ACOUSTIC STIMULATION TESTS ABNORMAL	903344-1	severe, acute hearing loss and tinnitus in R ear.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	AGEUSIA	903278-1	Loss of taste
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ANAESTHESIA ORAL	902939-1	Patient was given to co vid injection- developed numbness and tingling inside bicep- speech- slurred speech- tongue speech- tongue not swollen- feels like novican. Takes lisinopril, novolog jardiance, lansoprazole, and mirena.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ANAPHYLACTIC REACTION	903016-1	Approximately 11 minutes after receiving the vaccine, the patient complained of shortness of breath, tingling in arms and hands, numbness and tingling in legs and feet, and was observably shaking, with no complaints of swelling in throat or other signs of anaphylaxis. Patient was brought to ER in same facility via stretcher and was examined by staff there. ER report states the patient presented with shortness of breath and what appeared to be a panic attack, with fast breathing, slight flushing, and shaking. Per ER report, the patient was treated for an acute anaphylactic reaction, with clear lungs and given an EpiPen shot in the right thigh. IV was initiated and given a fluid bolus, solu medrol, famotidine, and lorazepam. Labs and a chest x-ray done and reviewed. After treatment, patient found to be stable and was discharged home at 4:42 pm with orders for famotidine, albuterol inhaler, and epinephrine pen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ANAPHYLACTIC REACTION	903327-1	Patient reported that she started to feel unwell immediately after the vaccine with some nausea. She presented to the Emergency Department where she was treated by myself approximately 17 hours vaccine administration. She was having vomiting, diarrhea, diffuse rash, and throat discomfort. She was successfully treated for anaphylaxis and was able to discharge to home.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ANGINA PECTORIS	903229-1	Patient reports it started as a tingling, pain and burning in the elbow and travelled up the shoulder and up the chest and to the heart. Pain felt like a cardio thump . Grabbed the epi. Sitting forward. Talked Dr. Doctor stated to sit back and uncross legs. Initiated slow breathing. Pain subsided to a tolerable amount. Not short of breath but tachycardic. Still dizzy. Stayed an hour sitting position, after injection. Felt there was an irritating sensation around the heart. Left and walked back to clinic. 10 minutes after arriving to the clinic, dizziness, flushing , came back and irritation around the heart was still noticed but tolerable. 2 minutes after, voice started cracking and drank some water. Intensity of dizziness increased and overall symptoms also intensified. Returned to COVID immunization clinic 15 minutes later. Patient was moved to direct observation in a chair. Given oral benadryl. Instructed to stay and would evaluate if new interventions would be deemed necessary. Benadryl helped. Symptoms were relieved in 15 mins. Patient has been in the clinic under direct observation for about 3.5 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ANOSMIA	902990-1	fever, cough,chills,body aches, weakness, loss of smell
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ANXIETY	902810-1	Patient complained of feeling dizzy, anxious, shortness of breath. Did have some pain with injection. Did have mask on while waiting standard 15 minutes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ANXIETY	902837-1	Patient feeling very anxious before and after vaccination. Described having difficulty swallowing water shortly (~15 min) post vaccination. Patient was tearful but breathing normally. Walked under her own power from the pharmacy down to the Emergency Room for anxiety over anaphylaxis. Given dose of Vistaril in ER.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ANXIETY	903002-1	Patient received the vaccine. During the 15 minute observation period she developed chest heaviness, arm tingling, and throat tingling. BP elevated at 169/79. The patient was sent to the ED and evaluated. Diagnosed with more anxiety type symptoms. Discharge from ED stable.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ANXIETY	903003-1	Patient received the vaccine. During the 15 minute observation period she developed chest heaviness, arm tingling, and throat tingling. BP elevated at 169/79. The patient was sent to the ED and evaluated. Diagnosed with more anxiety type symptoms. Discharge from ED stable.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ANXIETY	903128-1	Throat swelling, raspy voice, tachycardia, itching, anxiety, rash
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	902759-1	Fever , chills, Body Ache all over body, Joint Pain (worse in hips) Injection site swollen The PT cannot life her arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	902831-1	myalgia, joint pain, local site pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	902908-1	Extreme fatigue, felt very warm all over body for 14 - 16 hours, exceptional pruritus on head and back, all joints are exceptionally achey
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	902998-1	Morning after injection: mild fatigue, arm soreness; later in the morning-headache then chills, muscle aches, joint pain and low grade fever (99) and nausea/loss of appetite. These persisted for approximately 12 hours then cleared completely.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903018-1	I woke up at 6:15am had a terrible headache, low fever 100.1. I took Tylenol for the headache and fever. Throughout the day exp muscle aches and joint pain. I also exp hot/cold flashes and fatigue. Around 6:00pm on 12/16 started to l feel better and was able to return to work on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903028-1	12/15/2020 Around 7:30pm, I started to itch on neck and face. Progressed to scalp, stomach, back and whole body; ears, top of head to bottom of toes. Called critical care healthcare staff; 1 25mg benadryl Had nausea, fatigue, hip and joint pain 12/16/2020 Still itchy not as severe as 12/15/2020. Still joint pain and achiness. Nausea was a 8/10. 12/17/2020 feel better. About 80% . Mild itchiness. 'letting it run its course' and haven't taken any other benadryl since 12/15/2020. Joint and nausea has subsided. Flu shot 09/2020 Second dose of Pfizer shot is scheduled for 01/05/2021
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903091-1	I noticed the injection site was sore, swollen and warm. As the day progressed headache, fatigue, joint, legs aching and feeling heavy tires. Also had a fever of 101.2.Around 9:30 pm on 12/16 started to feel better fever was down.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903131-1	Nausea, fatigue, body aches, joint pain, malaise

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903139-1	Today I have really bad stomach cramps and diarrhea. Yesterday I had a temp 101.2 with tylenol, chills, joint pain and really bad headache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903180-1	Muscle aches , Joint aches, cold sweats, chills, Stomach Pain, Diarrhea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903188-1	12/15/2020 little bit of a headache at night and took an ibuprofen, intermittent nausea the next day, around 530 pm 12/16/2020 fatigue joint pain chills, I had a fever but I did not take my temp, nausea at 9pm I took ibuprofen and this morning 12/17/2020 I woke up fine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903191-1	Within about an hour headache and mild pain at the injection site, around 4:30/5PM all other symptoms hit: chills, fever, fatigue, runny nose and diarrhea, joint and muscle pain, very sweaty and clammy skin
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903205-1	woke up at 3am with diarrhea and nausea . Woke at 6 am with fever of 101.7, joint pain, Headache and fatigue any myalgia
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903213-1	Joint Ache , Dizzy, tickly throat, Tiredness,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903229-1	Patient reports it started as a tingling, pain and burning in the elbow and travelled up the shoulder and up the chest and to the heart. Pain felt like a cardio thump . Grabbed the epi. Sitting forward. Talked Dr. Doctor stated to sit back and uncross legs. Initiated slow breathing. Pain subsided to a tolerable amount. Not short of breath but tachycardic. Still dizzy. Stayed an hour sitting position, after injection. Felt there was an irritating sensation around the heart. Left and walked back to clinic. 10 minutes after arriving to the clinic, dizziness, flushing , came back and irritation around the heart was still noticed but tolerable. 2 minutes after, voice started cracking and drank some water. Intensity of dizziness increased and overall symptoms also intensified. Returned to COVID immunization clinic 15 minutes later. Patient was moved to direct observation in a chair. Given oral benadryl. Instructed to stay and would evaluate if new interventions would be deemed necessary. Benadryl helped. Symptoms were relieved in 15 mins. Patient has been in the clinic under direct observation for about 3.5 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903234-1	Right ankle swollen within an hour of injection. Felt like sprain. Still swollen but pain better today. Took naproxen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903238-1	I work night shift so when I got home 12h after my injection and at approximately 11:00 (am) my back hurt but not terribly. When I woke after sleeping today at 4:00 (pm) I experienced joint pain in my bilateral elbows, bilateral shoulders, neck, lumbar spine & bilateral knees. It's mild pain and I will not be going in for an MD appt. It does hurt a little more if I bump into something.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903262-1	Joint Pain , tiredness, Body Ache . Injection site pain, fever
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903323-1	Nausea, myalgia, injection site pain, malaise, diarrhea, chills, joint pain, headache, nasal congestion,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903393-1	Approximately 90 minutes following first dose of vaccine, developed severe headache, chills, joint pain and full body muscle aches. Continued throughout the night and were improved by next morning, but not fully resolved by the time of this submission.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903404-1	Entire left side of body muscle aches and joint aches. Started about 2 hours after getting injection and worse the next day
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ARTHRALGIA	903535-1	First day right after the vaccine the left arm was extremely sore, the next day I felt like I had the flu. body aches , headache, knees aching , abdominal pain, could not eat, lots of chill, breaking out in sweats .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	902524-1	I am a immunization nurse at this location. I gave 2 of the first 4 Covid vaccinations given at our location. Then I received dose # 5. It was easy. I did a couple of things and then returned to my desk. As I sat down, my arm started feeling very heavy. I was unable to send a text. I told staff that I was feeling funny and that I was going to the other room to lay down. Staff followed me and took my Pulse 100 and BP 164/ 82 (high for me!) . I felt shaky, but my hands were not shaking. Put a wet cloth on my head and laid there a few minutes, telling staff stories and laughing at my BP. When I sat up, my BP was 126/74 and pulse was 80. I stood up for a minute or two, then my legs got heavy and I sat down for a few more minutes. I went to the bathroom and came back to my desk, but was weak and tired. I ate and drank some fluids. Because it was snowing and I live 25 miles away, I accepted a ride home from a co-worker. I walked across the parking lot without problems and talked all the way home. At home, I was tired, but had a sandwich and talked on the phone. I would still describe myself as tired, but functioning.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	902576-1	I received the vaccine @ 3:40 pm 12-15-20 and felt fine until around 9:00 pm 12-15-20 when I noted headache, nausea, no energy, overall not feeling well, and injection site pain. I did not have a fever. Symptoms still present @ 6:00 am 12-16-20.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	902793-1	My symptoms started about 15 minutes after shot. Initially I felt slight dizziness begin in my head. Then I felt slight uncomfortable feeling in my lungs, throat, and tongue. They were very slight so I left the vaccine center about 25 minutes after injection. On drive home my lips started to feel numb as well as my tongue & throat. Arriving home very tired. BP 135/ 80 P70 R20 T97.6 Blood sugar 101. Slept for about 4 hours. Called in sick for 7PM shift. Too weak & tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	902799-1	Patient was feeling nauseated in the morning prior to coming to work and prior to receiving vaccine. He had a banana thinking he would feel better. He then received the vaccine and felt progressively worse experiencing diarrhea, weakness, and malaise.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	902813-1	Dizziness that lasted for about an hour. Weakness, extreme fatigue lasted the rest of the day.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	902923-1	NAUSEA, CHILLS, MUSCLE PAIN, WEAKNESS
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	902990-1	fever, cough,chills,body aches, weakness, loss of smell
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	903043-1	chills, headache, weakness, fatigue
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	903120-1	12/16/2020 episode of abdominal cramps I had a BM episode of loose stools and soon after that within seconds I started profusely sweating on my forehead and felt lightheaded and very weak, My wife noticed how much i was sweating my body was cool and clammy, episode lasted at least 5 mins if not more so I just laid down until I started feeling better. Once symptoms subsided I took 1000 mg of tylenol, Heavy head throughout the day.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	903167-1	Began to feel weak, felt as though going to faint, became cool and clammy, BP 100/70 P 46, O2 Sat 100% on room air, no loss of consciousness. Taken to ED - noted patient did not eat prior to getting the vaccine
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	903218-1	Patient reports chest heaviness, muscle aches, loss of energy. No fever or chills noted.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	903287-1	Soreness injection site Headache Prickly sensation of skin Weakness/fatigue Stomach pain/nausea/ loss of appetite
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHENIA	903338-1	5-10 minutes after vaccination, vasovagal syncope: pallor, diaphoresis, dizziness, tunnel vision, nausea, weakness, tingling in arms/legs, BP 103/69
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ASTHMA	903199-1	2 1/2 hours after the shot, I felt pressure building in my head, my eyes felt bulging, my throat felt tight, and I started having an asthma attack
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ATELECTASIS	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BACK PAIN	903036-1	I have a sore arm and I am experiencing severe back pain, nausea and a headache that comes and goes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BACK PAIN	903238-1	I work night shift so when I got home 12h after my injection and at approximately 11:00 (am) my back hurt but not terribly. When I woke after sleeping today at 4:00 (pm) I experienced joint pain in my bilateral elbows, bilateral shoulders, neck, lumbar spine & bilateral knees. It's mild pain and I will not be going in for an MD appt. It does hurt a little more if I bump into something.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLEPHAROSPASM	903271-1	About 20 minutes after the injection, the arm i received the injection in became very cold, changed color like I was not perfusion to the limb. This was gone in about two hours. Woke up eye lid continually twitching.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD CHLORIDE NORMAL	903321-1	tachycardia, HR up to 130s 1 hour after vaccination. Tachycardia while sitting down. Lightheadedness. Tachycardia improved but still100-118 while at rest for hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD CREATININE NORMAL	903321-1	tachycardia, HR up to 130s 1 hour after vaccination. Tachycardia while sitting down. Lightheadedness. Tachycardia improved but still100-118 while at rest for hours

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD GASES	903130-1	Shortly Administration of vaccine I experienced a metallic taste. approximately 40 minutes after administration of vaccine I experienced difficulty swallowing, dyspnea, tachycardia and numbness in tingling in bilateral hands. I am a healthcare provider and I received the vaccine at my place of employment. I was taken to the emergency department for monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD GLUCOSE NORMAL	902557-1	1750- IM injection of R Deltoid. She was sitting, and felt short of breath without wheeze or tightness in the chest or throat. She stood up, and then felt tunneling. Assisted to chair and floor. Pulse weak, skin flushed, sweating on torso. Face and Neck remained flushed and red. She refused epi at first. So we gave her benedryll 25 mg po with apple juice. She said she just had a big meal 30 min prior, but we checked her blood sugar- it was 85. 10 min after the first SOB feeling, it returned. BP was recorded as 160/100.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD GLUCOSE NORMAL	902669-1	Immediately after the vaccine, I got severely nauseaed, got a yucky metal taste in my mouth and got super lightheaded and hadnt even gotten up. The agent helped walk me to a chair and I felt really loopy in the head. After the 15 minutes, I got up and immediately felt the whole room was spinning causing me to have to sit back down another 15 minutes. Closing my eyes made the dizziness much worse. I was given juice, my sugar was checked at was 115. After about 30 minutes I stood and felt alot better. I went back to my assigned duties but was feeling super bad and my supervisor sent me home because they states I didnt look good. On the drive home I threw up and my PCP called in Zopran to help with the nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD GLUCOSE NORMAL	902793-1	My symptoms started about 15 minutes after shot. Initially I felt slight dizziness begin in my head. Then I felt slight uncomfortable feeling in my lungs, throat, and tongue. They were very slight so I left the vaccine center about 25 minutes after injection. On drive home my lips started to feel numb as well as my tongue & throat. Arriving home very tired. BP 135/ 80 P70 R20 T97.6 Blood sugar 101. Slept for about 4 hours. Called in sick for 7PM shift. Too weak & tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD GLUCOSE NORMAL	902836-1	Patient received covid-19 vaccine. 20+ minutes later patient states she began feeling flushed and nauseous. Patient states she look at her injection site, and it was hot and red. Local reaction approx. 2 inches x 2 inches. Dr. ordered 25 mg oral Benadryl. Vitals stable at 1840 133/88, 66 for pulse and regular, SPO2 99% on room air, respirations 20. Patient continued having complaints of light headedness and nausea. 1850 119/79, 74, 99% RA. Dr. states patient may depart from clinic if able to sit up and walk out, patient given instructions go to ED in symptoms progress. 1857 120/82, 70, 99.4. Patient's face becomes flushed and hot on left side, patient states she is shaky, and does not feel well at all. 1905 patient transferred to ED on 2L O2 for further evaluation and workup. Narrative ER Medical decision making narrative: Accu-Chek was obtained noting a glucose to be at 80. She received IV fluids as well as Solu-Medrol Benadryl and IV Pepcid. She also received IV Tylenol as she developed a headache while in the emergency department. Headache resolved and she was able to ambulate without assistance. Requested to go home states she felt much improved near normal. Clinical Impression: Adverse reaction to drug Patient Education: Anaphylaxis (ED)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD GLUCOSE NORMAL	902901-1	60 minutes after receiving the vaccine the patient became very dizzy and was unable to walk. After a couple of hours dizziness lessened and patient was able to ambulate.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD GLUCOSE NORMAL	903009-1	Patient complained of vision disturbance confusion dizziness, chills, clammy, no trouble breathing. Nausea, Patient stated she did not have any breakfast. gave patient diphenhydramine 25 mg and EMS arrived to take her to the hospital.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD GLUCOSE NORMAL	903243-1	Patient developed hives, facial swelling, throat swelling/itching, and nausea approximately 13min after vaccination while in observation. Patient immediately taken to Emergency Department where epinephrine was given IM in the left thigh followed by 125mg IV solumedrol, 50mg IV benadryl, 1000mL NS, and 20mg IV famotidine. Hemodynamically stable throughout ED course.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD POTASSIUM DECREASED	903321-1	tachycardia, HR up to 130s 1 hour after vaccination. Tachycardia while sitting down. Lightheadedness. Tachycardia improved but still100-118 while at rest for hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE FLUCTUATION	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	902491-1	Within a few minutes of receiving the COVID 19 vaccination, patient developed lightheadedness, shortness of breath, headache, and some nausea. She did get some redness to her neck and upper chest. No recent illness. Had elevated BPs ranged from 158/103 to 207/126 . HR ranged from 82-106. O2 sats always > 96%. Temp 37.1 C. Received Tylenol 1000 mg PO, Dexamethasone 10 mg IV, diphenhydramine 50 mg IV, famotidine 20 mg IV, ketorolac 30 mg IV, ondansetron 4 mg IV, and 1 L NS. Patient prescribed EpiPen and prednisone and discharged.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	902492-1	About 25 minutes after receiving vaccine complained of dizziness and being hot and nauseated. No difficulty breathing. No chest pain. B/P was 130/90 and was monitored. It went down to 124/80 after he started feeling better. He was wearing sweater over shirt and it was warm in building. Took sweater off. Cool wet cloth applied to back of neck. States he had only had a donut and cup of hot chocolate before receiving vaccine. Sprite and peanut butter crackers given. Became nauseated after eating peanut butter crackers Blood pressure monitored monitored. He laid on exam table for about 15 minutes. He felt better. Stood up and walked to conference room for another 15 minutes. Stated he felt much better and was ready to leave. Coworker drove him back. Received email from him letting us know he had made it back and they had stopped and eaten pizza on the way. Received text from coworker that he was dizzy and seeing spots and that his blood pressure had been 120/80 and then spiked to 160/100. Coworkers taking him to ER for evaluation.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	902505-1	Patient felt facial flushing, pounding in chest, burning and hot ears and blood pressure went up. Tingly in right arm and chest and hands. Symptoms resolved, after a few minutes but then returned. Patient sat with nurse during this reaction.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	902778-1	Swelling and numbness at injection side. Increased blood pressure 199/99. Immediate headache. Workplace clinic called hospital ER, clinic administered Benadryl. Symptoms resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	902810-1	Patient complained of feeling dizzy, anxious, shortness of breath. Did have some pain with injection. Did have mask on while waiting standard 15 minutes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	902929-1	DIZZY, SLIGHTLY EVEVATED BLOOD PRESSURE

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	903002-1	Patient received the vaccine. During the 15 minute observation period she developed chest heaviness, arm tingling, and throat tingling. BP elevated at 169/79. The patient was sent to the ED and evaluated. Diagnosed with more anxiety type symptoms. Discharge from ED stable.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	903003-1	Patient received the vaccine. During the 15 minute observation period she developed chest heaviness, arm tingling, and throat tingling. BP elevated at 169/79. The patient was sent to the ED and evaluated. Diagnosed with more anxiety type symptoms. Discharge from ED stable.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	903004-1	17 minutes after vaccine, suddenly had a , crushing squeezing chest pain, very severe lasted 45 seconds. after 45 seconds continue to have moderate chest pain, light headiness, diaphoretic, very hot. NO fever, elevated BP. Mild to moderate chest and light headiness for about 3-4 hours and it self solved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	903095-1	Approximately 10 minutes after receiving the vaccine in the left arm, the patient began feeling lightheaded and had some chest heaviness. They became diaphoretic and at this point blood pressure and heart rate were checked. HR was elevated to 90 bpm from patient's baseline of approximately 60-65 bpm. Blood pressure was elevated at 150/100 mmHg. Pt was provided water and symptoms resolved. Patient was monitored an additional 30 minutes and did not have any recurrence of symptoms. Blood pressure and heart rate returned to baseline.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	903133-1	"1204 Patient became flushed and started saying she was having a difficult time ""catching her breath"". She then became tachycardic (upper 90's- low 100's). 1205 Benadryl given (25mg). Physician called down to clinic. Vital signs obtained and showed increased BP (145/90) and pulse. 1214 Patient verbalized she was feeling a little better. Monitoring continued until 1245, vital signs were improving and patient no longer had symptoms. She was released at 1252 but encouraged to seek medical attention if she developed new symptoms or had symptoms reoccur."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	903159-1	1450 COVID19 vaccine given. 1503 Patient verbalized a racing heartbeat. 1504 Vital signs obtained, BP & HR were elevated. 1507 Physician paged. 1509 Patient reports feeling much better. 1511 Physician arrived to evaluate. 1516 Patient no longer had symptoms. Vital signs improving. Verbalized understanding to seek medical attention if symptoms reoccur or new symptoms begin. Patient left.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	903221-1	Patient with tachycardia and elevated BP about 20 min following vaccination; O2 sat okay; sat down for 15 min and symptoms resolved without treatment
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	903240-1	"1658 Patient reports feeling lightheaded after receiving COVID vaccine. VS obtained, BP & HR are elevated. 1700 PA called 1702 PA arrived Patient remains lightheaded with some palpitations but denies any trouble breathing. 1711 VS are improving 1716 Patient states she starts feeling better but then gets a new wave of lightheadedness with ""fogginess"". Monitoring continued. 1741 Patient starting to feel ""extra lightheaded"" 1742 Benadryl given per PA 1748 Patient verbalized a headache 1818 Medic called because BP & HR have not improved after 1 hour of monitoring. 1825 Medic team transported patient to the ER"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	903248-1	Approximately 5 minutes after receiving vaccine I noted an intense flushing and burning sensation from my waist up followed by tachycardia with heart rate in 150s elevated BP 150/100. These symptoms subsided after approximately 10 minutes but were then followed by a ?cloudy? feeling in my head as well as tingling in bilateral hands that lasted the rest of the day but had resolved by the next morning. The next morning I felt very well until 2 pm when I had a short period (approximately 2 minutes) of elevated heart rate (120s) that then resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD PRESSURE INCREASED	903357-1	Chest pain and tightness, generalized with stabbing pain intermittently elevated blood pressure 180/95
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD SODIUM NORMAL	903321-1	tachycardia, HR up to 130s 1 hour after vaccination. Tachycardia while sitting down. Lightheadedness. Tachycardia improved but still 100-118 while at rest for hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD TEST	902557-1	1750- IM injection ot R Deltoid. She was sitting, and felt short of breath without wheeze or tightness in the chest or throat. She stood up, and then felt tunneling. Assisted to chair and floor. Pulse weak, skin flushed, sweating on torso. Face and Neck remained flushed and red. She refused epi at first. So we gave her benedryll 25 mg po with apple juice. She said she just had a big meal 30 min prior, but we checked her blood sugar- it was 85. 10 min after the first SOB feeling, it returned. BP was recorded as 160/100.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD TEST	902758-1	"@ ~5 min felt cotton mouth. Got up to ask if he could go early. Then at 10 min post injection, felt eyes feeling weird and he felt ""high"". As in lightheaded. @ 10 min, skin surrounding the eyes are puffy. Given 25 mf benedryl. No immediate SOB or wheeze. No lip or mouth or throat swelling. Taken to ED. Given IM epi 1:1000 0.3ml. Pepcid and more benedryll PO."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD TEST	903382-1	About 5-10 minutes the vaccine I began to get tingling and a itchiness in the back of my throat , notified personnel and vitals were checked and stable. The tingling and numbing sensationent away and came back and benedryl was given. The symptoms came in waves of about ever 2-3 minutes so I was transported to ER and somumedrol was given was monitor for 1-1.5 hrs and the numbness and tingling sensation continued for about an 1-2 hours and finally subsided and was released to go home
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD THYROID STIMULATING HORMONE DECREASED	903283-1	6 minutes after receiving the vaccine I became lightheaded. I was the worst for about 1-2 hours after the vaccine but then symptoms improved some. 11 hours later I am still mildly lightheaded.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BLOOD UREA INCREASED	903243-1	Patient developed hives, facial swelling, throat swelling/itching, and nausea approximately 13min after vaccination while in observation. Patient immediately taken to Emergency Department where epinephrine was given IM in the left thigh followed by 125mg IV solumedrol, 50mg IV benadryl, 1000mL NS, and 20mg IV famotidine. Hemodynamically stable throughout ED course.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BODY TEMPERATURE DECREASED	903399-1	Hypothermia with body temp of 95.0 F. Treated with heating blanket and covers.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BODY TEMPERATURE INCREASED	902989-1	Headache, fatigue, temperature of 100.3. Lasted about 8 hours.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BODY TEMPERATURE INCREASED	903139-1	Today I have really bad stomach cramps and diarrhea. Yesterday I had a temp 101.2 with tylenol, chills, joint pain and really bad headache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BODY TEMPERATURE INCREASED	903153-1	Immediately after the injection the tips of my finger began to go numb my hand started itching my throat started to go numb and itch and I got 25mg of Benedryl symptoms got worse so they had to give me in IV injection of benedryl which made the symptoms a litter better. I was released and when I got home I went to sleep. When I woke up my body felt like I had been run over by a big truck. I took my temp and it was 99.8. I laid back down and decided to sleep it off and woke up this morning not feeling any worse but not any better. My hands got red from the rash and is still a little red.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BODY TEMPERATURE INCREASED	903198-1	Morning after he got the shot....Wave of severe fatigue, had to lay down as he thought he would fall over. Temperature went up a 1/2 degree celius. Went back down later that day. 12/17/2020 2:34 am he woke up with rigors and chills, went away in 3-4 min. Had abdominal pain later during the day.N
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BODY TEMPERATURE INCREASED	903258-1	Elevated temperature, muscle pain, tiredness
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BODY TEMPERATURE INCREASED	903265-1	1. Left arm very sore, could not abduct more than 40 degrees, hard time sleeping, lasted for about 26 hours 2. Elevated temp to 100.2 F with chills and myalgia, lasted about 8 hours on second day 3. Diarrhea and indigestion for 2 days
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BOWEL MOVEMENT IRREGULARITY	903001-1	12/15/2020 615 received vaccine 2pm belly pains, relief 'not like normal bowel movement', 'urge to go' 5 belly pain, relief self'not like normal bowel movement', 'urge to go' 8-10 pm body chills, covered with 3+ blankets 10 pm body chills subsided 12/16/2020 fatigue; not exercise; 5miles per day (only able to walk 2 miles) Flu vaccine; 'pretty sure it was 09/2020'; Unknown brand
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BURNING SENSATION	903229-1	Patient reports it started as a tingling, pain and burning in the elbow and travelled up the shoulder and up the chest and to the heart. Pain felt like a cardio thump . Grabbed the epi. Sitting forward. Talked Dr. Doctor stated to sit back and uncross legs. Initiated slow breathing. Pain subsided to a tolerable amount. Not short of breath but tachycardic. Still dizzy. Stayed an hour sitting position, after injection. Felt there was an irritating sensation around the heart. Left and walked back to clinic. 10 minutes after arriving to the clinic, dizziness, flushing , came back and irritation around the heart was still noticed but tolerable. 2 minutes after, voice started cracking and drank some water. Intensity of dizziness increased and overall symptoms also intensified. Returned to COVID immunization clinic 15 minutes later. Patient was moved to direct observation in a chair. Given oral benadryl. Instructed to stay and would evaluate if new interventions would be deemed necessary. Benadryl helped. Symptoms were relieved in 15 mins. Patient has been in the clinic under direct observation for about 3.5 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	BURNING SENSATION	903248-1	Approximately 5 minutes after receiving vaccine I noted an intense flushing and burning sensation from my waist up followed by tachycardia with heart rate in 150s elevated BP 150/100. These symptoms subsided after approximately 10 minutes but were then followed by a ?cloudy? feeling in my head as well as tingling in bilateral hands that lasted the rest of the day but had resolved by the next morning. The next morning I felt very well until 2 pm when I had a short period (approximately 2 minutes) of elevated heart rate (120s) that then resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	C-REACTIVE PROTEIN INCREASED	903243-1	Patient developed hives, facial swelling, throat swelling/itching, and nausea approximately 13min after vaccination while in observation. Patient immediately taken to Emergency Department where epinephrine was given IM in the left thigh followed by 125mg IV solumedrol, 50mg IV benadryl, 1000mL NS, and 20mg IV famotidine. Hemodynamically stable throughout ED course.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CARDIAC DISCOMFORT	903229-1	Patient reports it started as a tingling, pain and burning in the elbow and travelled up the shoulder and up the chest and to the heart. Pain felt like a cardio thump . Grabbed the epi. Sitting forward. Talked Dr. Doctor stated to sit back and uncross legs. Initiated slow breathing. Pain subsided to a tolerable amount. Not short of breath but tachycardic. Still dizzy. Stayed an hour sitting position, after injection. Felt there was an irritating sensation around the heart. Left and walked back to clinic. 10 minutes after arriving to the clinic, dizziness, flushing , came back and irritation around the heart was still noticed but tolerable. 2 minutes after, voice started cracking and drank some water. Intensity of dizziness increased and overall symptoms also intensified. Returned to COVID immunization clinic 15 minutes later. Patient was moved to direct observation in a chair. Given oral benadryl. Instructed to stay and would evaluate if new interventions would be deemed necessary. Benadryl helped. Symptoms were relieved in 15 mins. Patient has been in the clinic under direct observation for about 3.5 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CARDIAC MONITORING	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	902665-1	"Pt. became lightheaded, and clammy. noted heart rate to be 51, oxygen saturation 100%. after sitting for a few minutes, she felt better, but then became dizzy and had some chest tightness and bilateral hand tingling. Pt. noted to have respiratory rate 22-26 with deep breath, but other vital signs were stable. (Blood pressures 108-138/70's to 80's) Heart rate remained stable in the 70-90's range, lungs remained clear to auscultation through out. No rash or swelling noted anywhere. No itching, no throat tightness. Pt. repeatedly stated ""I think I am having a panic attack"". Due to the continued complaint of chest tightness, pt. sent to the emergency department for evaluation."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	902766-1	Vaccinator Nurse noted upon vaccination there was bleeding from site and immediate bruising. Extended post vaccination monitoring to 30 minutes and asked patient to not leave before being reevaluated. Visual monitoring in post vaccination space by this RN. á Upon reassessment @ 1352 pt stated she felt the need to use her inhaler and chest tightness. Pt denies SOB and able to transfer independently to wheelchair. Pt began to cough and was immediately transferred to ED per FNP. á á Upon ED arrival, pt was transferred to back hall 9, report given to RN and assessed by physician. Vital signs 98% on RA, t- 98.2, HR 78.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	902919-1	Patient left the vaccine clinic after waiting 15 minutes. While driving home, she began to feel clammy with a tightness in her chest and throat. She reports that it felt harder for her to breathe. She describes the onset as 20-30 minutes after vaccine was administered. She returned to the vaccine clinic where she was given diphenhydramine 25 mg PO, and her blood pressure was ~130/100 mmHg. She reports that she is usually normotensive. Patient was observed for 30-45 minutes, and she reports feeling better.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	902995-1	pt developed chills, nausea and vomiting. Reports > 10 episodes of vomiting total. Went to lunch and continued to have chills and vomiting. Also developed chest pain - described as burning and heaviness. Denies any shortness of breath. CT negative for any changes. Chest X ray normal.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	903002-1	Patient received the vaccine. During the 15 minute observation period she developed chest heaviness, arm tingling, and throat tingling. BP elevated at 169/79. The patient was sent to the ED and evaluated. Diagnosed with more anxiety type symptoms. Discharge from ED stable.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	903003-1	Patient received the vaccine. During the 15 minute observation period she developed chest heaviness, arm tingling, and throat tingling. BP elevated at 169/79. The patient was sent to the ED and evaluated. Diagnosed with more anxiety type symptoms. Discharge from ED stable.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	903004-1	17 minutes after vaccine, suddenly had a , crushing squeezing chest pain, very severe lasted 45 seconds. after 45 seconds continue to have moderate chest pain, light headiness, diaphoretic, very hot. NO fever, elevated BP. Mild to moderate chest and light headiness for about 3-4 hours and it self solved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	903095-1	Approximately 10 minutes after receiving the vaccine in the left arm, the patient began feeling lightheaded and had some chest heaviness. They became diaphoretic and at this point blood pressure and heart rate were checked. HR was elevated to 90 bpm from patient's baseline of approximately 60-65 bpm. Blood pressure was elevated at 150/100 mmHg. Pt was provided water and symptoms resolved. Patient was monitored an additional 30 minutes and did not have any recurrence of symptoms. Blood pressure and heart rate returned to baseline.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	903134-1	At 24 minutes after vaccination, pt experienced chest tightness, shortness of breath, cough, flushing, and rash on chest and neck.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	903154-1	After receiving the injection, patient felt flushed and lightheaded. Began to feel like heart was racing and chest tightness. The patient's heart rate was checked, the patient was provided with Tylenol and water, and observed for an additional 15 minutes. Symptoms resolved during this time.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	903178-1	Two minutes after vaccination, she reported itching at the site. Upon assessment, red hives started to develop. Dr. came and assessed patient. Benadryl 50 mg. PO and 2 puffs Albuterol administered by Rapid Response Team RN. Tightness in chest, lightheaded, lungs clear throughout, itchiness in left arm. Resolved within 15 minutes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	903218-1	Patient reports chest heaviness, muscle aches, loss of energy. No fever or chills noted.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	903357-1	Chest pain and tighness, generalized with stabbing pain intermittently elevated blood pressure 180/95
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	903358-1	She became diaphoretic, her throat felt dry and as if it was beginning to close. Rapid response was called and she was transported to the ER. She was tachycardic, experienced chest tightness, and shortness of breath.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST DISCOMFORT	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST PAIN	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST PAIN	902984-1	Patient stated she started to feel a burning sensation in her chest about 7 minutes after receiving injection. Lasted about 5 minutes, then left.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST PAIN	902995-1	pt developed chills, nausea and vomiting. Reports > 10 episodes of vomiting total. Went to lunch and continued to have chills and vomiting. Also developed chest pain - described as burning and heaviness. Denies any shortness of breath. CT negative for any changes. Chest X ray normal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST PAIN	903004-1	17 minutes after vaccine, suddenly had a , crushing squeezing chest pain, very severe lasted 45 seconds. after 45 seconds continue to have moderate chest pain, light headiness, diaphoretic, very hot. NO fever, elevated BP. Mild to moderate chest and light headiness for about 3-4 hours and it self solved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST PAIN	903030-1	~30 minutes after vaccination, patient reported lightheadedness, difficulty swallowing, SOB, feeling flushed, pallor, bilateral arm tingling, brief chest pain and tremors. Symptoms lasted approximately 30 minutes and then resolved. Benadryl given after resolution of acute symptoms. Reported a metallic taste in her mouth immediately after receiving the COVID vaccine (dose #1). Had uneventful 15 minute recovery period immediately after vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST PAIN	903201-1	During COVID vaccine administration being held at Medical Center, vaccine was administered by Health Department staff on 12/17/2. At 1:30 pm, during observation, patient stated he was having mild chest pain that was not there prior to vaccine. Client walked to observation room, blood pressure taken 169/89. Patient rated chest pain 1/10, described it as random sharp pain. In ER observation room, client was offered EKG which was declined. Patient was then offered to check in through ER for monitoring, patient also declined. Continued to monitor patient until 2:00 pm, at which point patient stated chest pain had subsided and he requested to go home to relax. Encouraged to return to ER if chest pain returns.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST PAIN	903229-1	Patient reports it started as a tingling, pain and burning in the elbow and travelled up the shoulder and up the chest and to the heart. Pain felt like a cardio thump . Grabbed the epi. Sitting forward. Talked Dr. Doctor stated to sit back and uncross legs. Initiated slow breathing. Pain subsided to a tolerable amount. Not short of breath but tachycardic. Still dizzy. Stayed an hour sitting position, after injection. Felt there was an irritating sensation around the heart. Left and walked back to clinic. 10 minutes after arriving to the clinic, dizziness, flushing , came back and irritation around the heart was still noticed but tolerable. 2 minutes after, voice started cracking and drank some water. Intensity of dizziness increased and overall symptoms also intensified. Returned to COVID immunization clinic 15 minutes later. Patient was moved to direct observation in a chair. Given oral benadryl. Instructed to stay and would evaluate if new interventions would be deemed necessary. Benadryl helped. Symptoms were relieved in 15 mins. Patient has been in the clinic under direct observation for about 3.5 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST PAIN	903357-1	Chest pain and tightness, generalized with stabbing pain intermittently elevated blood pressure 180/95
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST PAIN	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST X-RAY	903016-1	Approximately 11 minutes after receiving the vaccine, the patient complained of shortness of breath, tingling in arms and hands, numbness and tingling in legs and feet, and was observably shaking, with no complaints of swelling in throat or other signs of anaphylaxis. Patient was brought to ER in same facility via stretcher and was examined by staff there. ER report states the patient presented with shortness of breath and what appeared to be a panic attack, with fast breathing, slight flushing, and shaking. Per ER report, the patient was treated for an acute anaphylactic reaction, with clear lungs and given an EpiPen shot in the right thigh. IV was initiated and given a fluid bolus, solu medrol, famotidine, and lorazepam. Labs and a chest x-ray done and reviewed. After treatment, patient found to be stable and was discharged home at 4:42 pm with orders for famotidine, albuterol inhaler, and epinephrine pen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST X-RAY	903130-1	Shortly Administration of vaccine I experienced a metallic taste. approximately 40 minutes after administration of vaccine I experienced difficulty swallowing, dyspnea, tachycardia and numbness in tingling in bilateral hands. I am a healthcare provider and I received the vaccine at my place of employment. I was taken to the emergency department for monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST X-RAY	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST X-RAY ABNORMAL	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST X-RAY NORMAL	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHEST X-RAY NORMAL	902995-1	pt developed chills, nausea and vomiting. Reports > 10 episodes of vomiting total. Went to lunch and continued to have chills and vomiting. Also developed chest pain - described as burning and heaviness. Denies any shortness of breath. CT negative for any changes. Chest X ray normal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902572-1	Pfizer-BioNTech COVID-19 Vaccine EUA Developed chills, nausea and vomiting beginning at 2 AM the night after receiving the vaccine. Potential fever as well (I don't have a thermometer to check). Symptoms have lasted over 3 hours thus far, still continuing.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902621-1	Patient received shot around 1pm later that night he started to experience chills, hot/cold, nausea, headache, extreme fatigue, low grade temp (99.1) Associate vomited several times the early the next morning. By the next day, day patient was vomiting less and was able to keep food down. Patient is feeling better the second day, experiencing some nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902655-1	chills - 0730 body ache, headache - 1000 headache significantly worse - 1110
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902666-1	redness around the injection spot, fever chills, Stomach Ache, Body Ache, Short of breath (walking up stairs), Headaches no appetite, Dry heating .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902668-1	About 12 hours after the injection woke up and body was hurting all over, chills, body aches, felt feverish, temperature was 100.3F and really tired and hurting all over. Took Tylenol and returned to sleep. Woke up some hours later and took an Ibuprofen. rested for the rest of the day and now the only side effects is a little soreness on her injection mark. No other symptoms. Only the first 24 hours after the shot.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902706-1	Bp of 85/44, nauseous, body aches, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902748-1	Chills, Body Ache, Fever
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902750-1	The employee experienced headaches the evening after receiving the vaccine. The next morning he experienced improvements in the headaches but developed chills, fatigue, and fever, all of which have improved somewhat by the afternoon when he reported these adverse effects to our employee health service. As he is recently recovered from COVID, a repeat COVID test may not be helpful. He was advised to call our employee health service and followup with his own doctor if these symptoms do not improve or resolve after 3 days.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902759-1	Fever , chills, Body Ache all over body, Joint Pain (worse in hips) Injection site swollen The PT cannot life her arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902900-1	Day 0 of injection that evening , experienced fevers, chills, rigors, malaise. Day 1 morning experienced nausea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902923-1	NAUSEA, CHILLS, MUSCLE PAIN, WEAKNESS
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902933-1	Pfizer-BioNTech COVID-19 Vaccine EUA Fever, chills, severe body aches. Fever resolved with ibuprofen
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902952-1	Dizziness, headache, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902983-1	Pfizer-BioNTech COVID-19 Vaccine EUA. Injection site pain, headache, tiredness, muscle pain, chills and fever. Took acetaminophen, no longer have fever after 12 hrs.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902990-1	fever, cough,chills,body aches, weakness, loss of smell
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902995-1	pt developed chills, nausea and vomiting. Reports > 10 episodes of vomiting total. Went to lunch and continued to have chills and vomiting. Also developed chest pain - described as burning and heaviness. Denies any shortness of breath. CT negative for any changes. Chest X ray normal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	902998-1	Morning after injection: mild fatigue, arm soreness; later in the morning-headache then chills, muscle aches, joint pain and low grade fever (99) and nausea/loss of appetite. These persisted for approximately 12 hours then cleared completely.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903001-1	12/15/2020 615 received vaccine 2pm belly pains, relief 'not like normal bowel movement', 'urge to go' 5 belly pain, relief self'not like normal bowel movement', 'urge to go' 8-10 pm body chills, covered with 3+ blankets 10 pm body chills subsided 12/16/2020 fatigue; not exercise; 5miles per day (only able to walk 2 miles) Flu vaccine; 'pretty sure it was 09/2020'; Unknown brand
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903009-1	Patient complained of vision disturbance confusion dizziness, chills, clammy, no trouble breathing. Nausea, Patient stated she did not have any breakfast. gave patient diphenhydramine 25 mg and EMS arrived to take her to the hospital.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903031-1	2 hours later pain in arm approximately 4-5 inches. Was not able to utilize left arm on yesterday. last night experienced muscle aches and chills. Taken Tylenol and rested. This morning experienced a really bad headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903040-1	arm felt hot to the touch, felt arm heavy very difficult to move the arm, felt feverish, took temperature but no fever, but hot to the touch, lots of chills, nausea, body aches. Took some tylenol and at night it started getting a little better. This morning the injection site is red and is sore but I can move my arm again.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903043-1	chills, headache, weakness, fatigue
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903075-1	12/15/2020 I felt terrible with muscle aches, shivering, chills, fever was 102.8,I took tylenol and ibuprofen (alternated) 24 hours after initial fever I ceased meds and fever was still 101.5, this morning I was 98.6. The course of the fever was 36 hours total
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903089-1	Headache , dizziness, neck pain, left flank pain, fever 100.2 , chills,fatigue and muscle aches.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903094-1	40 min after shot experienced dizziness, feeling like was going to pass out, not coherent, BP high, fast heart rate, light headed. Got chills, freezing cold, shivering, and later in the day my ears were ringing. Extremely fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903115-1	Fever, severe body aches, severe chills, still have symptoms this morning although less severe.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903122-1	Injection site soreness started about 3 hrs post-injection. By that evening I was experiencing body aches & chills. I took Advil 400mg with dinner and felt okay for about 4 hours. As soon as the Advil wore off, body aches & chills returned. I did not take anymore Advil that night. My sleep was restless with body aches, chills, & pain at the injection site. I took my temperature during the night and was afebrile. I woke feeling tired with a mild headache. I took Advil after breakfast and currently feel okay.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903139-1	Today I have really bad stomach cramps and diarrhea. Yesterday I had a temp 101.2 with tylenol, chills, joint pain and really bad headache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903151-1	Chills, Body Ache, Hard around the injection
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903152-1	12/15/2020 I was tired, body chills, pain in left arm but was all very light until 12/16/2020 headache was more severe
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903165-1	On the night 12/15 exp body aches typically how you feel when having a virus, no fever, no gi symptoms. The following day I had fatigue and one point had chills, body aches. Then took Motrin on night of 12/16 and felt better on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903174-1	On day after vaccination: Left arm soreness, chills, headaches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903180-1	Muscle aches , Joint aches, cold sweats, chills, Stomach Pain, Diarrhea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903188-1	12/15/2020 little bit of a headache at night and took an ibuprofen, intermittent nausea the next day, around 530 pm 12/16/2020 fatigue joint pain chills, I had a fever but I did not take my temp, nausea at 9pm I took ibuprofen and this morning 12/17/2020 I woke up fine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903191-1	Within about an hour headache and mild pain at the injection site, around 4:30/5PM all other symptoms hit: chills, fever, fatigue, runny nose and diarrhea, joint and muscle pain, very sweaty and clammy skin
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903195-1	Headache , fever 100.8, chills, Fatigue, body ache . Nausea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903198-1	Morning after he got the shot....Wave of severe fatigue, had to lay down as he thought he would fall over. Temperature went up a 1/2 degree celcius. Went back down later that day. 12/17/2020 2:34 am he woke up with rigors and chills, went away in 3-4 min. Had abdominal pain later during the day.N
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903209-1	Chills nausea sweats headache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903223-1	12/16 It's hard to know because I have a fever but I work on the COVID unit and there has been an outbreak, chills, fatigue, and the thought of moving to take a shower I feel in pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903233-1	Fever 102, nausea, headaches, muscle pain, lightheaded, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903252-1	Fever of Tmax 100.5, chills and headache 24 hours after receiving the covid vaccine
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903265-1	1. Left arm very sore, could not abduct more than 40 degrees, hard time sleeping, lasted for about 26 hours 2. Elevated temp to 100.2 F with chills and myalgia, lasted about 8 hours on second day 3. Diarrhea and indigestion for 2 days
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903323-1	Nausea, myalgia, injection site pain, malaise, diarrhea, chills, joint pain, headache, nasal congestion,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903328-1	Fever and chills that started approximately 24 hours after injection lasting for approximately 8 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903352-1	Fever with max of 101.9, headache, chills, heartburn, cough, fatigue.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903361-1	31 hours after the vaccination I woke up at 11:00 p.m. and had two and a half hours of alternating sweats and chills that went away with 1000 mg of acetaminophen and 600 mg of ibuprofen. I did not have a fever, my temperature was 98.8, and I did not have diffuse muscle aches. this was similar to but much shorter lived in milder than my reaction with shingrix earlier in the year.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903393-1	Approximately 90 minutes following first dose of vaccine, developed severe headache, chills, joint pain and full body muscle aches. Continued throughout the night and were improved by next morning, but not fully resolved by the time of this submission.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903402-1	My symptoms started with bodyaches and fatigue. Quickly followed by a fever that reached 102.4. Later that night I had congestion, cough and headache. Woke up the next mornign with moderate/sever bodyaches, chills, cough and headache. Moderate fatigue as well. Had to miss work.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903535-1	First day right after the vaccine the left arm was extremely sore, the next day I felt like I had the flu. body aches , headache, knees aching , abdominal pain, could not eat, lots of chill, breaking out in sweats .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CHILLS	903614-1	I didn't eat after because I lost my appetite. I was nauseous with chills , sweating and vomitting and tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CIRCUMORAL SWELLING	903161-1	Sensation of swelling around the mouth and throat felt funny
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CIRCUMSTANCE OR INFORMATION CAPABLE OF LEADING TO MEDICATION ERROR	902798-1	Patient marked that he had received the flu vaccine 7 days ago. This was missed on screening procedure and patient received the vaccine today. Contacted the CDC and instructed to enter a VAERS report.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CIRCUMSTANCE OR INFORMATION CAPABLE OF LEADING TO MEDICATION ERROR	903047-1	Employee states that there was confusion at the time of vaccine injection, and that she was possibly given a second injection right after the first. approximately 45 minutes later she experienced headache and dizziness and had an observed syncopal episode. She was taken to the ER, evaluated for MI. Was found to be stable and was discharged.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COLD SWEAT	902665-1	"Pt. became lightheaded, and clammy. noted heart rate to be 51, oxygen saturation 100%. after sitting for a few minutes, she felt better, but then became dizzy and had some chest tightness and bilateral hand tingling. Pt. noted to have respiratory rate 22-26 with deep breath, but other vital signs were stable. (Blood pressures 108-138/70's to 80's) Heart rate remained stable in the 70-90's range, lungs remained clear to auscultation through out. No rash or swelling noted anywhere. No itching, no throat tightness. Pt. repeatedly stated ""I think I am having a panic attack"". Due to the continued complaint of chest tightness, pt. sent to the emergency department for evaluation."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COLD SWEAT	902919-1	Patient left the vaccine clinic after waiting 15 minutes. While driving home, she began to feel clammy with a tightness in her chest and throat. She reports that it felt harder for her to breathe. She describes the onset as 20-30 minutes after vaccine was administered. She returned to the vaccine clinic where she was given diphenhydramine 25 mg PO, and her blood pressure was ~130/100 mmHg. She reports that she is usually normotensive. Patient was observed for 30-45 minutes, and she reports feeling better.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COLD SWEAT	903009-1	Patient complained of vision disturbance confusion dizziness, chills, clammy, no trouble breathing. Nausea, Patient stated she did not have any breakfast. gave patient diphenhydramine 25 mg and EMS arrived to take her to the hospital.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COLD SWEAT	903120-1	12/16/2020 episode of abdominal cramps I had a BM episode of loose stools and soon after that within seconds I started profusely sweating on my forehead and felt lightheaded and very weak, My wife noticed how much i was sweating my body was cool and clammy, episode lasted at least 5 mins if not more so I just laid down until I started feeling better. Once symptoms subsided I took 1000 mg of tylenol, Heavy head throughout the day.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COLD SWEAT	903167-1	Began to feel weak, felt as though going to faint, became cool and clammy, BP 100/70 P 46, O2 Sat 100% on room air, no loss of consciousness. Taken to ED - noted patient did not eat prior to getting the vaccine
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COLD SWEAT	903180-1	Muscle aches , Joint aches, cold sweats, chills, Stomach Pain, Diarrhea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COLD SWEAT	903191-1	Within about an hour headache and mild pain at the injection site, around 4:30/5PM all other symptoms hit: chills, fever, fatigue, runny nose and diarrhea, joint and muscle pain, very sweaty and clammy skin
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COMPUTERISED TOMOGRAM	903318-1	10:00 am received vaccine @ medical center right side of mouth felt strange on the way home. 13:00 pm right side of mouth continued to feel strange. Looked in mirror and noticed uneven smile, right side of mouth drooping. 13:35 pm messaged my primary care MD. And called Nurse triage. 14:00 pm Nurse triage advised me to go the emergency room ASAP. 15:00 pm @ Emergency room. Stroke code called, labs, CT, MRI completed. Diagnosis Bell's palsy. Went home with steroid and anti-viral. Symptoms are improving.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COMPUTERISED TOMOGRAM NORMAL	902995-1	pt developed chills, nausea and vomiting. Reports > 10 episodes of vomiting total. Went to lunch and continued to have chills and vomiting. Also developed chest pain - described as burning and heaviness. Denies any shortness of breath. CT negative for any changes. Chest X ray normal.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COMPUTERISED TOMOGRAM NORMAL	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil themselves and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COMPUTERISED TOMOGRAM THORAX NORMAL	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CONDITION AGGRAVATED	902665-1	"Pt. became lightheaded, and clammy. noted heart rate to be 51, oxygen saturation 100%. after sitting for a few minutes, she felt better, but then became dizzy and had some chest tightness and bilateral hand tingling. Pt. noted to have respiratory rate 22-26 with deep breath, but other vital signs were stable. (Blood pressures 108-138/70's to 80's) Heart rate remained stable in the 70-90's range, lungs remained clear to auscultation through out. No rash or swelling noted anywhere. No itching, no throat tightness. Pt. repeatedly stated ""I think I am having a panic attack"". Due to the continued complaint of chest tightness, pt. sent to the emergency department for evaluation."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CONDITION AGGRAVATED	902796-1	I inserted my NuvaRing birth control on 12/14/2020. I have the Covid19 vaccine on 12/15/2020 at about 8:30am. The injection site was mildly sore and that continued into the next day. I woke up on 12/16/2020 feeling a little off and it progressed throughout the day. I felt a headache that I knew was turning into a migraine, threw up a few times (this is normal for me when I get migraines), and started having hot flashes. My temperature never went above 98. After sleeping a few hours and taking some Excedrin migraine I was feeling much better, though still a little sickly, by 4pm. I really think this is due to my migraines (which I get roughly once a month) even though it was a day later than normal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CONDITION AGGRAVATED	903199-1	2 1/2 hours after the shot, I felt pressure building in my head, my eyes felt bulging, my throat felt tight, and I started having an asthma attack
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CONDITION AGGRAVATED	903259-1	TINGLING AROUND LIPS, MONITORED FOR ADDITIONAL 15 MINS. (TOTAL OF 30MINS), PATIENT STATES TINGLING RESOLVED. REPORTED HEADACHE BUT STATES SHE HAD IT ALL DAY.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CONFUSIONAL STATE	903009-1	Patient complained of vision disturbance confusion dizziness, chills, clammy, no trouble breathing. Nausea, Patient stated she did not have any breakfast. gave patient diphenhydramine 25 mg and EMS arrived to take her to the hospital.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CONFUSIONAL STATE	903010-1	After receiving vaccine patient started complain of vision disturbance, confusion, nurses started he was slow to respond. Nurses also documented that he was acting the same way the day before due to UTI. No SOB . no signs of allergic reaction
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CONFUSIONAL STATE	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil themselves and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CONFUSIONAL STATE	903081-1	Muscle ache, fatigue, drowsiness, brief confusion, bilateral headache, onset 11 AM, duration 2-3 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CONTRAINDICATED PRODUCT ADMINISTERED	902798-1	Patient marked that he had received the flu vaccine 7 days ago. This was missed on screening procedure and patient received the vaccine today. Contacted the CDC and instructed to enter a VAERS report.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CONTRAINDICATED PRODUCT ADMINISTERED	903007-1	She had received a shingles vaccine on 12/10/2020.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COUGH	902766-1	Vaccinator Nurse noted upon vaccination there was bleeding from site and immediate bruising. Extended post vaccination monitoring to 30 minutes and asked patient to not leave before being reevaluated. Visual monitoring in post vaccination space by this RN. á Upon reassessment @ 1352 pt stated she felt the need to use her inhaler and chest tightness. Pt denies SOB and able to transfer independently to wheelchair. Pt began to cough and was immediately transferred to ED per FNP. á á Upon ED arrival, pt was transferred to back hall 9, report given to RN and assessed by physician. Vital signs 98% on RA, t- 98.2, HR 78.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COUGH	902895-1	Systemic rash, dry cough (causing cough); 650mg Tylenol every 6; 50mg Benadryl to start then 25 mg every 6, Pepcid 20mg every 12 hours; rash is slowly resolving; throat still very dry with dry cough

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COUGH	902941-1	throat dryness and scratchiness, numbness. hoarse coughing
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COUGH	902990-1	fever, cough,chills,body aches, weakness, loss of smell
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COUGH	903082-1	Persistant cough, dyspnea, sweats, myalgias, mental staus changes and diarrhea, still resoving
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COUGH	903134-1	At 24 minutes after vaccination, pt experienced chest tightness, shortness of breath, cough, flushing, and rash on chest and neck.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COUGH	903352-1	Fever with max of 101.9, headache, chills, heartburn, cough, fatigue.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COUGH	903402-1	My symptoms started with bodyaches and fatigue. Quickly followed by a fever that reached 102.4. Later that night I had congestion, cough and headache. Woke up the next mornign with moderate/sever bodyaches, chills, cough and headache. Moderate fatigue as well. Had to miss work.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	COUGH	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	CRANIAL NERVE DISORDER	903163-1	Pt underwent 15 minutes observation and felt fine during that time, while walking back to work on the way to work unit noticed tingling on the L side of her lower lip and a few inches back along jaw. It persisted so she returned to the vaccine clinic for evaluation. She was evaluated by a physician and had a normal cranial nerve and motor exam other than diminished sensation CN5- no change in appearance of lip. There was no other reaction at vaccination site or change in symptoms during a further 30 minute observation period. She was released back to work. Checkin after a few hours the tingling had improved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DEAFNESS UNILATERAL	903344-1	severe, acute hearing loss and tinnitus in R ear.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DECREASED APPETITE	902666-1	redness around the injection spot, fever chills, Stomach Ache, Body Ache, Short of breath (walking up stairs), Headaches no appetite, Dry heating .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DECREASED APPETITE	902998-1	Morning after injection: mild fatigue, arm soreness; later in the morning-headache then chills, muscle aches, joint pain and low grade fever (99) and nausea/loss of appetite. These persisted for approximately 12 hours then cleared completely.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DECREASED APPETITE	903287-1	Soreness injection site Headache Prickly sensation of skin Weakness/fatigue Stomach pain/nausea/ loss of appetite
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DECREASED APPETITE	903405-1	After I received the vaccine about 1 1/2 hours later I started experiencing a metallic taste in my mouth. I am also experiencing no appetite. Throughout the night I had to force myself to eat. I'm still experiencing no appetite and this is very unusual. The metallic taste is still present, but it is getting better
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DECREASED APPETITE	903614-1	I didn't eat after because I lost my appetite. I was nauseous with chills , sweating and vomitting and tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DEFAECATION URGENCY	903001-1	12/15/2020 615 received vaccine 2pm belly pains, relief 'not like normal bowel movement', 'urge to go' 5 belly pain, relief self'not like normal bowel movement', 'urge to go' 8-10 pm body chills, covered with 3+ blankets 10 pm body chills subsided 12/16/2020 fatigue; not exercise; 5miles per day (only able to walk 2 miles) Flu vaccine; 'pretty sure it was 09/2020'; Unknown brand
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DEVICE CONNECTION ISSUE	902795-1	"When injecting the vaccine fluid, the vaccine administrator noted about 4 drops of liquid that leaked from the area of the syringe tip / needle hub connection. This particular dose was administered by a pharmacist who has experience administering vaccines. In speaking with a few other nurses who administered COVID-19 Pfizer vaccinations at the same clinic (this was the first clinic day), the consensus was that they all did not like the syringes/needles provided by Pfizer. It was a shared opinion that they felt ""cheap"" and ""flimsy"". Going forward, our site is not going to use the Pfizer supplied syringes/needles but will be using our own syringes and needles for vaccine administration."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	902799-1	Patient was feeling nauseated in the morning prior to coming to work and prior to receiving vaccine. He had a banana thinking he would feel better. He then received the vaccine and felt progressively worse experiencing diarrhea, weakness, and malaise.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	902826-1	Severe muscle aches Diarrhea Headaches Feverish Nauseous Left arm super sore Sore throat

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	902827-1	I developed a new rash on my torso and have had three bouts of diarrhea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903015-1	Fatigue, migraine, muscle fatigue on site, diarrhea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903073-1	I WOKE UP WITH DIARRHEA AND A CONSTANT HEADACHE THAT HASNT LEFT
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903082-1	Persistant cough, dyspnea, sweats, myalgias, mental staus changes and diarrhea, still resoving
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903120-1	12/16/2020 episode of abdominal cramps I had a BM episode of loose stools and soon after that within seconds I started profusely sweating on my forehead and felt lightheaded and very weak, My wife noticed how much i was sweating my body was cool and clammy, episode lasted at least 5 mins if not more so I just laid down until I started feeling better. Once symptoms subsided I took 1000 mg of tylenol, Heavy head throughout the day.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903139-1	Today I have really bad stomach cramps and diarrhea. Yesterday I had a temp 101.2 with tylenol, chills, joint pain and really bad headache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903149-1	1215 pm on 12/16/2020: pfizer covid vac in left arm Poor nights sleep with left arm pain at injection site 500am on 12/17/2020: stood up to get ready and immediately started to dizzy. Then immediately threw up and had darker green diarrhea. Once that finished I had the sweats and felt cold with a subjective fever until around 9 am with continued nausea. Symptoms resolved 11:40 AM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903180-1	Muscle aches , Joint aches, cold sweats, chills, Stomach Pain, Diarrhea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903191-1	Within about an hour headache and mild pain at the injection site, around 4:30/5PM all other symptoms hit: chills, fever, fatigue, runny nose and diarrhea, joint and muscle pain, very sweaty and clammy skin
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903205-1	woke up at 3am with diarrhea and nausea . Woke at 6 am with fever of 101.7, joint pain, Headache and fatigue any myalgia
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100.Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903247-1	I had arm pain. Yesterday I had a hot flash with throwing up and diarrhea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903265-1	1. Left arm very sore, could not abduct more than 40 degrees, hard time sleeping, lasted for about 26 hours 2. Elevated temp to 100.2 F with chills and myalgia, lasted about 8 hours on second day 3. Diarrhea and indigestion for 2 days
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903323-1	Nausea, myalgia, injection site pain, malaise, diarrhea, chills, joint pain, headache, nasal congestion,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903327-1	Patient reported that she started to feel unwell immediately after the vaccine with some nausea. She presented to the Emergency Department where she was treated by myself approximately 17 hours vaccine administration. She was having vomiting, diarrhea, diffuse rash, and throat discomfort. She was successfully treated for anaphylaxis and was able to discharge to home.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIARRHOEA	903536-1	Diarrhea the day I got the vaccine and 1 time the day after
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIFFERENTIAL WHITE BLOOD CELL COUNT	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DISORIENTATION	902892-1	Started with onset of fatigue and disorientation shortly after receiving the vaccine. Several hours after the disorientation got worse, a headache came on and my whole body aches fatigue is bad. I feel like the flu just hit me.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DISTURBANCE IN ATTENTION	902757-1	I got it about 10 am I went home I attempted to work from home for about an hour and had a headache, took a 3 hour nap and felt much better after waking up, I felt like I couldn't concentrate. I felt fine this morning 12/16/2020 and I went to work just fine. I don't have a headache and don't feel like I need a nap, my arm still hurts but that is usual. I called my provider and asked if I could take Tylenol, but they were unsure so I did not take medication
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DISTURBANCE IN ATTENTION	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100.Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902464-1	within 15 minutes progressive light-headedness leading to near-syncope and diaphoresis. After 20 minutes symptoms subsided.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902491-1	Within a few minutes of receiving the COVID 19 vaccination, patient developed lightheadedness, shortness of breath, headache, and some nausea. She did get some redness to her neck and upper chest. No recent illness. Had elevated BPs ranged from 158/103 to 207/126 . HR ranged from 82-106. O2 sats always > 96%. Temp 37.1 C. Received Tylenol 1000 mg PO, Dexamethasone 10 mg IV, diphenhydramine 50 mg IV, famotidine 20 mg IV, ketorolac 30 mg IV, ondansetron 4 mg IV, and 1 L NS. Patient prescribed EpiPen and prednisone and discharged.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902492-1	About 25 minutes after receiving vaccine complained of dizziness and being hot and nauseated. No difficulty breathing. No chest pain. B/P was 130/90 and was monitored. It went down to 124/80 after he started feeling better. He was wearing sweater over shirt and it was warm in building. Took sweater off. Cool wet cloth applied to back of neck. States he had only had a donut and cup of hot chocolate before receiving vaccine. Sprite and peanut butter crackers given. Became nauseated after eating peanut butter crackers Blood pressure monitored monitored. He laid on exam table for about 15 minutes. He felt better. Stood up and walked to conference room for another 15 minutes. Stated he felt much better and was ready to leave. Coworker drove him back. Received email from him letting us know he had made it back and they had stopped and eaten pizza on the way. Received text from coworker that he was dizzy and seeing spots and that his blood pressure had been 120/80 and then spiked to 160/100. Coworkers taking him to ER for evaluation.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902493-1	At 12:55 pm 10 minutes following vaccine being given states feeling lightheaded and flush. Was sitting in the chair. Encouraged him to lay down on the floor which he did on his own. Feet elevated. BP 174/70 pulse 82. Denies any other complaints. Laid on floor for 15 minutes then sat in chair. Denies complaints. 1:15 pm was allowed to leave. BP 120/80 and states feeling fine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902650-1	Patient received shot and sat for 15 minutes, left and came back and reported she felt woozy. She felt dizzy. Patient stated she felt dizzy off and on while she was in clinic getting shot, patient left.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902656-1	sore throat, headache, lightheadedness
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902665-1	"Pt. became lightheaded, and clammy. noted heart rate to be 51, oxygen saturation 100%. after sitting for a few minutes, she felt better, but then became dizzy and had some chest tightness and bilateral hand tingling. Pt. noted to have respiratory rate 22-26 with deep breath, but other vital signs were stable. (Blood pressures 108-138/70's to 80's) Heart rate remained stable in the 70-90's range, lungs remained clear to auscultation through out. No rash or swelling noted anywhere. No itching, no throat tightness. Pt. repeatedly stated ""I think I am having a panic attack"". Due to the continued complaint of chest tightness, pt. sent to the emergency department for evaluation."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902669-1	Immediately after the vaccine, I got severely nauseaed, got a yucky metal taste in my mouth and got super lightheaded and hadnt even gotten up. The agent helped walk me to a chair and I felt really loopy in the head. After the 15 minutes, I got up and immediately felt the whole room was spinning causing me to have to sit back down another 15 minutes. Closing my eyes made the dizziness much worse. I was given juice, my sugar was checked at was 115. After about 30 minutes I stood and felt alot better. I went back to my assigned duties but was feeling super bad and my supervisor sent me home because they states I didnt look good. On the drive home I threw up and my PCP called in Zopran to help with the nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902671-1	"After patient received vaccine had complaints of being ""lightheaded and slightly dizzy"". Monitored vital signs and patient symptoms. Resolved after 20 minutes and patient was released to go home."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902674-1	Patient has a prior anaphylaxis reaction to Doxycycline. 10minutes after immunization, she developed sweaty palms and lightheadedness. No throat swelling or difficulty breathing. Placed supine, BP 160/100, HR 60-70, O2 97% RA. After a period of monitoring the symptoms improved. No intervention given.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902758-1	"@ ~5 min felt cotton mouth. Got up to ask if he could go early. Then at 10 min post injection, felt eyes feeling weird and he felt ""high"". As in lightheaded. @ 10 min, skin surrounding the eyes are puffy. Given 25 mf benedryl. No immediate SOB or wheeze. No lip or mouth or throat swelling. Taken to ED. Given IM epi 1:1000 0.3ml. Pepcid and more benedryll PO."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902792-1	1-2 minutes later patient felt nausea, palpitations, and lightheaded
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902793-1	My symptoms started about 15 minutes after shot. Initially I felt slight dizziness begin in my head. Then I felt slight uncomfortable feeling in my lungs, throat, and tongue. They were very slight so I left the vaccine center about 25 minutes after injection. On drive home my lips started to feel numb as well as my tongue & throat. Arriving home very tired. BP 135/ 80 P70 R20 T97.6 Blood sugar 101. Slept for about 4 hours. Called in sick for 7PM shift. Too weak & tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902810-1	Patient complained of feeling dizzy, anxious, shortness of breath. Did have some pain with injection. Did have mask on while waiting standard 15 minutes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902813-1	Dizziness that lasted for about an hour. Weakness, extreme fatigue lasted the rest of the day.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902836-1	Patient received covid-19 vaccine. 20+ minutes later patient states she began feeling flushed and nauseous. Patient states she look at her injection site, and it was hot and red. Local reaction approx. 2 inches x 2 inches. Dr. ordered 25 mg oral Benadryl. Vitals stable at 1840 133/88, 66 for pulse and regular, SPO2 99% on room air, respirations 20. Patient continued having complaints of light headedness and nausea. 1850 119/79, 74, 99% RA. Dr. states patient may depart from clinic if able to sit up and walk out, patient given instructions go to ED in symptoms progress. 1857 120/82, 70, 99.4. Patient's face becomes flushed and hot on left side, patient states she is shaky, and does not feel well at all. 1905 patient transferred to ED on 2L O2 for further evaluation and workup. Narrative ER Medical decision making narrative: Accu-Chek was obtained noting a glucose to be at 80. She received IV fluids as well as Solu-Medrol Benadryl and IV Pepcid. She also received IV Tylenol as she developed a headache while in the emergency department. Headache resolved and she was able to ambulate without assistance. Requested to go home states she felt much improved near normal. Clinical Impression: Adverse reaction to drug Patient Education: Anaphylaxis (ED)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902901-1	60 minutes after receiving the vaccine the patient became very dizzy and was unable to walk. After a couple of hours dizziness lessened and patient was able to ambulate.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902902-1	"Patient presented with feeling of ""headrush"" dizziness, tachycardia to 130's, itching to neck, visible hives to face and neck."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902929-1	DIZZY, SLIGHTLY EVEVATED BLOOD PRESSURE
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902932-1	Patient reports of itching immediately after vaccine, dizzy, feeling of flush. Medical directive given for itching that include OTC antihistamine (Claritin). Incident Management team activated for dizziness and feeling of flush.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902952-1	Dizziness, headache, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	902997-1	SWEATY, NAUSEA, DIZZY, EYES GLAZED OVER, NOT TRACKING RIGHT, STARTED MORNING AFTER SHOT
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903004-1	17 minutes after vaccine, suddenly had a , crushing squeezing chest pain, very severe lasted 45 seconds. after 45 seconds continue to have moderate chest pain, light headiness, diaphoretic, very hot. NO fever, elevated BP. Mild to moderate chest and light headiness for about 3-4 hours and it self solved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903009-1	Patient complained of vision disturbance confusion dizziness, chills, clammy, no trouble breathing. Nausea, Patient stated she did not have any breakfast. gave patient diphenhydramine 25 mg and EMS arrived to take her to the hospital.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903030-1	~30 minutes after vaccination, patient reported lightheadedness, difficulty swallowing, SOB, feeling flushed, pallor, bilateral arm tingling, brief chest pain and tremors. Symptoms lasted approximately 30 minutes and then resolved. Benadryl given after resolution of acute symptoms. Reported a metallic taste in her mouth immediately after receiving the COVID vaccine (dose #1). Had uneventful 15 minute recovery period immediately after vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903034-1	"Individual received vaccine on 12/17/20 at 0815. Began with feeling faint and ""spinning"" at approx. 11:00 am, reported resolution of symptoms at approx. 11:11 am on 12/17/20."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903047-1	Employee states that there was confusion at the time of vaccine injection, and that she was possibly given a second injection right after the first. approximately 45 minutes later she experienced headache and dizziness and had an observed syncopal episode. She was taken to the ER, evaluated for MI. Was found to be stable and was discharged.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903089-1	Headache , dizziness, neck pain, left flank pain, fever 100.2 , chills,fatigue and muscle aches.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903094-1	40 min after shot experienced dizziness, feeling like was going to pass out, not coherent, BP high, fast heart rate, light headed. Got chills, freezing cold, shivering, and later in the day my ears were ringing. Extremely fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903095-1	Approximately 10 minutes after receiving the vaccine in the left arm, the patient began feeling lightheaded and had some chest heaviness. They became diaphoretic and at this point blood pressure and heart rate were checked. HR was elevated to 90 bpm from patient's baseline of approximately 60-65 bpm. Blood pressure was elevated at 150/100 mmHg. Pt was provided water and symptoms resolved. Patient was monitored an additional 30 minutes and did not have any recurrence of symptoms. Blood pressure and heart rate returned to baseline.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903120-1	12/16/2020 episode of abdominal cramps I had a BM episode of loose stools and soon after that within seconds I started profusely sweating on my forehead and felt lightheaded and very weak, My wife noticed how much i was sweating my body was cool and clammy, episode lasted at least 5 mins if not more so I just laid down until I started feeling better. Once symptoms subsided I took 1000 mg of tylenol, Heavy head throughout the day.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903149-1	1215 pm on 12/16/2020: pfizer covid vac in left arm Poor nights sleep with left arm pain at injection site 500am on 12/17/2020: stood up to get ready and immediately started to dizzy. Then immediately threw up and had darker green diarrhea. Once that finished I had the sweats and felt cold with a subjective fever until around 9 am with continued nausea. Symptoms resolved 11:40 AM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903154-1	After receiving the injection, patient felt flushed and lightheaded. Began to feel like heart was racing and chest tightness. The patient's heart rate was checked, the patient was provided with Tylenol and water, and observed for an additional 15 minutes. Symptoms resolved during this time.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903167-1	Began to feel weak, felt as though going to faint, became cool and clammy, BP 100/70 P 46, O2 Sat 100% on room air, no loss of consciousness. Taken to ED - noted patient did not eat prior to getting the vaccine
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903169-1	Light headed, felt faint. Vitals remained stable. Did need to lay down for approximately 30 min. then sent to ED for evaluation
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903178-1	Two minutes after vaccination, she reported itching at the site. Upon assessment, red hives started to develop. Dr. came and assessed patient. Benadryl 50 mg. PO and 2 puffs Albuterol administered by Rapid Response Team RN. Tightness in chest, lightheaded, lungs clear throughout, itchiness in left arm. Resolved within 15 minutes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903200-1	Symptoms- light headedness, dizziness while in the 30 minute observation window, EE reports she drank water and immediately felt better. EE also endorses mild HA shortly after. EE endorses symptoms completely resolved by 1:30 pm. Called vaccine support line at approximately 3:43 pm to notify us for our records.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903202-1	Severe dizzy spell about 5-10 following injection, helped to the floor, this lasted approximately 30-40 minutes after start of symptom. Hot flashes and visual disturbance lasting into following day.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903213-1	Joint Ache , Dizzy, tickly throat, Tiredness,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903217-1	COVID vaccine administered to patient. She began to have lightheadedness and dizziness. She disclosed she had not yet eaten for the day, except for a glass of milk. Writer brought her to an exam table and had her lay down. After 5-10 minutes, she was given a banana and two small apple juice boxes. She then laid back down. After another 5 minutes, she complained of headache and slight phlegm development in her throat. Dr. was called to evaluate- after an assessment, she asked for a BP. Writer completed the vitals and found her BP was 113/77. 5 more minutes passed. Dr. advised that since her situation was not improving and headache and phlegm appeared to be getting worse, patient should receive epi and go to the hospital. Writer administered 0.3mg/0.3mL of epi and drove patient to the Emergency Department of Hospital. She was there for about two hours before being discharged. Symptoms largely resolved by the evening.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903228-1	Patient experiences palpitations, dizziness, and hypertension within 10 minutes of receiving the vaccine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903229-1	Patient reports it started as a tingling, pain and burning in the elbow and travelled up the shoulder and up the chest and to the heart. Pain felt like a cardio thump . Grabbed the epi. Sitting forward. Talked Dr. Doctor stated to sit back and uncross legs. Initiated slow breathing. Pain subsided to a tolerable amount. Not short of breath but tachycardic. Still dizzy. Stayed an hour sitting position, after injection. Felt there was an irritating sensation around the heart. Left and walked back to clinic. 10 minutes after arriving to the clinic, dizziness, flushing , came back and irritation around the heart was still noticed but tolerable. 2 minutes after, voice started cracking and drank some water. Intensity of dizziness increased and overall symptoms also intensified. Returned to COVID immunization clinic 15 minutes later. Patient was moved to direct observation in a chair. Given oral benadryl. Instructed to stay and would evaluate if new interventions would be deemed necessary. Benadryl helped. Symptoms were relieved in 15 mins. Patient has been in the clinic under direct observation for about 3.5 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100.Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903233-1	Fever 102, nausea, headaches, muscle pain, lightheaded, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903240-1	"1658 Patient reports feeling lightheaded after receiving COVID vaccine. VS obtained, BP & HR are elevated. 1700 PA called 1702 PA arrived Patient remains lightheaded with some palpitations but denies any trouble breathing. 1711 VS are improving 1716 Patient states she starts feeling better but then gets a new wave of lightheadedness with ""foginess"". Monitoring continued. 1741 Patient starting to feel ""extra lightheaded"" 1742 Benadryl given per PA 1748 Patient verbalized a headache 1818 Medic called because BP & HR have not improved after 1 hour of monitoring. 1825 Medic team transported patient to the ER"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903255-1	Within 10min patient first experienced feeling hot and tightening of throat. Patient visibly sweating on forehead. Patient expressed feeling extremely flushed. No meds given per patient request. 30 min post-vaccination, patient now feeling very cold, throat feels better but still a little tight, and a little dizzy. No nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903263-1	5 minutes after I received the injection, I experienced a mild headache and metallic taste in my mouth, with very slight dizziness for a couple seconds. I reported the mild headache and taste disturbance to the RN in the Covid vaccine room before I left for her information. I stayed 15 minutes , then walked to my car. I sat in my car, then began to feel cold, dizzy, and my heart began to race. I walked back to the Neurology clinic where I work as an NP, and sat in the Neurologist's office, who observed me to be pale and sweating. I continued to feel dizzy with tachycardia for about 7 minutes until this resolved. The only symptom remaining after this was a headache and metallic taste.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903280-1	Patient reported she was pregnant at time of screening. Patient confirmed that her and her OB/GYN discussed the COVID19 vaccine and determined it was the right decision for her to receive the vaccine. Upon receipt of the vaccine, she stated she was feeling flushed, nauseated and felt she was going to pass out. The vaccine clinic team took her to the ED for evaluation and monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903283-1	6 minutes after receiving the vaccine I became lightheaded. I was the worst for about 1-2 hours after the vaccine but then symptoms improved some. 11 hours later I am still mildly lightheaded.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903321-1	tachycardia, HR up to 130s 1 hour after vaccination. Tachycardia while sitting down. Lightheadedness. Tachycardia improved but still 100-118 while at rest for hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903329-1	hot flushing feeling, light headed, legs heavy gave patient a chair to sit and candy symptoms resolved by 11:36
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903333-1	vasovagal response - dizziness and nausea which lasted about one hour after injection - resolved with supine position and dry cereal
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903338-1	5-10 minutes after vaccination, vasovagal syncope: pallor, diaphoresis, dizziness, tunnel vision, nausea, weakness, tingling in arms/legs, BP 103/69
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DIZZINESS	903373-1	Dizzy, Hives on neck and chest, body aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DRY MOUTH	902758-1	"@ ~5 min felt cotton mouth. Got up to ask if he could go early. Then at 10 min post injection, felt eyes feeling weird and he felt ""high"". As in lightheaded. @ 10 min, skin surrounding the eyes are puffy. Given 25 mf benedryl. No immediate SOB or wheeze. No lip or mouth or throat swelling. Taken to ED. Given IM epi 1:1000 0.3ml. Pepcid and more benedryl PO."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DRY THROAT	902895-1	Systemic rash, dry cough (causing cough); 650mg Tylenol every 6; 50mg Benadryl to start then 25 mg every 6, Pepcid 20mg every 12 hours; rash is slowly resolving; throat still very dry with dry cough
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DRY THROAT	902941-1	throat dryness and scratchiness, numbness. hoarse coughing
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DRY THROAT	903358-1	She became diaphoretic, her throat felt dry and as if it was beginning to close. Rapid response was called and she was transported to the ER. She was tachycardic, experienced chest tightness, and shortness of breath.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSARTHRIA	902939-1	Patient was given to co vid injection- developed numbness and tingling inside bicep- speech- slurred speech- tongue speech- tongue not swollen- feels like novican. Takes lisinopril, novolog jardiance, lansoprazole, and mirena.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSARTHRIA	903211-1	Facial swelling, slurred speech, taste in mouth (medicine like), heart palpitations, rash to chest and face.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSGEUSIA	902465-1	Pt felt wave come over body @ 1218 starting in head and going down. Bad taste in mouth, tingling in body , legs, back , across stomach, BP 150/100 P 120@ 1219, EMS activated. BP 120/80, P 80 Pt alert and oriented, Pt declined transport and Benadryl. Symptoms come and go, pt feels better but then bad taste in mouth starts, shaking of hands, tingling starts again in stomach and back. @ 1300 pt requests Benadryl, 25 mg administered. Pt notified family by phone of circumstances and family in transit.@1324 BP 120/80, P 84, tongue tingling and pt reports smelling chemical smell. @1345 Pt complained of mouth itching, EMS activated and will transport to Medical Center. Pt oriented and transported at @13
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSGEUSIA	902669-1	Immediately after the vaccine, I got severely nauseated, got a yucky metal taste in my mouth and got super lightheaded and hadn't even gotten up. The agent helped walk me to a chair and I felt really loopy in the head. After the 15 minutes, I got up and immediately felt the whole room was spinning causing me to have to sit back down another 15 minutes. Closing my eyes made the dizziness much worse. I was given juice, my sugar was checked at was 115. After about 30 minutes I stood and felt a lot better. I went back to my assigned duties but was feeling super bad and my supervisor sent me home because they stated I didn't look good. On the drive home I threw up and my PCP called in Zopran to help with the nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSGEUSIA	902733-1	Pt started to have a metallic taste in her mouth immediately after administration of the Covid-19 vaccine. She started to feel nauseous and myalgias. The patient was seated, given Zofran 4mg once and Benadryl 25 mg once. After 10 min patient was eating juice + crackers. Reports she feels better. A co-worker verbalized he would drive her home, patient agreed.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSGEUSIA	903030-1	~30 minutes after vaccination, patient reported lightheadedness, difficulty swallowing, SOB, feeling flushed, pallor, bilateral arm tingling, brief chest pain and tremors. Symptoms lasted approximately 30 minutes and then resolved. Benadryl given after resolution of acute symptoms. Reported a metallic taste in her mouth immediately after receiving the COVID vaccine (dose #1). Had uneventful 15 minute recovery period immediately after vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSGEUSIA	903129-1	patient felt jaw pain, a strange taste (unable to describe), and numbness in her right arm patient was monitored and symptoms resolved within 30 minutes of vaccine administration

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSGEUSIA	903130-1	Shortly Administration of vaccine I experienced a metallic taste. approximately 40 minutes after administration of vaccine I experienced difficulty swallowing, dyspnea, tachycardia and numbness in tingling in bilateral hands. I am a healthcare provider and I received the vaccine at my place of employment. I was taken to the emergency department for monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSGEUSIA	903263-1	5 minutes after I received the injection, I experienced a mild headache and metallic taste in my mouth, with very slight dizziness for a couple seconds. I reported the mild headache and taste disturbance to the RN in the Covid vaccine room before I left for her information. I stayed 15 minutes , then walked to my car. I sat in my car, then began to feel cold, dizzy, and my heart began to race. I walked back to the Neurology clinic where I work as an NP, and sat in the Neurologist's office, who observed me to be pale and sweating. I continued to feel dizzy with tachycardia for about 7 minutes until this resolved. The only symptom remaining after this was a headache and metallic taste.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSGEUSIA	903289-1	Warm flushing feeling within about 10-15 seconds of injection, as well as metallic taste in mouth. Repeated on an off for the next hour. Taken to ED of hospital. Noted right arm mild rash distal to injection site and on chest, mild to moderate nausea.. IV Bendadryl 50mg given, IV Solumedrol 125mg, IV Pepcid, IV Zofran. Discharged home with PO prednisone x 4 days. PO Pepcid and Benadryl PRN
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSGEUSIA	903356-1	Metallic Taste in the mouth; lasted for a few hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSGEUSIA	903405-1	After I received the vaccine about 1 1/2 hours later I started experiencing a metallic taste in my mouth. I am also experiencing no appetite. Throughout the night I had to force myself to eat. I'm still experiencing no appetite and this is very unusual. The metallic taste is still present, but it is getting better
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSGEUSIA	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPEPSIA	903265-1	1. Left arm very sore, could not abduct more than 40 degrees, hard time sleeping, lasted for about 26 hours 2. Elevated temp to 100.2 F with chills and myalgia, lasted about 8 hours on second day 3. Diarrhea and indigestion for 2 days
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPEPSIA	903352-1	Fever with max of 101.9, headache, chills, heartburn, cough, fatigue.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPHAGIA	902791-1	"1039: Responded to notification of potential adverse reaction after receiving COVID-19 vaccination. Pt had been escorted from observation area to emergency area with PA with c/o tightness in throat. On my arrival, pt was eupneic, p/w/d, ambulatory, NAD. Vitals @ 1039: P72, 100% pulse ox on RA Vitals @ 1056: P72, 98% pulse ox on RA, 112/78 seated. Administered 25mg diphenhydramine po per PA @ 1050, pt swallowed with water. Called 911 for EMS response @ 1103 per instruction from provider. Vitals @ 1103: 98% pulse ox on RA, P74, denies shortness of breath or pain. Off phone with EMS @ 1108, en route. EMS on site @ 1115, report given to medic. Pt left with EMS en route to ED @ 1116. Report called to ED Charge Nurse @ 1121. Patient presented to vaccination clinic. Patient received her vaccination at approximately 1021. Patient reports symptoms onset at approximately 1038 with tightness of the throat and difficulty swallowing. She described it as a swelling of the throat sensation. She states she had a sensation moving from her head to her toes as in a "wave". Patient denied shortness of breath, chest pain denies nausea. Patient denies hives or rashes or pruritis. Patient was assessed and moved to the emergency area. Her symptoms continued with some improvement. At this point time 25 mg of Benadryl was administered orally. Approximately 10 to 15 minutes after administration the patient developed numbness tingling around the upper lip, the right upper extremity. She denied shortness of breath or chest pain. She denied increasing severity of the throat sensations. Pertinent past medical history: Reactions bee stings currently carries EpiPen. She is not had any previous reactions to vaccinations. Allergic reaction. The patient symptoms seem to continue with the numbness tingling around the lips after administration of the Benadryl. Hand tingling of the right upper extremity also continued although it was decreasing. Her symptoms of the tightness of the throat remain the same. She did not develop shortness or breath or chest tightness or pain. At this time I feel be prudent to evacuate the patient to higher level care. Patient was evacuated at 11:16 by ambulance service. A A A"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPHAGIA	902837-1	Patient feeling very anxious before and after vaccination. Described having difficulty swallowing water shortly (~15 min) post vaccination. Patient was tearful but breathing normally. Walked under her own power from the pharmacy down to the Emergency Room for anxiety over anaphylaxis. Given dose of Vistaril in ER.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPHAGIA	903030-1	~30 minutes after vaccination, patient reported lightheadedness, difficulty swallowing, SOB, feeling flushed, pallor, bilateral arm tingling, brief chest pain and tremors. Symptoms lasted approximately 30 minutes and then resolved. Benadryl given after resolution of acute symptoms. Reported a metallic taste in her mouth immediately after receiving the COVID vaccine (dose #1). Had uneventful 15 minute recovery period immediately after vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPHAGIA	903130-1	Shortly Administration of vaccine I experienced a metallic taste. approximately 40 minutes after administration of vaccine I experienced difficulty swallowing, dyspnea, tachycardia and numbness in tingling in bilateral hands. I am a healthcare provider and I received the vaccine at my place of employment. I was taken to the emergency department for monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPHONIA	903128-1	Throat swelling, raspy voice, tachycardia, itching, anxiety, rash
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPHONIA	903197-1	Swollen tongue, scratchy throat, rash, tachycardia, and raspy voice

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPHONIA	903229-1	Patient reports it started as a tingling, pain and burning in the elbow and travelled up the shoulder and up the chest and to the heart. Pain felt like a cardio thump . Grabbed the epi. Sitting forward. Talked Dr. Doctor stated to sit back and uncross legs. Initiated slow breathing. Pain subsided to a tolerable amount. Not short of breath but tachycardic. Still dizzy. Stayed an hour sitting position, after injection. Felt there was an irritating sensation around the heart. Left and walked back to clinic. 10 minutes after arriving to the clinic, dizziness, flushing , came back and irritation around the heart was still noticed but tolerable. 2 minutes after, voice started cracking and drank some water. Intensity of dizziness increased and overall symptoms also intensified. Returned to COVID immunization clinic 15 minutes later. Patient was moved to direct observation in a chair. Given oral benadryl. Instructed to stay and would evaluate if new interventions would be deemed necessary. Benadryl helped. Symptoms were relieved in 15 mins. Patient has been in the clinic under direct observation for about 3.5 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	902491-1	Within a few minutes of receiving the COVID 19 vaccination, patient developed lightheadedness, shortness of breath, headache, and some nausea. She did get some redness to her neck and upper chest. No recent illness. Had elevated BPs ranged from 158/103 to 207/126 . HR ranged from 82-106. O2 sats always > 96%. Temp 37.1 C. Received Tylenol 1000 mg PO, Dexamethasone 10 mg IV, diphenhydramine 50 mg IV, famotidine 20 mg IV, ketorolac 30 mg IV, ondansetron 4 mg IV, and 1 L NS. Patient prescribed EpiPen and prednisone and discharged.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	902557-1	1750- IM injection of R Deltoid. She was sitting, and felt short of breath without wheeze or tightness in the chest or throat. She stood up, and then felt tunneling. Assisted to chair and floor. Pulse weak, skin flushed, sweating on torso. Face and Neck remained flushed and red. She refused epi at first. So we gave her benedryll 25 mg po with apple juice. She said she just had a big meal 30 min prior, but we checked her blood sugar- it was 85. 10 min after the first SOB feeling, it returned. BP was recorded as 160/100.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	902666-1	redness around the injection spot, fever chills, Stomach Ache, Body Ache, Short of breath (walking up stairs), Headaches no appetite, Dry heating .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	902810-1	Patient complained of feeling dizzy, anxious, shortness of breath. Did have some pain with injection. Did have mask on while waiting standard 15 minutes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	902919-1	Patient left the vaccine clinic after waiting 15 minutes. While driving home, she began to feel clammy with a tightness in her chest and throat. She reports that it felt harder for her to breathe. She describes the onset as 20-30 minutes after vaccine was administered. She returned to the vaccine clinic where she was given diphenhydramine 25 mg PO, and her blood pressure was ~130/100 mmHg. She reports that she is usually normotensive. Patient was observed for 30-45 minutes, and she reports feeling better.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil themselves and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903016-1	Approximately 11 minutes after receiving the vaccine, the patient complained of shortness of breath, tingling in arms and hands, numbness and tingling in legs and feet, and was observably shaking, with no complaints of swelling in throat or other signs of anaphylaxis. Patient was brought to ER in same facility via stretcher and was examined by staff there. ER report states the patient presented with shortness of breath and what appeared to be a panic attack, with fast breathing, slight flushing, and shaking. Per ER report, the patient was treated for an acute anaphylactic reaction, with clear lungs and given an EpiPen shot in the right thigh. IV was initiated and given a fluid bolus, solu medrol, famotidine, and lorazepam. Labs and a chest x-ray done and reviewed. After treatment, patient found to be stable and was discharged home at 4:42 pm with orders for famotidine, albuterol inhaler, and epinephrine pen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903030-1	~30 minutes after vaccination, patient reported lightheadedness, difficulty swallowing, SOB, feeling flushed, pallor, bilateral arm tingling, brief chest pain and tremors. Symptoms lasted approximately 30 minutes and then resolved. Benadryl given after resolution of acute symptoms. Reported a metallic taste in her mouth immediately after receiving the COVID vaccine (dose #1). Had uneventful 15 minute recovery period immediately after vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903082-1	Persistent cough, dyspnea, sweats, myalgias, mental status changes and diarrhea, still resolving
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903130-1	Shortly Administration of vaccine I experienced a metallic taste. approximately 40 minutes after administration of vaccine I experienced difficulty swallowing, dyspnea, tachycardia and numbness in tingling in bilateral hands. I am a healthcare provider and I received the vaccine at my place of employment. I was taken to the emergency department for monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903133-1	"1204 Patient became flushed and started saying she was having a difficult time ""catching her breath"". She then became tachycardic (upper 90's- low 100's). 1205 Benadryl given (25mg). Physician called down to clinic. Vital signs obtained and showed increased BP (145/90) and pulse. 1214 Patient verbalized she was feeling a little better. Monitoring continued until 1245, vital signs were improving and patient no longer had symptoms. She was released at 1252 but encouraged to seek medical attention if she developed new symptoms or had symptoms reoccur."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903134-1	At 24 minutes after vaccination, pt experienced chest tightness, shortness of breath, cough, flushing, and rash on chest and neck.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903175-1	sudden onset of rinorrhea 5 minutes after receiving vaccine. then itching near ears, 5 minutes later had diffuse itching a rash, was sent to ED. There was evaluated for mild shortness of breath and hives on wrists. Did NOT et epi but did get benedryl and steroids, discharge home

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903192-1	Paresthesias of lateral tongue and throat, subjective swelling of tongue and throat, subjective shortness of breath
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903256-1	After vaccination in the medical office building adjacent to the hospital, the hospital employee felt palpitations (within 30 minutes of shot). Employee went to the ED at the hospital and was evaluated by medical personnel. Employee was SOB but did not have difficulty breathing. No other untoward reactions were observed. All other ROS was unremarkable. Sinus tachycardia of 140bpm observed in the ED, repeated ECG was sinus tachycardia of 119bpm, no other abnormalities. IVF, 50mg IV diphenhydramine, 40mg IV famotidine, and 125mg IV methylprednisolone given. Symptoms of palpitations and SOB resolved. Discharged with instruction to return to the ED if any symptoms returned.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903281-1	Palpitations, shortness of breath, lump in throat
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903322-1	SOB, tingling
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSPNOEA	903358-1	She became diaphoretic, her throat felt dry and as if it was beginning to close. Rapid response was called and she was transported to the ER. She was tachycardic, experienced chest tightness, and shortness of breath.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	DYSSTASIA	903135-1	woke up the next day and felt nauseated, could not stand up, my heart started racing, I had to lay down, felt cramping, extreme fatigue, felt overall sick, and the pain at the injection site. No fever. Just lasted that day. Feel better today.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	EAR DISCOMFORT	902505-1	Patient felt facial flushing, pounding in chest, burning and hot ears and blood pressure went up. Tingly in right arm and chest and hands. Symptoms resolved, after a few minutes but then returned. Patient sat with nurse during this reaction.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	EAR DISCOMFORT	903274-1	numbness to right ear and in front of ear. Also right ear feels plugged/underwater sound, Very sore left arm injection site.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	EAR DISCOMFORT	903387-1	Ear pressure followed by bilateral under arm soreness. Later in the day both arms warm to touch and felt swollen. Face flushed and overall body aches and inability to stay awake. 600mg ibuprofen and rest. Felt myself in morning except as expected left arm pain at injection site and a little left arm tiredness or weakness.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	EAR PRURITUS	903085-1	"1145: Patient complained of minor left eye swelling. Vital signs 99%, 83, 141/80. 1155: Vitals rechecked 1155 100%, 79, 112/80. Patient has new complaints of itchy ears, facial ""heat"", and slight tingling in fingers. 1200: 25 mg of oral Benadryl given. 1211: per RN, patient states symptoms are resolving. 1230: Patient still feels slight eye discomfort, all other symptoms have resolved. Patient states she feels comfortable leaving vaccination clinic, her son will be taking her home."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM	903130-1	Shortly Administration of vaccine I experienced a metallic taste. approximately 40 minutes after administration of vaccine I experienced difficulty swallowing, dyspnea, tachycardia and numbness in tingling in bilateral hands. I am a healthcare provider and I received the vaccine at my place of employment. I was taken to the emergency department for monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM	903218-1	Patient reports chest heaviness, muscle aches, loss of energy. No fever or chills noted.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM	903228-1	Patient experiences palpitations, dizziness, and hypertension within 10 minutes of receiving the vaccine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM ABNORMAL	903112-1	Patient felt flushed, heart racing. Had irregular rhythm. Transported to Emergency Department. Treated with epinephrine. EKG performed, having pre-ventricular contractions. Checked in to ED for further evaluation.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM ABNORMAL	903256-1	After vaccination in the medical office building adjacent to the hospital, the hospital employee felt palpitations (within 30 minutes of shot). Employee went to the ED at the hospital and was evaluated by medical personnel. Employee was SOB but did not have difficulty breathing. No other untoward reactions were observed. All other ROS was unremarkable. Sinus tachycardia of 140bpm observed in the ED, repeated ECG was sinus tachycardia of 119bpm, no other abnormalities. IVF, 50mg IV diphenhydramine, 40mg IV famotidine, and 125mg IV methylprednisolone given. Symptoms of palpitations and SOB resolved. Discharged with instruction to return to the ED if any symptoms returned.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM NORMAL	902464-1	within 15 minutes progressive light-headedness leading to near-syncope and diaphoresis. After 20 minutes symptoms subsided.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM NORMAL	902784-1	Pt presents to the ED for c/o L anterior chest wall pain after receiving covid19 vaccination today around 1030. Pt reports she received the first dose in the L bicep. Pt reports after she received that shot she started having L anterior chest wall pain. Pt states she doesn't have any chest tightness but does have stabbing pain to the L anterior chest wall. Pt denies any difficulty breathing or hives or any allergic reaction. Pt was hooked up to cardiac/spO2 and BP monitoring equipment. Medication: Ibuprofen Route: PO Dose:800 mg Patient tolerated medication well; no adverse reaction noted. Medication: Tylenol Route: PO Dose:975 mg Patient tolerated medication well; no adverse reaction noted.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM NORMAL	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM NORMAL	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM NORMAL	903030-1	~30 minutes after vaccination, patient reported lightheadedness, difficulty swallowing, SOB, feeling flushed, pallor, bilateral arm tingling, brief chest pain and tremors. Symptoms lasted approximately 30 minutes and then resolved. Benadryl given after resolution of acute symptoms. Reported a metallic taste in her mouth immediately after receiving the COVID vaccine (dose #1). Had uneventful 15 minute recovery period immediately after vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM NORMAL	903283-1	6 minutes after receiving the vaccine I became lightheaded. I was the worst for about 1-2 hours after the vaccine but then symptoms improved some. 11 hours later I am still mildly lightheaded.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM NORMAL	903321-1	tachycardia, HR up to 130s 1 hour after vaccination. Tachycardia while sitting down. Lightheadedness. Tachycardia improved but still 100-118 while at rest for hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ELECTROCARDIOGRAM NORMAL	903357-1	Chest pain and tightness, generalized with stabbing pain intermittently elevated blood pressure 180/95
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ERYTHEMA	902446-1	felt warm, hot and face and ears were red and flushed.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ERYTHEMA	902491-1	Within a few minutes of receiving the COVID 19 vaccination, patient developed lightheadedness, shortness of breath, headache, and some nausea. She did get some redness to her neck and upper chest. No recent illness. Had elevated BPs ranged from 158/103 to 207/126 . HR ranged from 82-106. O2 sats always > 96%. Temp 37.1 C. Received Tylenol 1000 mg PO, Dexamethasone 10 mg IV, diphenhydramine 50 mg IV, famotidine 20 mg IV, ketorolac 30 mg IV, ondansetron 4 mg IV, and 1 L NS. Patient prescribed EpiPen and prednisone and discharged.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ERYTHEMA	902557-1	1750- IM injection of R Deltoid. She was sitting, and felt short of breath without wheeze or tightness in the chest or throat. She stood up, and then felt tunneling. Assisted to chair and floor. Pulse weak, skin flushed, sweating on torso. Face and Neck remained flushed and red. She refused epi at first. So we gave her benedryll 25 mg po with apple juice. She said she just had a big meal 30 min prior, but we checked her blood sugar- it was 85. 10 min after the first SOB feeling, it returned. BP was recorded as 160/100.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ERYTHEMA	902672-1	Left arm swelling of forearm, old L wrist tattoo because raised and lifted out of skin approx 3 mm, whole arm was itching with several red dots; reaction resolved within 8 hours without intervention body wide itching persisting now
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ERYTHEMA	902777-1	redness, itching to face, armpit, and neck
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ERYTHEMA	902794-1	""Pfizer-BioNTech COVID-19 Vaccine EUA"": Acute onset of tongue swelling, throat tightness, and diffuse erythema approximately 5 minutes after receiving COVID-19 vaccine. Patient transferred to emergency department. Patient treated with Epinephrine 0.3 mg IM X1 dose, Dexamethasone 10 mg IV x1 dose, Diphenhydramine 25 mg IV x1 dose. Patient discharged same day with resolution of symptoms."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ERYTHEMA	902903-1	Hives within 3 hours lasted 12 hours. Left Arm edema and erythema 24 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ERYTHEMA	902926-1	caller reported Flushing, redness around face and nauseous. Advised that Number for IMT (Incident management Team)will be activated. Caller declined. Advised to return to observation room where shot was given. Caller stated she would. Called her 5 minutes and left a message to call back if symptoms also persist or worsens
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ERYTHEMA	903153-1	Immediately after the injection the tips of my finger began to go numb my hand started itching my throat started to go numb and itch and I got 25mg of Benedryl symptoms got worse so they had to give me in IV injection of benedryl which made the symptoms a litter better. I was released and when I got home I went to sleep. When I woke up my body felt like I had been run over by a big truck. I took my temp and it was 99.8. I laid back down and decided to sleep it off and woke up this morning not feeling any worse but not any better. My hands got red from the rash and is still a little red.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ERYTHEMA	903178-1	Two minutes after vaccination, she reported itching at the site. Upon assessment, red hives started to develop. Dr. came and assessed patient. Benadryl 50 mg. PO and 2 puffs Albuterol administered by Rapid Response Team RN. Tightness in chest, lightheaded, lungs clear throughout, itchiness in left arm. Resolved within 15 minutes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ERYTHEMA	903325-1	I received 1st dose of the vaccine at 4:30pm on the 15th, felt well and at my baseline. The morning of the 16th (~1030), I woke up with my face and cheeks swollen and mildly red. I then took 50mg Benadryl and 10mg zyrtec, and iced my face (1 zyrtec in the morning, another at night). I began to see improvement in my swelling. The morning of the 17th I took another 50mg of Benadryl and my face is back to it's baseline.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ERYTHEMA	903375-1	pruritis of upper extremities. Erythema of bilateral palms and dorsal wrists
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	EUPHORIC MOOD	902758-1	"@ ~5 min felt cotton mouth. Got up to ask if he could go early. Then at 10 min post injection, felt eyes feeling weird and he felt ""high"". As in lightheaded. @ 10 min, skin surrounding the eyes are puffy. Given 25 mf benedryl. No immediate SOB or wheeze. No lip or mouth or throat swelling. Taken to ED. Given IM epi 1:1000 0.3ml. Pepcid and more benedryll PO."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	EXERCISE TOLERANCE DECREASED	903001-1	12/15/2020 615 received vaccine 2pm belly pains, relief 'not like normal bowel movement', 'urge to go' 5 belly pain, relief self'not like normal bowel movement', 'urge to go' 8-10 pm body chills, covered with 3+ blankets 10 pm body chills subsided 12/16/2020 fatigue; not exercise; 5miles per day (only able to walk 2 miles) Flu vaccine; 'pretty sure it was 09/2020'; Unknown brand
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	EXPOSURE DURING PREGNANCY	903280-1	Patient reported she was pregnant at time of screening. Patient confirmed that her and her OB/GYN discussed the COVID19 vaccine and determined it was the right decision for her to receive the vaccine. Upon receipt of the vaccine, she stated she was feeling flushed, nauseated and felt she was going to pass out. The vaccine clinic team took her to the ED for evaluation and monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	EYE MOVEMENT DISORDER	902790-1	11 minutes after first dose of Covid Pfizer vaccine, patient became unresponsive, pale, diaphoretic with possible seizure activity. Patient dropped all belongings, leaned to the left side, with eyes rolling back in her head. Episode lasted about a minute. Patient could not remember what had happened. Vitals were BP 110/60, HR 64, RR 22. Patient was advised to go to ED for further evaluation but she refused. Patient was given a snack and an RN stayed with her for about 20 more minutes to monitor.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	EYE PAIN	903024-1	Headache, right retroocular pain, exacerbation of rosacea Tx. acetaminophen Duration: 3 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	EYE PRURITUS	902518-1	Tingling of upper lip and cheeks, warmth in face, and itchy eyes Treatment: diphenhydramine 50 mg PO x1 Outcome: symptom onset within 15 minutes of vaccine administration. Symptoms resolved within 20-30 minutes of diphenhydramine administration.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	EYE SWELLING	903085-1	"1145: Patient complained of minor left eye swelling. Vital signs 99%, 83, 141/80. 1155: Vitals rechecked 1155 100%, 79, 112/80. Patient has new complaints of itchy ears, facial ""heat"", and slight tingling in fingers. 1200: 25 mg of oral Benadryl given. 1211: per RN, patient states symptoms are resolving. 1230: Patient still feels slight eye discomfort, all other symptoms have resolved. Patient states she feels comfortable leaving vaccination clinic, her son will be taking her home."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FACIAL PARALYSIS	903318-1	10:00 am received vaccine @ medical center right side of mouth felt strange on the way home. 13:00 pm right side of mouth continued to feel strange. Looked in mirror and noticed uneven smile, right side of mouth drooping. 13:35 pm messaged my primary care MD. And called Nurse triage. 14:00 pm Nurse triage advised me to go the emergency room ASAP. 15:00 pm @ Emergency room. Stroke code called, labs, CT, MRI completed. Diagnosis Bell's palsy. Went home with steroid and anti-viral. Symptoms are improving.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FAECES DISCOLOURED	903149-1	1215 pm on 12/16/2020: pfizer covid vac in left arm Poor nights sleep with left arm pain at injection site 500am on 12/17/2020: stood up to get ready and immediately started to dizzy. Then immediately threw up and had darker green diarrhea. Once that finished I had the sweats and felt cold with a subjective fever until around 9 am with continued nausea. Symptoms resolved 11:40 AM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FALL	902811-1	Associate received vaccine at 12:15 pm and was monitored for 15 minutes. After 15 minutes, associate went to check out table. While at check out table, associate fell to ground and was experiencing seizure like activity. Supportive treatment was administered and associate was transferred to ED.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FALL	902832-1	Within an hour and a half of receiving developed tinnitus in both ears lasting 6 hours. The night after receiving vaccine also developed orthostatic hypotension and started to pass out but caught myself with an assisted fall. Fever(102 F with temporal and oral thermometer) body aches/sweats/general malaise lasting close to 24 hours after receiving vaccine. Fever/aches treated with acetaminophen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FASTING	903167-1	Began to feel weak, felt as though going to faint, became cool and clammy, BP 100/70 P 46, O2 Sat 100% on room air, no loss of consciousness. Taken to ED - noted patient did not eat prior to getting the vaccine
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902524-1	I am a immunization nurse at this location. I gave 2 of the first 4 Covid vaccinations given at our location. Then I received dose # 5. It was easy. I did a couple of things and then returned to my desk. As I sat down, my arm started feeling very heavy. I was unable to send a text. I told staff that I was feeling funny and that I was going to the other room to lay down. Staff followed me and took my Pulse 100 and BP 164/ 82 (high for me!) . I felt shaky, but my hands were not shaking. Put a wet cloth on my head and laid there a few minutes, telling staff stories and laughing at my BP. When I sat up, my BP was 126/74 and pulse was 80. I stood up for a minute or two, then my legs got heavy and I sat down for a few more minutes. I went to the bathroom and came back to my desk, but was weak and tired. I ate and drank some fluids. Because it was snowing and I live 25 miles away, I accepted a ride home from a co-worker. I walked across the parking lot without problems and talked all the way home. At home, I was tired, but had a sandwich and talked on the phone. I would still describe myself as tired, but functioning.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902621-1	Patient received shot around 1pm later that night he started to experience chills, hot/cold, nausea, headache, extreme fatigue, low grade temp (99.1) Associate vomited several times the early the next morning. By the next day, day patient was vomiting less and was able to keep food down. Patient is feeling better the second day, experiencing some nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902668-1	About 12 hours after the injection woke up and body was hurting all over, chills, body aches, felt feverish, temperature was 100.3F and really tired and hurting all over. Took Tylenol and returned to sleep. Woke up some hours later and took an Ibuprofen. rested for the rest of the day and now the only side effects is a little soreness on her injection mark. No other symptoms. Only the first 24 hours after the shot.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902709-1	I worked overnight after getting the vaccine. I felt really tired and came home and slept until 3 pm. When I woke up I had a dull headache and felt crummy. Decided to sleep the remainder of the day but no fever just was fatigued and had a headache. My arm was hurting at the injection site but the pain has sense left and the headache is gone also.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902720-1	NORMAL ARM PAIN HOWEVER THE FOLLOWING WAS FELT REAL TIRED BARELY ABLE TO STAY AWAKE
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902750-1	The employee experienced headaches the evening after receiving the vaccine. The next morning he experienced improvements in the headaches but developed chills, fatigue, and fever, all of which have improved somewhat by the afternoon when he reported these adverse effects to our employee health service. As he is recently recovered from COVID, a repeat COVID test may not be helpful. He was advised to call our employee health service and followup with his own doctor if these symptoms do not improve or resolve after 3 days.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902793-1	My symptoms started about 15 minutes after shot. Initially I felt slight dizziness begin in my head. Then I felt slight uncomfortable feeling in my lungs, throat, and tongue. They were very slight so I left the vaccine center about 25 minutes after injection. On drive home my lips started to feel numb as well as my tongue & throat. Arriving home very tired. BP 135/ 80 P70 R20 T97.6 Blood sugar 101. Slept for about 4 hours. Called in sick for 7PM shift. Too weak & tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902813-1	Dizziness that lasted for about an hour. Weakness, extreme fatigue lasted the rest of the day.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902821-1	Fatigue, nausea, muscle aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902892-1	Started with onset of fatigue and disorientation shortly after receiving the vaccine. Several hours after the disorientation got worse, a headache came on and my whole body aches fatigue is bad. I feel like the flu just hit me.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902908-1	Extreme fatigue, felt very warm all over body for 14 - 16 hours, exceptional pruritus on head and back, all joints are exceptionally achey
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902943-1	Headache, fatigue, muscle aches, nausea, sweating
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902983-1	Pfizer-BioNTech COVID-19 Vaccine EUA. Injection site pain, headache, tiredness, muscle pain, chills and fever. Took acetaminophen, no longer have fever after 12 hrs.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902988-1	I was tired and took a two hour nap
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902989-1	Headache, fatigue, temperature of 100.3. Lasted about 8 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902992-1	fatigue, soreness, headache occurred the night after receiving vaccine (approx. 8 hours later) lasting into the following day. I did not take any medications for this .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	902998-1	Morning after injection: mild fatigue, arm soreness; later in the morning-headache then chills, muscle aches, joint pain and low grade fever (99) and nausea/loss of appetite. These persisted for approximately 12 hours then cleared completely.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903001-1	12/15/2020 615 received vaccine 2pm belly pains, relief 'not like normal bowel movement', 'urge to go' 5 belly pain, relief self'not like normal bowel movement', 'urge to go' 8-10 pm body chills, covered with 3+ blankets 10 pm body chills subsided 12/16/2020 fatigue; not exercise; 5miles per day (only able to walk 2 miles) Flu vaccine; 'pretty sure it was 09/2020'; Unknown brand
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903008-1	I had a headache, body aches and fatigue.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903015-1	Fatigue, migraine, muscle fatigue on site, diarrhea.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903018-1	I woke up at 6:15am had a terrible headache, low fever 100.1. I took Tylenol for the headache and fever. Throughout the day exp muscle aches and joint pain. I also exp hot/cold flashes and fatigue. Around 6:00pm on 12/16 started to l feel better and was able to return to work on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903028-1	12/15/2020 Around 7:30pm, I started to itch on neck and face. Progressed to scalp, stomach, back and whole body; ears, top of head to bottom of toes. Called critical care healthcare staff; 1 25mg benadryl Had nausea, fatigue, hip and joint pain 12/16/2020 Still itchy not as severe as 12/15/2020. Still joint pain and achiness. Nausea was a 8/10. 12/17/2020 feel better. About 80% . Mild itchiness. 'letting it run its course' and haven't taken any other benadryl since 12/15/2020. Joint and nausea has subsided. Flu shot 09/2020 Second dose of Pfizer shot is scheduled for 01/05/2021
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903043-1	chills, headache, weakness, fatigue
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903079-1	Around 630pm I began to have a really bad had a bad headache, feverish and body aching. Tenderness in the injection site area which eventually turned into full body aches and was tired. No vomiting or nausea. No redness at the site or injection site issues
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903081-1	Muscle ache, fatigue, drowsiness, brief confusion, bilateral headache, onset 11 AM, duration 2-3 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903089-1	Headache , dizziness, neck pain, left flank pain, fever 100.2 , chills,fatigue and muscle aches.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903091-1	I noticed the injection site was sore, swollen and warm. As the day progressed headache, fatigue, joint, legs aching and feeling heavy tires. Also had a fever of 101.2.Around 9:30 pm on 12/16 started to feel better fever was down.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903092-1	12/15/2020My arm was really sore at first, and then my arm was worse the next day on 12/16/2020 as the morning went on my temperature felt like it was going up and down I felt body aches and felt really tired I had covid in June and it wasn't as bad as when I had it in June but it was still pretty bad, I also had a headache, I took tylenol and my fever broke but after a few hours my headache was worse and I started to take tylenol and ibuprofen. 12/17/2020 Under my left arm my lymph nodes are swollen but I feel much better and will go to work today 12/17/2020
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903094-1	40 min after shot experienced dizziness, feeling like was going to pass out, not coherent, BP high, fast heart rate, light headed. Got chills, freezing cold, shivering, and later in the day my ears were ringing. Extremely fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903122-1	Injection site soreness started about 3 hrs post-injection. By that evening I was experiencing body aches & chills. I took Advil 400mg with dinner and felt okay for about 4 hours. As soon as the Advil wore off, body aches & chills returned. I did not take anymore Advil that night. My sleep was restless with body aches, chills, & pain at the injection site. I took my temperature during the night and was afebrile. I woke feeling tired with a mild headache. I took Advil after breakfast and currently feel okay.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903131-1	Nausea, fatigue, body aches, joint pain, malaise
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903135-1	woke up the next day and felt nauseated, could not stand up, my heart started racing, I had to lay down, felt cramping, extreme fatigue, felt overall sick, and the pain at the injection site. No fever. Just lasted that day. Feel better today.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903147-1	Pain at the injection site and the whole arm felt sore. Felt like a pressure behind my eyes, very tired, extreme fatigue.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903152-1	12/15/2020 I was tired, body chills, pain in left arm but was all very light until 12/16/2020 headache was more severe
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903160-1	Dr.; the following day 12/16/2020, I woke up feeling more fatigue then usual with a migraine. Severe with nausea and light sensitivity. AE occurred about 4 hours. Resolved with Advil and Zofran. Missed work 12/16/2020. 12/17/2020 feel back to normal
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903165-1	On the night 12/15 exp body aches typically how you feel when having a virus, no fever, no gi symptoms. The following day I had fatigue and one point had chills, body aches. Then took Motrin on night of 12/16 and felt better on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903170-1	I had pain at the injection site, swollen, body aches, and headache. It eventually just went away on its own. Did not take anything for it. Arm feels better after using it. Now I am just tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903183-1	Last night I was slightly nauseous, tired and full body aches and today I am just tired and still suffering from the full body aches.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903185-1	headache, red raised area at injection site, 100.6 fever, fatigue, muscle aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903188-1	12/15/2020 little bit of a headache at night and took an ibuprofen, intermittent nausea the next day, around 530 pm 12/16/2020 fatigue joint pain chills, I had a fever but I did not take my temp, nausea at 9pm I took ibuprofen and this morning 12/17/2020 I woke up fine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903191-1	Within about an hour headache and mild pain at the injection site, around 4:30/5PM all other symptoms hit: chills, fever, fatigue, runny nose and diarrhea, joint and muscle pain, very sweaty and clammy skin
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903193-1	Caller stated that headaches occurred at 12 in the afternoon and fatigue set in through out the day. Caller took Tylenol and Advil with no relief. Caller stated 12/17/20 headache and fatigue went away.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903195-1	Headache , fever 100.8, chills, Fatigue, body ache . Nausea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903198-1	Morning after he got the shot....Wave of severe fatigue, had to lay down as he thought he would fall over. Temperature went up a 1/2 degree celsius. Went back down later that day. 12/17/2020 2:34 am he woke up with rigors and chills, went away in 3-4 min. Had abdominal pain later during the day.N
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903204-1	12-16 I was nauseous, I received the vaccine and walked to my department, I ate a graham cracker and didn't subside the rest of my shift at 130pm and went home and ate lunch took Tylenol laid down, at that time my arm started to hurt at the injection site. And when I woke up later that night around 5pm and was feeling better kind of tired but good. Coworkers could tell I didn't feel good. I felt like I needed to have a Bowl movement and urinate more than usual
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903205-1	woke up at 3am with diarrhea and nausea . Woke at 6 am with fever of 101.7, joint pain, Headache and fatigue any myalgia
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903206-1	Fatigue and headaches 12/14/2020 about 12pm , Caller took Tylenol and advil with no relief and next day pain had subsided.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903213-1	Joint Ache , Dizzy, tickly throat, Tiredness,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903223-1	12/16 It's hard to know because I have a fever but I work on the COVID unit and there has been an outbreak, chills, fatigue, and the thought of moving to take a shower I feel in pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903258-1	Elevated temperature, muscle pain, tiredness
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903261-1	I received the vaccination on 12/14 no problems 3-4 later sore arm. After went home next day on 12/15 had a sore arm went to work as normal. At work left early felt tired went to bed early around 8pm. The next day on 12/16 overslept important morning meeting reported to V-safe was feeling tired, mild headache and had severe fatigue. On 12/17 felt much better not as tired returned to normal and no headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903262-1	Joint Pain , tiredness, Body Ache . Injection site pain, fever
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903287-1	Soreness injection site Headache Prickly sensation of skin Weakness/fatigue Stomach pain/nausea/ loss of appetite
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903352-1	Fever with max of 101.9, headache, chills, heartburn, cough, fatigue.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903360-1	fever, fatigue, injection site slightly red and raised
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903376-1	Severe headache, fatigue, muscle aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903379-1	Headache, fatigue sudden onset at 10 am, resolved after acetaminophen

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903387-1	Ear pressure followed by bilateral under arm soreness. Later in the day both arms warm to touch and felt swollen. Face flushed and overall body aches and inability to stay awake. 600mg ibuprofen and rest. Felt myself in morning except as expected left arm pain at injection site and a little left arm tiredness or weakness.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903402-1	My symptoms started with bodyaches and fatigue. Quickly followed by a fever that reached 102.4. Later that night I had congestion, cough and headache. Woke up the next mornign with moderate/sever bodyaches, chills, cough and headache. Moderate fatigue as well. Had to miss work.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903541-1	Symptoms began 30 min after vaccinated was tired then HAd fatigue. Took Tylenol/Advil. Fatigue persists > 24 hours Sore @ vaccine site. No induration . nl appetite. Increased fluid intake. takes Allegra + Flonase regularly. Recent sinus surgery in Oct.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FATIGUE	903614-1	I didn't eat after because I lost my appetite. I was nauseous with chills , sweating and vomitting and tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEEDING DISORDER	903535-1	First day right after the vaccine the left arm was extremely sore, the next day I felt like I had the flu. body aches , headache, knees aching , abdominal pain, could not eat, lots of chill, breaking out in sweats .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING ABNORMAL	902524-1	I am a immunization nurse at this location. I gave 2 of the first 4 Covid vaccinations given at our location. Then I received dose # 5. It was easy. I did a couple of things and then returned to my desk. As I sat down, my arm started feeling very heavy. I was unable to send a text. I told staff that I was feeling funny and that I was going to the other room to lay down. Staff followed me and took my Pulse 100 and BP 164/ 82 (high for me!) . I felt shaky, but my hands were not shaking. Put a wet cloth on my head and laid there a few minutes, telling staff stories and laughing at my BP. When I sat up, my BP was 126/74 and pulse was 80. I stood up for a minute or two, then my legs got heavy and I sat down for a few more minutes. I went to the bathroom and came back to my desk, but was weak and tired. I ate and drank some fluids. Because it was snowing and I live 25 miles away, I accepted a ride home from a co-worker. I walked across the parking lot without problems and talked all the way home. At home, I was tired, but had a sandwich and talked on the phone. I would still describe myself as tired, but functioning.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING ABNORMAL	902669-1	Immediately after the vaccine, I got severely nauseaed, got a yucky metal taste in my mouth and got super lightheaded and hadnt even gotten up. The agent helped walk me to a chair and I felt really loopy in the head. After the 15 minutes, I got up and immediately felt the whole room was spinning causing me to have to sit back down another 15 minutes. Closing my eyes made the dizziness much worse. I was given juice, my sugar was checked at was 115. After about 30 minutes I stood and felt alot better. I went back to my assigned duties but was feeling super bad and my supervisor sent me home because they states I didnt look good. On the drive home I threw up and my PCP called in Zopran to help with the nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING ABNORMAL	902796-1	I inserted my NuvaRing birth control on 12/14/2020. I have the Covid19 vaccine on 12/15/2020 at about 8:30am. The injection site was mildly sore and that continued into the next day. I woke up on 12/16/2020 feeling a little off and it progressed throughout the day. I felt a headache that I knew was turning into a migraine, threw up a few times (this is normal for me when I get migraines), and started having hot flashes. My temperature never went above 98. After sleeping a few hours and taking some Excedrin migraine I was feeling much better, though still a little sickly, by 4pm. I really think this is due to my migraines (which I get roughly once a month) even though it was a day later than normal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING ABNORMAL	903153-1	Immediately after the injection the tips of my finger began to go numb my hand started itching my throat started to go numb and itch and I got 25mg of Benedryl symptoms got worse so they had to give me in IV injection of benedryl which made the symptoms a litter better. I was released and when I got home I went to sleep. When I woke up my body felt like I had been run over by a big truck. I took my temp and it was 99.8. I laid back down and decided to sleep it off and woke up this morning not feeling any worse but not any better. My hands got red from the rash and is still a little red.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING ABNORMAL	903204-1	12-16 I was nauseous, I received the vaccine and walked to my department, I ate a graham cracker and didn't subside the rest of my shift at 130pm and went home and ate lunch took Tylenol laid down, at that time my arm started to hurt at the injection site. And when I woke up later that night around 5pm and was feeling better kind of tired but good. Coworkers could tell I didn't feel good. I felt like I needed to have a Bowl movement and urinate more than usual
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING ABNORMAL	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100. Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING ABNORMAL	903240-1	"1658 Patient reports feeling lightheaded after receiving COVID vaccine. VS obtained, BP & HR are elevated. 1700 PA called 1702 PA arrived Patient remains lightheaded with some palpitations but denies any trouble breathing. 1711 VS are improving 1716 Patient states she starts feeling better but then gets a new wave of lightheadedness with ""fogginess"". Monitoring continued. 1741 Patient starting to feel ""extra lightheaded"" 1742 Benadryl given per PA 1748 Patient verbalized a headache 1818 Medic called because BP & HR have not improved after 1 hour of monitoring. 1825 Medic team transported patient to the ER"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING ABNORMAL	903248-1	Approximately 5 minutes after receiving vaccine I noted an intense flushing and burning sensation from my waist up followed by tachycardia with heart rate in 150s elevated BP 150/100. These symptoms subsided after approximately 10 minutes but were then followed by a ?cloudy? feeling in my head as well as tingling in bilateral hands that lasted the rest of the day but had resolved by the next morning. The next morning I felt very well until 2 pm when I had a short period (approximately 2 minutes) of elevated heart rate (120s) that then resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING ABNORMAL	903334-1	Immediately after administration felt a strange sensation on nostrils and mouth that dissipated after the initial 15 minutes. Then I started with mild itching in the next arm and neck. About 30 minutes after administration my eyelids became swollen. No shortness of breath or tachycardia. I received Benadryl and solumedrol at ER. Stay at the ED for about 2 hours and left home. After that I felt strange for a while and could not sleep at all. The next morning everything was fine except for mild left arm side of injection pain.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING COLD	903094-1	40 min after shot experienced dizziness, feeling like was going to pass out, not coherent, BP high, fast heart rate, light headed. Got chills, freezing cold, shivering, and later in the day my ears were ringing. Extremely fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING COLD	903149-1	1215 pm on 12/16/2020: pfizer covid vac in left arm Poor nights sleep with left arm pain at injection site 500am on 12/17/2020: stood up to get ready and immediately started to dizzy. Then immediately threw up and had darker green diarrhea. Once that finished I had the sweats and felt cold with a subjective fever until around 9 am with continued nausea. Symptoms resolved 11:40 AM.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING COLD	903167-1	Began to feel weak, felt as though going to faint, became cool and clammy, BP 100/70 P 46, O2 Sat 100% on room air, no loss of consciousness. Taken to ED - noted patient did not eat prior to getting the vaccine
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING COLD	903235-1	elevated heart rate 102, flushed, cold, tingly fingertips
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING COLD	903255-1	Within 10min patient first experienced feeling hot and tightening of throat. Patient visibly sweating on forehead. Patient expressed feeling extremely flushed. No meds given per patient request. 30 min post-vaccination, patient now feeling very cold, throat feels better but still a little tight, and a little dizzy. No nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING COLD	903263-1	5 minutes after I received the injection, I experienced a mild headache and metallic taste in my mouth, with very slight dizziness for a couple seconds. I reported the mild headache and taste disturbance to the RN in the Covid vaccine room before I left for her information. I stayed 15 minutes, then walked to my car. I sat in my car, then began to feel cold, dizzy, and my heart began to race. I walked back to the Neurology clinic where I work as an NP, and sat in the Neurologist's office, who observed me to be pale and sweating. I continued to feel dizzy with tachycardia for about 7 minutes until this resolved. The only symptom remaining after this was a headache and metallic taste.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	902446-1	felt warm, hot and face and ears were red and flushed.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	902492-1	About 25 minutes after receiving vaccine complained of dizziness and being hot and nauseated. No difficulty breathing. No chest pain. B/P was 130/90 and was monitored. It went down to 124/80 after he started feeling better. He was wearing sweater over shirt and it was warm in building. Took sweater off. Cool wet cloth applied to back of neck. States he had only had a donut and cup of hot chocolate before receiving vaccine. Sprite and peanut butter crackers given. Became nauseated after eating peanut butter crackers Blood pressure monitored. He laid on exam table for about 15 minutes. He felt better. Stood up and walked to conference room for another 15 minutes. Stated he felt much better and was ready to leave. Coworker drove him back. Received email from him letting us know he had made it back and they had stopped and eaten pizza on the way. Received text from coworker that he was dizzy and seeing spots and that his blood pressure had been 120/80 and then spiked to 160/100. Coworkers taking him to ER for evaluation.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	902518-1	Tingling of upper lip and cheeks, warmth in face, and itchy eyes Treatment: diphenhydramine 50 mg PO x1 Outcome: symptom onset within 15 minutes of vaccine administration. Symptoms resolved within 20-30 minutes of diphenhydramine administration.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	902648-1	diffuse rash at anterior and right lateral neck associated with feeling of warmth
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	902836-1	Patient received covid-19 vaccine. 20+ minutes later patient states she began feeling flushed and nauseous. Patient states she look at her injection site, and it was hot and red. Local reaction approx. 2 inches x 2 inches. Dr. ordered 25 mg oral Benadryl. Vitals stable at 1840 133/88, 66 for pulse and regular, SPO2 99% on room air, respirations 20. Patient continued having complaints of light headedness and nausea. 1850 119/79, 74, 99% RA. Dr. states patient may depart from clinic if able to sit up and walk out, patient given instructions go to ED in symptoms progress. 1857 120/82, 70, 99.4. Patient's face becomes flushed and hot on left side, patient states she is shaky, and does not feel well at all. 1905 patient transferred to ED on 2L O2 for further evaluation and workup. Narrative ER Medical decision making narrative: Accu-Chek was obtained noting a glucose to be at 80. She received IV fluids as well as Solu-Medrol Benadryl and IV Pepcid. She also received IV Tylenol as she developed a headache while in the emergency department. Headache resolved and she was able to ambulate without assistance. Requested to go home states she felt much improved near normal. Clinical Impression: Adverse reaction to drug Patient Education: Anaphylaxis (ED)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	902908-1	Extreme fatigue, felt very warm all over body for 14 - 16 hours, exceptional pruritus on head and back, all joints are exceptionally achey
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	903004-1	17 minutes after vaccine, suddenly had a , crushing squeezing chest pain, very severe lasted 45 seconds. after 45 seconds continue to have moderate chest pain, light headiness, diaphoretic, very hot. NO fever, elevated BP. Mild to moderate chest and light headiness for about 3-4 hours and it self solved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	903085-1	"1145: Patient complained of minor left eye swelling. Vital signs 99%, 83, 141/80. 1155: Vitals rechecked 1155 100%, 79, 112/80. Patient has new complaints of itchy ears, facial ""heat"", and slight tingling in fingers. 1200: 25 mg of oral Benadryl given. 1211: per RN, patient states symptoms are resolving. 1230: Patient still feels slight eye discomfort, all other symptoms have resolved. Patient states she feels comfortable leaving vaccination clinic, her son will be taking her home."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	903150-1	"Patient state, one hour after vaccination, ""I got the warm feeling, I got hot"" Temp taken at 2 hour, no temp. Temp taken 4 hours later, no temp."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	903189-1	Immediately after the injection, site turned red, I got hot and began sweating profusely. This lasted about 10 minutes and resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100.Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	903255-1	Within 10min patient first experienced feeling hot and tightening of throat. Patient visibly sweating on forehead. Patient expressed feeling extremely flushed. No meds given per patient request. 30 min post-vaccination, patient now feeling very cold, throat feels better but still a little tight, and a little dizzy. No nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING HOT	903289-1	Warm flushing feeling within about 10-15 seconds of injection, as well as metallic taste in mouth. Repeated on an off for the next hour. Taken to ED of hospital. Noted right arm mild rash distal to injection site and on chest, mild to moderate nausea.. IV Bendadryl 50mg given, IV Solumedrol 125mg, IV Pepcid, IV Zofran. Discharged home with PO prednisone x 4 days. PO Pepcid and Benadryl PRN
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING OF BODY TEMPERATURE CHANGE	902621-1	Patient received shot around 1pm later that night he started to experience chills, hot/cold, nausea, headache, extreme fatigue, low grade temp (99.1) Associate vomited several times the early the next morning. By the next day, day patient was vomiting less and was able to keep food down. Patient is feeling better the second day, experiencing some nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FEELING OF BODY TEMPERATURE CHANGE	903018-1	I woke up at 6:15am had a terrible headache, low fever 100.1. I took Tylenol for the headache and fever. Throughout the day exp muscle aches and joint pain. I also exp hot/cold flashes and fatigue. Around 6:00pm on 12/16 started to l feel better and was able to return to work on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FIBRIN D DIMER	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLANK PAIN	903089-1	Headache , dizziness, neck pain, left flank pain, fever 100.2 , chills,fatigue and muscle aches.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	902446-1	felt warm, hot and face and ears were red and flushed.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	902493-1	At 12:55 pm 10 minutes following vaccine being given states feeling lightheaded and flush. Was sitting in the chair. Encouraged him to lay down on the floor which he did on his own. Feet elevated. BP 174/70 pulse 82. Denies any other complaints. Laid on floor for 15 minutes then sat in chair. Denies complaints. 1:15 pm was allowed to leave. BP 120/80 and states feeling fine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	902505-1	Patient felt facial flushing, pounding in chest, burning and hot ears and blood pressure went up. Tingly in right arm and chest and hands. Symptoms resolved, after a few minutes but then returned. Patient sat with nurse during this reaction.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	902557-1	1750- IM injection of R Deltoid. She was sitting, and felt short of breath without wheeze or tightness in the chest or throat. She stood up, and then felt tunneling. Assisted to chair and floor. Pulse weak, skin flushed, sweating on torso. Face and Neck remained flushed and red. She refused epi at first. So we gave her benedryll 25 mg po with apple juice. She said she just had a big meal 30 min prior, but we checked her blood sugar- it was 85. 10 min after the first SOB feeling, it returned. BP was recorded as 160/100.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	902815-1	Feeling flush and wheezing when walking.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	902836-1	Patient received covid-19 vaccine. 20+ minutes later patient states she began feeling flushed and nauseous. Patient states she look at her injection site, and it was hot and red. Local reaction approx. 2 inches x 2 inches. Dr. ordered 25 mg oral Benadryl. Vitals stable at 1840 133/88, 66 for pulse and regular, SPO2 99% on room air, respirations 20. Patient continued having complaints of light headedness and nausea. 1850 119/79, 74, 99% RA. Dr. states patient may depart from clinic if able to sit up and walk out, patient given instructions go to ED in symptoms progress. 1857 120/82, 70, 99.4. Patient's face becomes flushed and hot on left side, patient states she is shaky, and does not feel well at all. 1905 patient transferred to ED on 2L O2 for further evaluation and workup. Narrative ER Medical decision making narrative: Accu-Chek was obtained noting a glucose to be at 80. She received IV fluids as well as Solu-Medrol Benadryl and IV Pepcid. She also received IV Tylenol as she developed a headache while in the emergency department. Headache resolved and she was able to ambulate without assistance. Requested to go home states she felt much improved near normal. Clinical Impression: Adverse reaction to drug Patient Education: Anaphylaxis (ED)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	902926-1	caller reported Flushing, redness around face and nauseous. Advised that Number for IMT (Incident management Team)will be activated. Caller declined. Advised to return to observation room where shot was given. Caller stated she would. Called her 5 minutes and left a message to call back if symptoms also persist or worsens
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	902932-1	Patient reports of itching immediately after vaccine, dizzy, feeling of flush. Medical directive given for itching that include OTC antihistamine (Claritin). Incident Management team activated for dizziness and feeling of flush.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	902938-1	0749 - tingling in body, scratchy throat for 10 minutes, flushing
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	902944-1	shortly after patient received vaccine became flushed, bottom lip went numb, vitals were in normal limits. 911 was called emergency staff came and patient went to ER to be monitored.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903016-1	Approximately 11 minutes after receiving the vaccine, the patient complained of shortness of breath, tingling in arms and hands, numbness and tingling in legs and feet, and was observably shaking, with no complaints of swelling in throat or other signs of anaphylaxis. Patient was brought to ER in same facility via stretcher and was examined by staff there. ER report states the patient presented with shortness of breath and what appeared to be a panic attack, with fast breathing, slight flushing, and shaking. Per ER report, the patient was treated for an acute anaphylactic reaction, with clear lungs and given an EpiPen shot in the right thigh. IV was initiated and given a fluid bolus, solu medrol, famotidine, and lorazepam. Labs and a chest x-ray done and reviewed. After treatment, patient found to be stable and was discharged home at 4:42 pm with orders for famotidine, albuterol inhaler, and epinephrine pen.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903030-1	~30 minutes after vaccination, patient reported lightheadedness, difficulty swallowing, SOB, feeling flushed, pallor, bilateral arm tingling, brief chest pain and tremors. Symptoms lasted approximately 30 minutes and then resolved. Benadryl given after resolution of acute symptoms. Reported a metallic taste in her mouth immediately after receiving the COVID vaccine (dose #1). Had uneventful 15 minute recovery period immediately after vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903035-1	"Stayed for 15 minutes after the vaccine given and no reaction was noted and she left. States she got into her car about 20 minutes after the vaccine and started to ""itch"" all over and noted ""red bumps"" on the back of her neck. She had a flushed face by the time she arrived home but remained afebrile. Her itchiness is better but only concentrated on the back of her neck on 12/17/20 when she reported the reaction to Employee Health Services. She denied any further issues today."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903112-1	Patient felt flushed, heart racing. Had irregular rhythm. Transported to Emergency Department. Treated with epinephrine. EKG performed, having pre-ventricular contractions. Checked in to ED for further evaluation.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903125-1	tachycardia, flushed, low grade fever
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903133-1	"1204 Patient became flushed and started saying she was having a difficult time ""catching her breath"". She then became tachycardic (upper 90's- low 100's). 1205 Benadryl given (25mg). Physician called down to clinic. Vital signs obtained and showed increased BP (145/90) and pulse. 1214 Patient verbalized she was feeling a little better. Monitoring continued until 1245, vital signs were improving and patient no longer had symptoms. She was released at 1252 but encouraged to seek medical attention if she developed new symptoms or had symptoms reoccur."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903134-1	At 24 minutes after vaccination, pt experienced chest tightness, shortness of breath, cough, flushing, and rash on chest and neck.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903154-1	After receiving the injection, patient felt flushed and lightheaded. Began to feel like heart was racing and chest tightness. The patient's heart rate was checked, the patient was provided with Tylenol and water, and observed for an additional 15 minutes. Symptoms resolved during this time.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903210-1	Patient reported feeling fine for the first 15 minutes after the vaccination was given then reported itching of her face excluding her forehead. Patient was given 25mg IM diphenhydramine. Pulse ox was taken and read within normal limits. Within 5-10 minutes after the diphenhydramine was given patient reported itching involving her arms, facial flushing but no shortness of breath. An extra dose of 25mg IM diphenhydramine was given and an IM EpiPen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903224-1	"Heart rate increase, flushed for about 20 minutes. She has an internal monitor/defibrillator. States ""it feels like when they do a dvice check."""
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903229-1	Patient reports it started as a tingling, pain and burning in the elbow and travelled up the shoulder and up the chest and to the heart. Pain felt like a cardio thump . Grabbed the epi. Sitting forward. Talked Dr. Doctor stated to sit back and uncross legs. Initiated slow breathing. Pain subsided to a tolerable amount. Not short of breath but tachycardic. Still dizzy. Stayed an hour sitting position, after injection. Felt there was an irritating sensation around the heart. Left and walked back to clinic. 10 minutes after arriving to the clinic, dizziness, flushing , came back and irritation around the heart was still noticed but tolerable. 2 minutes after, voice started cracking and drank some water. Intensity of dizziness increased and overall symptoms also intensified. Returned to COVID immunization clinic 15 minutes later. Patient was moved to direct observation in a chair. Given oral benadryl. Instructed to stay and would evaluate if new interventions would be deemed necessary. Benadryl helped. Symptoms were relieved in 15 mins. Patient has been in the clinic under direct observation for about 3.5 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100. Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903235-1	elevated heart rate 102, flushed, cold, tingly fingertips
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903248-1	Approximately 5 minutes after receiving vaccine I noted an intense flushing and burning sensation from my waist up followed by tachycardia with heart rate in 150s elevated BP 150/100. These symptoms subsided after approximately 10 minutes but were then followed by a ?cloudy? feeling in my head as well as tingling in bilateral hands that lasted the rest of the day but had resolved by the next morning. The next morning I felt very well until 2 pm when I had a short period (approximately 2 minutes) of elevated heart rate (120s) that then resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903255-1	Within 10min patient first experienced feeling hot and tightening of throat. Patient visibly sweating on forehead. Patient expressed feeling extremely flushed. No meds given per patient request. 30 min post-vaccination, patient now feeling very cold, throat feels better but still a little tight, and a little dizzy. No nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903280-1	Patient reported she was pregnant at time of screening. Patient confirmed that her and her OB/GYN discussed the COVID19 vaccine and determined it was the right decision for her to receive the vaccine. Upon receipt of the vaccine, she stated she was feeling flushed, nauseated and felt she was going to pass out. The vaccine clinic team took her to the ED for evaluation and monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903289-1	Warm flushing feeling within about 10-15 seconds of injection, as well as metallic taste in mouth. Repeated on an off for the next hour. Taken to ED of hospital. Noted right arm mild rash distal to injection site and on chest, mild to moderate nausea.. IV Bendadryl 50mg given, IV Solumedrol 125mg, IV Pepcid, IV Zofran. Discharged home with PO prednisone x 4 days. PO Pepcid and Benadryl PRN
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903384-1	Swelling, redness, warmth at the injection site starting approx 15 min after injection was given. Then severe itching starting in right arm, right side of head approx 25 min after injection. Then itching progressed through the entire body including toes Claritin 10mg taken approx approx 2 hours prior to inj Allegra 1 tab Diclofenac 50mg Tylenol 1000mg Pepcid 1 tab Solumrdrol 40mg IM All given at approx 8:30am Itching continued. Inj site reaction started to improve. At approx 9:20am Benadryl 50mg taken at 10:00am Benadryl and Pepcid repeated at 6pm due to return of itching Facial flushing and temp of 100.1 orally noted at 6am the next morning

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FLUSHING	903387-1	Ear pressure followed by bilateral under arm soreness. Later in the day both arms warm to touch and felt swollen. Face flushed and overall body aches and inability to stay awake. 600mg ibuprofen and rest. Felt myself in morning except as expected left arm pain at injection site and a little left arm tiredness or weakness.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FOOD ALLERGY	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100.Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FREQUENT BOWEL MOVEMENTS	903204-1	12-16 I was nauseous, I received the vaccine and walked to my department, I ate a graham cracker and didn't subside the rest of my shift at 130pm and went home and ate lunch took Tylenol laid down, at that time my arm started to hurt at the injection site. And when I woke up later that night around 5pm and was feeling better kind of tired but good. Coworkers could tell I didn't feel good. I felt like I needed to have a Bowl movement and urinate more than usual
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FULL BLOOD COUNT	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FULL BLOOD COUNT NORMAL	903243-1	Patient developed hives, facial swelling, throat swelling/itching, and nausea approximately 13min after vaccination while in observation. Patient immediately taken to Emergency Department where epinephrine was given IM in the left thigh followed by 125mg IV solumedrol, 50mg IV benadryl, 1000mL NS, and 20mg IV famotidine. Hemodynamically stable throughout ED course.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FULL BLOOD COUNT NORMAL	903283-1	6 minutes after receiving the vaccine I became lightheaded. I was the worst for about 1-2 hours after the vaccine but then symptoms improved some. 11 hours later I am still mildly lightheaded.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	FULL BLOOD COUNT NORMAL	903334-1	Immediately after administration felt a strange sensation on nostrils and mouth that dissipated after the initial 15 minutes. Then I started with mild itching in the next arm and neck. About 30 minutes after administration my eyelids became swollen. No shortness of breath or tachycardia. I received Benadryl and solumedrol at ER. Stay at the ED for about 2 hours and left home. After that I felt strange for a while and could not sleep at all. The next morning everything was fine except for mild left arm side of injection pain.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	GAIT INABILITY	902901-1	60 minutes after receiving the vaccine the patient became very dizzy and was unable to walk. After a couple of hours dizziness lessened and patient was able to ambulate.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	GLASSY EYES	902997-1	SWEATY, NAUSEA, DIZZY, EYES GLAZED OVER, NOT TRACKING RIGHT, STARTED MORNING AFTER SHOT
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HAEMATURIA	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil themselves and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEAD DISCOMFORT	903120-1	12/16/2020 episode of abdominal cramps I had a BM episode of loose stools and soon after that within seconds I started profusely sweating on my forehead and felt lightheaded and very weak, My wife noticed how much i was sweating my body was cool and clammy, episode lasted at least 5 mins if not more so I just laid down until I started feeling better. Once symptoms subsided I took 1000 mg of tylenol, Heavy head throughout the day.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEAD DISCOMFORT	903199-1	2 1/2 hours after the shot, I felt pressure building in my head, my eyes felt bulging, my throat felt tight, and I started having an asthma attack
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEAD DISCOMFORT	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100.Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902440-1	C/O Headache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902490-1	Headache, body ache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902491-1	Within a few minutes of receiving the COVID 19 vaccination, patient developed lightheadedness, shortness of breath, headache, and some nausea. She did get some redness to her neck and upper chest. No recent illness. Had elevated BPs ranged from 158/103 to 207/126 . HR ranged from 82-106. O2 sats always > 96%. Temp 37.1 C. Received Tylenol 1000 mg PO, Dexamethasone 10 mg IV, diphenhydramine 50 mg IV, famotidine 20 mg IV, ketorolac 30 mg IV, ondansetron 4 mg IV, and 1 L NS. Patient prescribed EpiPen and prednisone and discharged.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902576-1	I received the vaccine @ 3:40 pm 12-15-20 and felt fine until around 9:00 pm 12-15-20 when I noted headache, nausea, no energy, overall not feeling well, and injection site pain. I did not have a fever. Symptoms still present @ 6:00 am 12-16-20.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902621-1	Patient received shot around 1pm later that night he started to experience chills, hot/cold, nausea, headache, extreme fatigue, low grade temp (99.1) Associate vomited several times the early the next morning. By the next day, day patient was vomiting less and was able to keep food down. Patient is feeling better the second day, experiencing some nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902655-1	chills - 0730 body ache, headache - 1000 headache significantly worse - 1110
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902656-1	sore throat, headache, lightheadedness
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902666-1	redness around the injection spot, fever chills, Stomach Ache, Body Ache, Short of breath (walking up stairs), Headaches no appetite, Dry heating .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902709-1	I worked overnight after getting the vaccine. I felt really tired and came home and slept until 3 pm. When I woke up I had a dull headache and felt crummy. Decided to sleep the remainder of the day but no fever just was fatigued and had a headache. My arm was hurting at the injection site but the pain has sense left and the headache is gone also.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902744-1	12/15/2020 5:00 PM Nauseas(worst) 5:30 Pm Headache 6:00 Pm Stomach Pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902750-1	The employee experienced headaches the evening after receiving the vaccine. The next morning he experienced improvements in the headaches but developed chills, fatigue, and fever, all of which have improved somewhat by the afternoon when he reported these adverse effects to our employee health service. As he is recently recovered from COVID, a repeat COVID test may not be helpful. He was advised to call our employee health service and followup with his own doctor if these symptoms do not improve or resolve after 3 days.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902755-1	Headache, onset ~45 minutes after injection
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902757-1	I got it about 10 am I went home I attempted to work from home for about an hour and had a headache, took a 3 hour nap and felt much better after waking up, I felt like I couldn't concentrate. I felt fine this morning 12/16/2020 and I went to work just fine. I don't have a headache and don't feel like I need a nap, my arm still hurts but that is usual. I called my provider and asked if I could take Tylenol, but they were unsure so I did not take medication
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902778-1	Swelling and numbness at injection side. Increased blood pressure 199/99. Immediate headache. Workplace clinic called hospital ER, clinic administered Benadryl. Symptoms resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902824-1	Headache, body aches, low grade fever (99.3 F)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902826-1	Severe muscle aches Diarrhea Headaches Feverish Nauseous Left arm super sore Sore throat
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902836-1	Patient received covid-19 vaccine. 20+ minutes later patient states she began feeling flushed and nauseous. Patient states she look at her injection site, and it was hot and red. Local reaction approx. 2 inches x 2 inches. Dr. ordered 25 mg oral Benadryl. Vitals stable at 1840 133/88, 66 for pulse and regular, SPO2 99% on room air, respirations 20. Patient continued having complaints of light headedness and nausea. 1850 119/79, 74, 99% RA. Dr. states patient may depart from clinic if able to sit up and walk out, patient given instructions go to ED in symptoms progress. 1857 120/82, 70, 99.4. Patient's face becomes flushed and hot on left side, patient states she is shaky, and does not feel well at all. 1905 patient transferred to ED on 2L O2 for further evaluation and workup. Narrative ER Medical decision making narrative: Accu-Chek was obtained noting a glucose to be at 80. She received IV fluids as well as Solu-Medrol Benadryl and IV Pepcid. She also received IV Tylenol as she developed a headache while in the emergency department. Headache resolved and she was able to ambulate without assistance. Requested to go home states she felt much improved near normal. Clinical Impression: Adverse reaction to drug Patient Education: Anaphylaxis (ED)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902892-1	Started with onset of fatigue and disorientation shortly after receiving the vaccine. Several hours after the disorientation got worse, a headache came on and my whole body aches fatigue is bad. I feel like the flu just hit me.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902942-1	Headache, Left arm and shoulder pain

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902943-1	Headache, fatigue, muscle aches, nausea, sweating
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902952-1	Dizziness, headache, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902983-1	Pfizer-BioNTech COVID-19 Vaccine EUA. Injection site pain, headache, tiredness, muscle pain, chills and fever. Took acetaminophen, no longer have fever after 12 hrs.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902989-1	Headache, fatigue, temperature of 100.3. Lasted about 8 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902992-1	fatigue, soreness, headache occurred the night after receiving vaccine (approx. 8 hours later) lasting into the following day. I did not take any medications for this .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	902998-1	Morning after injection: mild fatigue, arm soreness; later in the morning-headache then chills, muscle aches, joint pain and low grade fever (99) and nausea/loss of appetite. These persisted for approximately 12 hours then cleared completely.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903008-1	I had a headache, body aches and fatigue.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903018-1	I woke up at 6:15am had a terrible headache, low fever 100.1. I took Tylenol for the headache and fever. Throughout the day exp muscle aches and joint pain. I also exp hot/cold flashes and fatigue. Around 6:00pm on 12/16 started to l feel better and was able to return to work on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903019-1	I took tylenol for fever and headache and rested, left side lymph nodes were swollen on 12/16/20 which was the worst day, and has gotten better today 12/17/2020. Did not go to the doctor.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903022-1	Caller stated at 11:30 a.m caller had right arm pain at injection site and headache. 12/17/20 headache and arm paid has subsided.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903024-1	Headache, right retroocular pain, exacerbation of rosacea Tx. acetaminophen Duration: 3 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903031-1	2 hours later pain in arm approximately 4-5 inches. Was not able to utilize left arm on yesterday. last night experienced muscle aches and chills. Taken Tylenol and rested. This morning experienced a really bad headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903036-1	I have a sore arm and I am experiencing severe back pain, nausea and a headache that comes and goes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903043-1	chills, headache, weakness, fatigue
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903045-1	about 1 1/2 hour after receiving it I felt a pain and numbness down left arm into pinky and ring finger. That only last about 2 minutes. Then the pain radiated to left side of neck and head and headache is still there at 1pm.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903047-1	Employee states that there was confusion at the time of vaccine injection, and that she was possibly given a second injection right after the first. approximately 45 minutes later she experienced headache and dizziness and had an observed syncopal episode. She was taken to the ER, evaluated for MI. Was found to be stable and was discharged.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903073-1	I WOKE UP WITH DIARRHEA AND A CONSTANT HEADACHE THAT HASNT LEFT
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903074-1	Headache at base of skull near spinal cord 3 hours after dose given
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903079-1	Around 630pm I began to have a really bad had a bad headache, feverish and body aching. Tenderness in the injection site area which eventually turned into full body aches and was tired. No vomiting or nausea. No redness at the site or injection site issues

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903081-1	Muscle ache, fatigue, drowsiness, brief confusion, bilateral headache, onset 11 AM, duration 2-3 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903089-1	Headache , dizziness, neck pain, left flank pain, fever 100.2 , chills,fatigue and muscle aches.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903091-1	I noticed the injection site was sore, swollen and warm. As the day progressed headache, fatigue, joint, legs aching and feeling heavy tires. Also had a fever of 101.2.Around 9:30 pm on 12/16 started to feel better fever was down.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903092-1	12/15/2020My arm was really sore at first, and then my arm was worse the next day on 12/16/2020 as the morning went on my temperature felt like it was going up and down I felt body aches and felt really tired I had covid in June and it wasn't as bad as when I had it in June but it was still pretty bad, I also had a headache, I took tylenol and my fever broke but after a few hours my headache was worse and I started to take tylenol and ibuprofen. 12/17/2020 Under my left arm my lymph nodes are swollen but I feel much better and will go to work today 12/17/2020
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903118-1	Patient came to workplace clinic 12/17 @ 1215 saying she had a reaction to the COVID vaccination. She stated she took ibuprofen in the morning for the headache, however, rash was still present. N/V on 12/16 at night. Patient reported no throat swelling or SOB. Rash on injection site (left) arm and chest. Patient received Benadryl 50 mg po x 1 dose and Tylenol 500 mg po x 1 dose. After Benadryl and Tylenol, patient felt better and was able to go back to work. recommended to go home and rest.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903121-1	Myalgias, headache, neck pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903122-1	Injection site soreness started about 3 hrs post-injection. By that evening I was experiencing body aches & chills. I took Advil 400mg with dinner and felt okay for about 4 hours. As soon as the Advil wore off, body aches & chills returned. I did not take anymore Advil that night. My sleep was restless with body aches, chills, & pain at the injection site. I took my temperature during the night and was afebrile. I woke feeling tired with a mild headache. I took Advil after breakfast and currently feel okay.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903139-1	Today I have really bad stomach cramps and diarrhea. Yesterday I had a temp 101.2 with tylenol, chills, joint pain and really bad headache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903140-1	Caller stated after injection at bout 9pm caller had severe headache with nausea and pain at injection site . Caller stated this morning she felt a bit better.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903144-1	Patient states she got a headache 30 minutes after taking the vaccine. Checked on patient 4 hours later, still complaining of a headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903152-1	12/15/2020 I was tired, body chills, pain in left arm but was all very light until 12/16/2020 headache was more severe
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903157-1	Headache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903170-1	I had pain at the injection site, swollen, body aches, and headache. It eventually just went away on its own. Did not take anything for it. Arm feels better after using it. Now I am just tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903174-1	On day after vaccination: Left arm soreness, chills, headaches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903185-1	headache, red raised area at injection site, 100.6 fever, fatigue, muscle aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903188-1	12/15/2020 little bit of a headache at night and took an ibuprofen, intermittent nausea the next day, around 530 pm 12/16/2020 fatigue joint pain chills, I had a fever but I did not take my temp, nausea at 9pm I took ibuprofen and this morning 12/17/2020 I woke up fine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903191-1	Within about an hour headache and mild pain at the injection site, around 4:30/5PM all other symptoms hit: chills, fever, fatigue, runny nose and diarrhea, joint and muscle pain, very sweaty and clammy skin
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903193-1	Caller stated that headaches occurred at 12 in the afternoon and fatigue set in through out the day. Caller took Tylenol and Advil with no relief. Caller stated 12/17/20 headache and fatigue went away.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903195-1	Headache , fever 100.8, chills, Fatigue, body ache . Nausea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903200-1	Symptoms- light headedness, dizziness while in the 30 minute observation window, EE reports she drank water and immediately felt better. EE also endorses mild HA shortly after. EE endorses symptoms completely resolved by 1:30 pm. Called vaccine support line at approximately 3:43 pm to notify us for our records.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903205-1	woke up at 3am with diarrhea and nausea . Woke at 6 am with fever of 101.7, joint pain, Headache and fatigue any myalgia
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903206-1	Fatigue and headaches 12/14/2020 about 12pm , Caller took Tylenol and advil with no relief and next day pain had subsided.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903207-1	I had headache, muscle fatigue, nausea, stomach pain, severe joint pain in the shoulder where I received the injection. I got Covid tested yesterday afternoon to be safe and I'm waiting on the results.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903209-1	Chills nausea sweats headache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903217-1	COVID vaccine administered to patient. She began to have lightheadedness and dizziness. She disclosed she had not yet eaten for the day, except for a glass of milk. Writer brought her to an exam table and had her lay down. After 5-10 minutes, she was given a banana and two small apple juice boxes. She then laid back down. After another 5 minutes, she complained of headache and slight phlegm development in her throat. Dr. was called to evaluate- after an assessment, she asked for a BP. Writer completed the vitals and found her BP was 113/77. 5 more minutes passed. Dr. advised that since her situation was not improving and headache and phlegm appeared to be getting worse, patient should receive epi and go to the hospital. Writer administered 0.3mg/0.3mL of epi and drove patient to the Emergency Department of Hospital. She was there for about two hours before being discharged. Symptoms largely resolved by the evening.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903222-1	Patient is suspected to have received 0.3mL of undiluted vaccine (150mcg vs 30mcg). Patient reported having a dull headache 3/10 pain scale since yesterday afternoon post vaccination. Patient also reported soreness in her right arm down to her elbow. She did not experience any other symptoms.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100.Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903231-1	Headache and, limited motion to the Injected arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903233-1	Fever 102, nausea, headaches, muscle pain, lightheaded, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903240-1	"1658 Patient reports feeling lightheaded after receiving COVID vaccine. VS obtained, BP & HR are elevated. 1700 PA called 1702 PA arrived Patient remains lightheaded with some palpitations but denies any trouble breathing. 1711 VS are improving 1716 Patient states she starts feeling better but then gets a new wave of lightheadedness with ""fogginess"". Monitoring continued. 1741 Patient starting to feel ""extra lightheaded"" 1742 Benadryl given per PA 1748 Patient verbalized a headache 1818 Medic called because BP & HR have not improved after 1 hour of monitoring. 1825 Medic team transported patient to the ER"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903252-1	Fever of Tmax 100.5, chills and headache 24 hours after receiving the covid vaccine
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903261-1	I received the vaccination on 12/14 no problems 3-4 later sore arm. After went home next day on 12/15 had a sore arm went to work as normal. At work left early felt tired went to bed early around 8pm. The next day on 12/16 overslept important morning meeting reported to V-safe was feeling tired, mild headache and had severe fatigue. On 12/17 felt much better not as tired returned to normal and no headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903263-1	5 minutes after I received the injection, I experienced a mild headache and metallic taste in my mouth, with very slight dizziness for a couple seconds. I reported the mild headache and taste disturbance to the RN in the Covid vaccine room before I left for her information. I stayed 15 minutes , then walked to my car. I sat in my car, then began to feel cold, dizzy, and my heart began to race. I walked back to the Neurology clinic where I work as an NP, and sat in the Neurologist's office, who observed me to be pale and sweating. I continued to feel dizzy with tachycardia for about 7 minutes until this resolved. The only symptom remaining after this was a headache and metallic taste.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903279-1	After an hour I got vaccinated, I started to feel nauseated and started throwing up. Theres pain and heaviness on the injection site. I had a headache as well.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903285-1	Headache, fever, malaise, body ache

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903287-1	Soreness injection site Headache Prickly sensation of skin Weakness/fatigue Stomach pain/nausea/ loss of appetite
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903323-1	Nausea, myalgia, injection site pain, malaise, diarrhea, chills, joint pain, headache, nasal congestion,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903326-1	Headache - centralized at front of head, from temples to forehead; no treatment taken; resolved after a nap; lasted about 4 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903335-1	Headache. Alevee X2 taken Thursday 12.17 at 2p. went away after several hours. Have another headache this morning
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903345-1	Right arm soreness, headache, hot flashes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903352-1	Fever with max of 101.9, headache, chills, heartburn, cough, fatigue.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903376-1	Severe headache, fatigue, muscle aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903379-1	Headache, fatigue sudden onset at 10 am, resolved after acetaminophen
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903393-1	Approximately 90 minutes following first dose of vaccine, developed severe headache, chills, joint pain and full body muscle aches. Continued throughout the night and were improved by next morning, but not fully resolved by the time of this submission.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903402-1	My symptoms started with bodyaches and fatigue. Quickly followed by a fever that reached 102.4. Later that night I had congestion, cough and headache. Woke up the next mornign with moderate/sever bodyaches, chills, cough and headache. Moderate fatigue as well. Had to miss work.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEADACHE	903535-1	First day right after the vaccine the left arm was extremely sore, the next day I felt like I had the flu. body aches , headache, knees aching , abdominal pain, could not eat, lots of chill, breaking out in sweats .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE DECREASED	902768-1	Nausea, tremors, and decrease in HR. Patient taken to ED. No epinephrine injection administered.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE DECREASED	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE INCREASED	902524-1	I am a immunization nurse at this location. I gave 2 of the first 4 Covid vaccinations given at our location. Then I received dose # 5. It was easy. I did a couple of things and then returned to my desk. As I sat down, my arm started feeling very heavy. I was unable to send a text. I told staff that I was feeling funny and that I was going to the other room to lay down. Staff followed me and took my Pulse 100 and BP 164/ 82 (high for me!) . I felt shaky, but my hands were not shaking. Put a wet cloth on my head and laid there a few minutes, telling staff stories and laughing at my BP. When I sat up, my BP was 126/74 and pulse was 80. I stood up for a minute or two, then my legs got heavy and I sat down for a few more minutes. I went to the bathroom and came back to my desk, but was weak and tired. I ate and drank some fluids. Because it was snowing and I live 25 miles away, I accepted a ride home from a co-worker. I walked across the parking lot without problems and talked all the way home. At home, I was tired, but had a sandwich and talked on the phone. I would still describe myself as tired, but functioning.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE INCREASED	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE INCREASED	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE INCREASED	903094-1	40 min after shot experienced dizziness, feeling like was going to pass out, not coherent, BP high, fast heart rate, light headed. Got chills, freezing cold, shivering, and later in the day my ears were ringing. Extremely fatigued.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE INCREASED	903095-1	Approximately 10 minutes after receiving the vaccine in the left arm, the patient began feeling lightheaded and had some chest heaviness. They became diaphoretic and at this point blood pressure and heart rate were checked. HR was elevated to 90 bpm from patient's baseline of approximately 60-65 bpm. Blood pressure was elevated at 150/100 mmHg. Pt was provided water and symptoms resolved. Patient was monitored an additional 30 minutes and did not have any recurrence of symptoms. Blood pressure and heart rate returned to baseline.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE INCREASED	903133-1	"1204 Patient became flushed and started saying she was having a difficult time ""catching her breath"". She then became tachycardic (upper 90's- low 100's). 1205 Benadryl given (25mg). Physician called down to clinic. Vital signs obtained and showed increased BP (145/90) and pulse. 1214 Patient verbalized she was feeling a little better. Monitoring continued until 1245, vital signs were improving and patient no longer had symptoms. She was released at 1252 but encouraged to seek medical attention if she developed new symptoms or had symptoms reoccur."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE INCREASED	903159-1	1450 COVID19 vaccine given. 1503 Patient verbalized a racing heartbeat. 1504 Vital signs obtained, BP & HR were elevated. 1507 Physician paged. 1509 Patient reports feeling much better. 1511 Physician arrived to evaluate. 1516 Patient no longer had symptoms. Vital signs improving. Verbalized understanding to seek medical attention if symptoms reoccur or new symptoms begin. Patient left.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE INCREASED	903224-1	"Heart rate increase, flushed for about 20 minutes. She has an internal monitor/defibrillator. States ""it feels like when they do a dvice check.""
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE INCREASED	903235-1	elevated heart rate 102, flushed, cold, tingly fingertips
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE INCREASED	903240-1	"1658 Patient reports feeling lightheaded after receiving COVID vaccine. VS obtained, BP & HR are elevated. 1700 PA called 1702 PA arrived Patient remains lightheaded with some palpitations but denies any trouble breathing. 1711 VS are improving 1716 Patient states she starts feeling better but then gets a new wave of lightheadedness with ""fogginess"". Monitoring continued. 1741 Patient starting to feel ""extra lightheaded"" 1742 Benadryl given per PA 1748 Patient verbalized a headache 1818 Medic called because BP & HR have not improved after 1 hour of monitoring. 1825 Medic team transported patient to the ER"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HEART RATE IRREGULAR	903112-1	Patient felt flushed, heart racing. Had irregular rhythm. Transported to Emergency Department. Treated with epinephrine. EKG performed, having pre-ventricular contractions. Checked in to ED for further evaluation.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HOT FLUSH	902796-1	I inserted my NuvaRing birth control on 12/14/2020. I have the Covid19 vaccine on 12/15/2020 at about 8:30am. The injection site was mildly sore and that continued into the next day. I woke up on 12/16/2020 feeling a little off and it progressed throughout the day. I felt a headache that I knew was turning into a migraine, threw up a few times (this is normal for me when I get migraines), and started having hot flashes. My temperature never went above 98. After sleeping a few hours and taking some Excedrin migraine I was feeling much better, though still a little sickly, by 4pm. I really think this is due to my migraines (which I get roughly once a month) even though it was a day later than normal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HOT FLUSH	903202-1	Severe dizzy spell about 5-10 following injection, helped to the floor, this lasted approximately 30-40 minutes after start of symptom. Hot flashes and visual disturbance lasting into following day.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HOT FLUSH	903247-1	I had arm pain. Yesterday I had a hot flash with throwing up and diarrhea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HOT FLUSH	903329-1	hot flushing feeling, light headed, legs heavy gave patient a chair to sit and candy symptoms resolved by 11:36
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HOT FLUSH	903345-1	Right arm soreness, headache, hot flashes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HUMAN CHORIONIC GONADOTROPIN	903256-1	After vaccination in the medical office building adjacent to the hospital, the hospital employee felt palpitations (within 30 minutes of shot). Employee went to the ED at the hospital and was evaluated by medical personnel. Employee was SOB but did not have difficulty breathing. No other untoward reactions were observed. All other ROS was unremarkable. Sinus tachycardia of 140bpm observed in the ED, repeated ECG was sinus tachycardia of 119bpm, no other abnormalities. IVF, 50mg IV diphenhydramine, 40mg IV famotidine, and 125mg IV methylprednisolone given. Symptoms of palpitations and SOB resolved. Discharged with instruction to return to the ED if any symptoms returned.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	902464-1	within 15 minutes progressive light-headedness leading to near-syncope and diaphoresis. After 20 minutes symptoms subsided.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	902557-1	1750- IM injection ot R Deltoid. She was sitting, and felt short of breath without wheeze or tightness in the chest or throat. She stood up, and then felt tunneling. Assisted to chair and floor. Pulse weak, skin flushed, sweating on torso. Face and Neck remained flushed and red. She refused epi at first. So we gave her benedryll 25 mg po with apple juice. She said she just had a big meal 30 min prior, but we checked her blood sugar- it was 85. 10 min after the first SOB feeling, it returned. BP was recorded as 160/100.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	902674-1	Patient has a prior anaphylaxis reaction to Doxycycline. 10minutes after immunization, she developed sweaty palms and lightheadedness. No throat swelling or difficulty breathing. Placed supine, BP 160/100, HR 60-70, O2 97% RA. After a period of monitoring the symptoms improved. No intervention given.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	902746-1	Following first dose, patient became hypotensive, pale, and diaphoretic. Denies syncope. Patient went to nearby emergency department at Hospital. Was monitored for several hours and was discharged in stable condition.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	902790-1	11 minutes after first dose of Covid Pfizer vaccine, patient became unresponsive, pale, diaphoretic with possible seizure activity. Patient dropped all belongings, leaned to the left side, with eyes rolling back in her head. Episode lasted about a minute. Patient could not remember what had happened. Vitals were BP 110/60, HR 64, RR 22. Patient was advised to go to ED for further evaluation but she refused. Patient was given a snack and an RN stayed with her for about 20 more minutes to monitor.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	902832-1	Within an hour and a half of receiving developed tinnitus in both ears lasting 6 hours. The night after receiving vaccine also developed orthostatic hypotension and started to pass out but caught myself with an assisted fall. Fever(102 F with temporal and oral thermometer) body aches/sweats/general malaise lasting close to 24 hours after receiving vaccine. Fever/aches treated with acetaminophen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	902943-1	Headache, fatigue, muscle aches, nausea, sweating
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	902997-1	SWEATY, NAUSEA, DIZZY, EYES GLAZED OVER, NOT TRACKING RIGHT, STARTED MORNING AFTER SHOT
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903004-1	17 minutes after vaccine, suddenly had a , crushing squeezing chest pain, very severe lasted 45 seconds. after 45 seconds continue to have moderate chest pain, light headiness, diaphoretic, very hot. NO fever, elevated BP. Mild to moderate chest and light headiness for about 3-4 hours and it self solved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903082-1	Persistent cough, dyspnea, sweats, myalgias, mental status changes and diarrhea, still resolving
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903095-1	Approximately 10 minutes after receiving the vaccine in the left arm, the patient began feeling lightheaded and had some chest heaviness. They became diaphoretic and at this point blood pressure and heart rate were checked. HR was elevated to 90 bpm from patient's baseline of approximately 60-65 bpm. Blood pressure was elevated at 150/100 mmHg. Pt was provided water and symptoms resolved. Patient was monitored an additional 30 minutes and did not have any recurrence of symptoms. Blood pressure and heart rate returned to baseline.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903120-1	12/16/2020 episode of abdominal cramps I had a BM episode of loose stools and soon after that within seconds I started profusely sweating on my forehead and felt lightheaded and very weak, My wife noticed how much i was sweating my body was cool and clammy, episode lasted at least 5 mins if not more so I just laid down until I started feeling better. Once symptoms subsided I took 1000 mg of tylenol, Heavy head throughout the day.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903149-1	1215 pm on 12/16/2020: pfizer covid vac in left arm Poor nights sleep with left arm pain at injection site 500am on 12/17/2020: stood up to get ready and immediately started to dizzy. Then immediately threw up and had darker green diarrhea. Once that finished I had the sweats and felt cold with a subjective fever until around 9 am with continued nausea. Symptoms resolved 11:40 AM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903189-1	Immediately after the injection, site turned red, I got hot and began sweating profusely. This lasted about 10 minutes and resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903191-1	Within about an hour headache and mild pain at the injection site, around 4:30/5PM all other symptoms hit: chills, fever, fatigue, runny nose and diarrhea, joint and muscle pain, very sweaty and clammy skin
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903209-1	Chills nausea sweats headache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903255-1	Within 10min patient first experienced feeling hot and tightening of throat. Patient visibly sweating on forehead. Patient expressed feeling extremely flushed. No meds given per patient request. 30 min post-vaccination, patient now feeling very cold, throat feels better but still a little tight, and a little dizzy. No nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903263-1	5 minutes after I received the injection, I experienced a mild headache and metallic taste in my mouth, with very slight dizziness for a couple seconds. I reported the mild headache and taste disturbance to the RN in the Covid vaccine room before I left for her information. I stayed 15 minutes , then walked to my car. I sat in my car, then began to feel cold, dizzy, and my heart began to race. I walked back to the Neurology clinic where I work as an NP, and sat in the Neurologist's office, who observed me to be pale and sweating. I continued to feel dizzy with tachycardia for about 7 minutes until this resolved. The only symptom remaining after this was a headache and metallic taste.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903338-1	5-10 minutes after vaccination, vasovagal syncope: pallor, diaphoresis, dizziness, tunnel vision, nausea, weakness, tingling in arms/legs, BP 103/69
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903358-1	She became diaphoretic, her throat felt dry and as if it was beginning to close. Rapid response was called and she was transported to the ER. She was tachycardic, experienced chest tightness, and shortness of breath.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903361-1	31 hours after the vaccination I woke up at 11:00 p.m. and had two and a half hours of alternating sweats and chills that went away with 1000 mg of acetaminophen and 600 mg of ibuprofen. I did not have a fever, my temperature was 98.8, and I did not have diffuse muscle aches. this was similar to but much shorter lived in milder than my reaction with shingrix earlier in the year.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903535-1	First day right after the vaccine the left arm was extremely sore, the next day I felt like I had the flu. body aches , headache, knees aching , abdominal pain, could not eat, lots of chill, breaking out in sweats .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERHIDROSIS	903614-1	I didn't eat after because I lost my appetite. I was nauseous with chills , sweating and vomitting and tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERSENSITIVITY	902791-1	"1039: Responded to notification of potential adverse reaction after receiving COVID-19 vaccination. Pt had been escorted from observation area to emergency area with PA with c/o tightness in throat. On my arrival, pt was eupneic, p/w/d, ambulatory, NAD. á Vitals @ 1039: P72, 100% pulse ox on RA Vitals @ 1056: P72, 98% pulse ox on RA, 112/78 seated. á Administered 25mg diphenhydramine po per PA @ 1050, pt swallowed with water. á Called 911 for EMS response @ 1103 per instruction from provider. á Vitals @ 1103: 98% pulse ox on RA, P74, denies shortness of breath or pain. á Off phone with EMS @ 1108, en route. á EMS on site @ 1115, report given to medic. á Pt left with EMS en route to ED @ 1116. á Report called to ED Charge Nurse @ 1121. Patient presented to vaccination clinic. Patient received her vaccination at approximately 1021. Patient reports symptoms onset at approximately 1038 with tightness of the throat and difficulty swallowing. She described it as a swelling of the throat sensation. She states she had a sensation moving from her head to her toes as in a ""wave "" . Patient denied shortness of breath, chest pain denies nausea. Patient denies hives or rashes or pruitis. á á Patient was assessed and moved to the emergency area. á Her symptoms continued with some improvement. At this point time 25 mg of Benadryl was administered orally. Approximately 10 to 15 minutes after administration the patient developed numbness tingling around the upper lip, the right upper extremity. She denied shortness of breath or chest pain. She denied increasing severity of the throat sensations. á Pertinent past medical history: Reactions bee stings currently carries EpiPen. á She is not had any previous reactions to vaccinations. á á Allergic reaction. á The patient symptoms seem to continue with the numbness tingling around the lips after administration of the Benadryl. Hand tingling of the right upper extremity also continued although it was decreasing. á Her symptoms of the tightness of the throat remain the same. She did not develop shortness or breath or chest tightness or pain. á At this time I feel be prudent to evacuate the patient to higher level care. á Patient was evacuated at 11:16 by ambulance service. á á á"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERSENSITIVITY	902894-1	"Allergic reaction with facial swelling, eye tearing, ""itchy"" throat"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERSENSITIVITY	903162-1	Allergic reaction to vaccine +1 more Dx Referred by MD Reason for Visit Progress Notes PA-C (Physician Assistant) ? ? Physician Assistant Cosign Needed á Patient was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. á She was given the Pfizer-Biontech (lot: EH9899) vaccination in the left deltoid muscle. á During her 15 minute waiting period after the injection, the patient began to experience oral tingling (upper lip and then into the lower lib) It then progressed to the tongue and she reported tingling to the tip of the tongue and further back to the middle of tongue. She thought there might be some mild swelling to the tip of the tongue. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling and lip swelling. á This Staff member was notified of patient reaction and she was then assessed in the emergency bay area. á PMH: Hx hypertension but did not take her medication today. Patient had recovered from the COVID-19 virus about 2 weeks ago. á Vitals Time 1130 BP 170/90 HR 86 s/r RR 14 nl O2 97 % á Physical Exam Constitutional: She is oriented to person, place, and time. She appears well-developed and well-nourished. No distress. HENT: Head: Normocephalic and atraumatic. Right Ear: Hearing and external ear normal. Left Ear: Hearing and external ear normal. Eyes: Conjunctivae are normal. Right eye exhibits no discharge. Left eye exhibits no discharge. No scleral icterus. Neck: Normal range of motion. Cardiovascular: Normal rate, regular rhythm and normal heart sounds. Pulmonary/Chest: Effort normal and breath sounds normal. No stridor. No respiratory distress. She has no wheezes. She has no rales. Musculoskeletal: Normal range of motion. Neurological: She is alert and oriented to person, place, and time. No sensory deficit. Gait normal. Skin: Skin is warm and dry. She is not diaphoretic. Psychiatric: She has a normal mood and affect. Her behavior is normal. Judgment and thought content normal. Cognition and memory are normal. Vitals reviewed. á á Treatment included antihistamines. Patient was given 50 mg of benadryl at 1138. á Vitals Time 1147 BP 160/100 HR 90 S/R RR 14 nl O2 98% á Response to care: Patient states the upper lip resolved but the lower lip and tongue sensations remained but did not worsen. Patient was recommended to go to the hospital given her sudden response with concern of tongue swelling. Patient did agree to this. COVID staff was made aware that the patient would be leaving her SUV in the parking lot. á Patient was transfer by Response team to the hospital at 11:53 AM. á á
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERTENSION	902524-1	I am a immunization nurse at this location. I gave 2 of the first 4 Covid vaccinations given at our location. Then I received dose # 5. It was easy. I did a couple of things and then returned to my desk. As I sat down, my arm started feeling very heavy. I was unable to send a text. I told staff that I was feeling funny and that I was going to the other room to lay down. Staff followed me and took my Pulse 100 and BP 164/ 82 (high for me!) . I felt shaky, but my hands were not shaking. Put a wet cloth on my head and laid there a few minutes, telling staff stories and laughing at my BP. When I sat up, my BP was 126/74 and pulse was 80. I stood up for a minute or two, then my legs got heavy and I sat down for a few more minutes. I went to the bathroom and came back to my desk, but was weak and tired. I ate and drank some fluids. Because it was snowing and I live 25 miles away, I accepted a ride home from a co-worker. I walked across the parking lot without problems and talked all the way home. At home, I was tired, but had a sandwich and talked on the phone. I would still describe myself as tired, but functioning.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERTENSION	903094-1	40 min after shot experienced dizziness, feeling like was going to pass out, not coherent, BP high, fast heart rate, light headed. Got chills, freezing cold, shivering, and later in the day my ears were ringing. Extremely fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPERTENSION	903228-1	Patient experiences palpitations, dizziness, and hypertension within 10 minutes of receiving the vaccine.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA	902791-1	"1039: Responded to notification of potential adverse reaction after receiving COVID-19 vaccination. Pt had been escorted from observation area to emergency area with PA with c/o tightness in throat. On my arrival, pt was eupneic, p/w/d, ambulatory, NAD. Vitals @ 1039: P72, 100% pulse ox on RA Vitals @ 1056: P72, 98% pulse ox on RA, 112/78 seated. Administered 25mg diphenhydramine po per PA @ 1050, pt swallowed with water. Called 911 for EMS response @ 1103 per instruction from provider. Vitals @ 1103: 98% pulse ox on RA, P74, denies shortness of breath or pain. Off phone with EMS @ 1108, en route. EMS on site @ 1115, report given to medic. Pt left with EMS en route to ED @ 1116. Report called to ED Charge Nurse @ 1121. Patient presented to vaccination clinic. Patient received her vaccination at approximately 1021. Patient reports symptoms onset at approximately 1038 with tightness of the throat and difficulty swallowing. She described it as a swelling of the throat sensation. She states she had a sensation moving from her head to her toes as in a "wave". Patient denied shortness of breath, chest pain denies nausea. Patient denies hives or rashes or pruritis. Patient was assessed and moved to the emergency area. Her symptoms continued with some improvement. At this point time 25 mg of Benadryl was administered orally. Approximately 10 to 15 minutes after administration the patient developed numbness tingling around the upper lip, the right upper extremity. She denied shortness of breath or chest pain. She denied increasing severity of the throat sensations. Pertinent past medical history: Reactions bee stings currently carries EpiPen. She is not had any previous reactions to vaccinations. Allergic reaction. The patient symptoms seem to continue with the numbness tingling around the lips after administration of the Benadryl. Hand tingling of the right upper extremity also continued although it was decreasing. Her symptoms of the tightness of the throat remain the same. She did not develop shortness or breath or chest tightness or pain. At this time I feel be prudent to evacuate the patient to higher level care. Patient was evacuated at 11:16 by ambulance service. A A"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA	902939-1	Patient was given to covid injection- developed numbness and tingling inside bicep- speech- slurred speech- tongue speech- tongue not swollen- feels like novican. Takes lisinopril, novolog jardiance, lansoprazole, and mirena.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA	903016-1	Approximately 11 minutes after receiving the vaccine, the patient complained of shortness of breath, tingling in arms and hands, numbness and tingling in legs and feet, and was observably shaking, with no complaints of swelling in throat or other signs of anaphylaxis. Patient was brought to ER in same facility via stretcher and was examined by staff there. ER report states the patient presented with shortness of breath and what appeared to be a panic attack, with fast breathing, slight flushing, and shaking. Per ER report, the patient was treated for an acute anaphylactic reaction, with clear lungs and given an EpiPen shot in the right thigh. IV was initiated and given a fluid bolus, solu medrol, famotidine, and lorazepam. Labs and a chest x-ray done and reviewed. After treatment, patient found to be stable and was discharged home at 4:42 pm with orders for famotidine, albuterol inhaler, and epinephrine pen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA	903045-1	about 1 1/2 hour after receiving it I felt a pain and numbness down left arm into pinky and ring finger. That only last about 2 minutes. Then the pain radiated to left side of neck and head and headache is still there at 1pm.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA	903129-1	patient felt jaw pain, a strange taste (unable to describe), and numbness in her right arm patient was monitored and symptoms resolved within 30 minutes of vaccine administration
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA	903130-1	Shortly Administration of vaccine I experienced a metallic taste. approximately 40 minutes after administration of vaccine I experienced difficulty swallowing, dyspnea, tachycardia and numbness in tingling in bilateral hands. I am a healthcare provider and I received the vaccine at my place of employment. I was taken to the emergency department for monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA	903142-1	Pt showed for Covid Vasc #1, received the immunization in left deltoid. minutes later, felt numbness, in arm, the a lump in the throat. Denied SOB, or Dyspnea. Patient the stated weakness in the legs. Assisted to the restroom, x 1. no difficulty. after 30 minutes and no relief from symptoms, patient was wheelchair over to urgent care, and treated there. Patient was able to leave urgent care on her own, with no problems Patient transferred to urgent care for evaluation. Left from urgent care on her own
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA	903153-1	Immediately after the injection the tips of my finger began to go numb my hand started itching my throat started to go numb and itch and I got 25mg of Benedryl symptoms got worse so they had to give me in IV injection of benedryl which made the symptoms a litter better. I was released and when I got home I went to sleep. When I woke up my body felt like I had been run over by a big truck. I took my temp and it was 99.8. I laid back down and decided to sleep it off and woke up this morning not feeling any worse but not any better. My hands got red from the rash and is still a little red.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA	903227-1	Pfizer-BioNTech COVID-19 Vaccine EUA within the first hour of dose, facial numbness on right side of face that migrated to lips. Within 2 hours of dose, nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA	903274-1	numbness to right ear and in front of ear. Also right ear feels plugged/underwater sound, Very sore left arm injection site.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA	903492-1	patient presented with a (L) hand numbness + coldness (ipsilateral to vaccine) right after her vaccination symptoms resolved after a warm shower
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA ORAL	902791-1	"1039: Responded to notification of potential adverse reaction after receiving COVID-19 vaccination. Pt had been escorted from observation area to emergency area with PA with c/o tightness in throat. On my arrival, pt was eupneic, p/w/d, ambulatory, NAD. Vitals @ 1039: P72, 100% pulse ox on RA Vitals @ 1056: P72, 98% pulse ox on RA, 112/78 seated. Administered 25mg diphenhydramine po per PA @ 1050, pt swallowed with water. Called 911 for EMS response @ 1103 per instruction from provider. Vitals @ 1103: 98% pulse ox on RA, P74, denies shortness of breath or pain. Off phone with EMS @ 1108, en route. EMS on site @ 1115, report given to medic. Pt left with EMS en route to ED @ 1116. Report called to ED Charge Nurse @ 1121. Patient presented to vaccination clinic. Patient received her vaccination at approximately 1021. Patient reports symptoms onset at approximately 1038 with tightness of the throat and difficulty swallowing. She described it as a swelling of the throat sensation. She states she had a sensation moving from her head to her toes as in a "wave". Patient denied shortness of breath, chest pain denies nausea. Patient denies hives or rashes or pruritis. Patient was assessed and moved to the emergency area. Her symptoms continued with some improvement. At this point time 25 mg of Benadryl was administered orally. Approximately 10 to 15 minutes after administration the patient developed numbness tingling around the upper lip, the right upper extremity. She denied shortness of breath or chest pain. She denied increasing severity of the throat sensations. Pertinent past medical history: Reactions bee stings currently carries EpiPen. She is not had any previous reactions to vaccinations. Allergic reaction. The patient symptoms seem to continue with the numbness tingling around the lips after administration of the Benadryl. Hand tingling of the right upper extremity also continued although it was decreasing. Her symptoms of the tightness of the throat remain the same. She did not develop shortness or breath or chest tightness or pain. At this time I feel be prudent to evacuate the patient to higher level care. Patient was evacuated at 11:16 by ambulance service. A A"

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA ORAL	902793-1	My symptoms started about 15 minutes after shot. Initially I felt slight dizziness begin in my head. Then I felt slight uncomfortable feeling in my lungs, throat, and tongue. They were very slight so I left the vaccine center about 25 minutes after injection. On drive home my lips started to feel numb as well as my tongue & throat. Arriving home very tired. BP 135/ 80 P70 R20 T97.6 Blood sugar 101. Slept for about 4 hours. Called in sick for 7PM shift. Too weak & tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA ORAL	902944-1	shortly after patient received vaccine became flushed, bottom lip went numb, vitals were in normal limits. 911 was called emergency staff came and patient went to ER to be monitored.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA ORAL	903044-1	stated her lips started to feel numb, like she was at the dentist. lips did not appear cyanotic.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA ORAL	903227-1	Pfizer-BioNTech COVID-19 Vaccine EUA within the first hour of dose, facial numbness on right side of face that migrated to lips. Within 2 hours of dose, nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOAESTHESIA ORAL	903337-1	COMPLAINS OF NUMBNESS TO TIP OF LIP WITHIN MINUTES OF ADMINISTRATION. DENIES HISTORY OF ANAPHYLAXIS. TRANSFERRED IMMEDIATELY TO HOSPITAL ED
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOTENSION	902746-1	Following first dose, patient became hypotensive, pale, and diaphoretic. Denies syncope. Patient went to nearby emergency department at Hospital. Was monitored for several hours and was discharged in stable condition.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	HYPOTHERMIA	903399-1	Hypothermia with body temp of 95.0 F. Treated with heating blanket and covers.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	902669-1	Immediately after the vaccine, I got severely nauseated, got a yucky metal taste in my mouth and got super lightheaded and hadn't even gotten up. The agent helped walk me to a chair and I felt really loopy in the head. After the 15 minutes, I got up and immediately felt the whole room was spinning causing me to have to sit back down another 15 minutes. Closing my eyes made the dizziness much worse. I was given juice, my sugar was checked at was 115. After about 30 minutes I stood and felt a lot better. I went back to my assigned duties but was feeling super bad and my supervisor sent me home because they states I didn't look good. On the drive home I threw up and my PCP called in Zopran to help with the nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	902733-1	Pt started to have a metallic taste in her mouth immediately after administration of the Covid-19 vaccine. She started to feel nauseous and myalgias. The patient was seated, given Zofran 4mg once and Benadryl 25 mg once. After 10 min patient was eating juice + crackers. Reports she feels better. A co-worker verbalized he would drive her home, patient agreed.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	902766-1	Vaccinator Nurse noted upon vaccination there was bleeding from site and immediate bruising. Extended post vaccination monitoring to 30 minutes and asked patient to not leave before being reevaluated. Visual monitoring in post vaccination space by this RN. Upon reassessment @ 1352 pt stated she felt the need to use her inhaler and chest tightness. Pt denies SOB and able to transfer independently to wheelchair. Pt began to cough and was immediately transferred to ED per FNP. Upon ED arrival, pt was transferred to back hall 9, report given to RN and assessed by physician. Vital signs 98% on RA, t- 98.2, HR 78.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	902778-1	Swelling and numbness at injection side. Increased blood pressure 199/99. Immediate headache. Workplace clinic called hospital ER, clinic administered Benadryl. Symptoms resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	902835-1	Immediately after injection of vaccination her left deltoid started swelling. Complains of pain at injection site. No other complaints. Applied ice. She took Tylenol and Benadryl. Stayed 30 minutes after vaccination without further complaint.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	902932-1	Patient reports of itching immediately after vaccine, dizzy, feeling of flush. Medical directive given for itching that include OTC antihistamine (Claritin). Incident Management team activated for dizziness and feeling of flush.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	902945-1	immediate burning upon injection, VS stable
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	903030-1	~30 minutes after vaccination, patient reported lightheadedness, difficulty swallowing, SOB, feeling flushed, pallor, bilateral arm tingling, brief chest pain and tremors. Symptoms lasted approximately 30 minutes and then resolved. Benadryl given after resolution of acute symptoms. Reported a metallic taste in her mouth immediately after receiving the COVID vaccine (dose #1). Had uneventful 15 minute recovery period immediately after vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	903153-1	Immediately after the injection the tips of my finger began to go numb my hand started itching my throat started to go numb and itch and I got 25mg of Benadryl symptoms got worse so they had to give me in IV injection of benadryl which made the symptoms a little better. I was released and when I got home I went to sleep. When I woke up my body felt like I had been run over by a big truck. I took my temp and it was 99.8. I laid back down and decided to sleep it off and woke up this morning not feeling any worse but not any better. My hands got red from the rash and is still a little red.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	903182-1	tingling in arm at the time of admin down into fingers which faded over 15 mins and then soreness in arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	903189-1	Immediately after the injection, site turned red, I got hot and began sweating profusely. This lasted about 10 minutes and resolved.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	903241-1	Immediate swelling at injection site, approximately 1.5cm diameter and raised about 1 cm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	903327-1	Patient reported that she started to feel unwell immediately after the vaccine with some nausea. She presented to the Emergency Department where she was treated by myself approximately 17 hours vaccine administration. She was having vomiting, diarrhea, diffuse rash, and throat discomfort. She was successfully treated for anaphylaxis and was able to discharge to home.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	903334-1	Immediately after administration felt a strange sensation on nostrils and mouth that dissipated after the initial 15 minutes. Then I started with mild itching in the next arm and neck. About 30 minutes after administration my eyelids became swollen. No shortness of breath or tachycardia. I received Benadryl and solumedrol at ER. Stay at the ED for about 2 hours and left home. After that I felt strange for a while and could not sleep at all. The next morning everything was fine except for mild left arm side of injection pain.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMMEDIATE POST-INJECTION REACTION	903492-1	patient presented with a (L) hand numbness + coldness (ipsilateral to vaccine) right after her vaccination symptoms resolved after a warm shower
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMPAIRED DRIVING ABILITY	902524-1	I am a immunization nurse at this location. I gave 2 of the first 4 Covid vaccinations given at our location. Then I received dose # 5. It was easy. I did a couple of things and then returned to my desk. As I sat down, my arm started feeling very heavy. I was unable to send a text. I told staff that I was feeling funny and that I was going to the other room to lay down. Staff followed me and took my Pulse 100 and BP 164/ 82 (high for me!) . I felt shaky, but my hands were not shaking. Put a wet cloth on my head and laid there a few minutes, telling staff stories and laughing at my BP. When I sat up, my BP was 126/74 and pulse was 80. I stood up for a minute or two, then my legs got heavy and I sat down for a few more minutes. I went to the bathroom and came back to my desk, but was weak and tired. I ate and drank some fluids. Because it was snowing and I live 25 miles away, I accepted a ride home from a co-worker. I walked across the parking lot without problems and talked all the way home. At home, I was tired, but had a sandwich and talked on the phone. I would still describe myself as tired, but functioning.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMPAIRED WORK ABILITY	902669-1	Immediately after the vaccine, I got severely nauseated, got a yucky metal taste in my mouth and got super lightheaded and hadn't even gotten up. The agent helped walk me to a chair and I felt really loopy in the head. After the 15 minutes, I got up and immediately felt the whole room was spinning causing me to have to sit back down another 15 minutes. Closing my eyes made the dizziness much worse. I was given juice, my sugar was checked at was 115. After about 30 minutes I stood and felt a lot better. I went back to my assigned duties but was feeling super bad and my supervisor sent me home because they stated I didn't look good. On the drive home I threw up and my PCP called in Zopran to help with the nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMPAIRED WORK ABILITY	902757-1	I got it about 10 am I went home I attempted to work from home for about an hour and had a headache, took a 3 hour nap and felt much better after waking up, I felt like I couldn't concentrate. I felt fine this morning 12/16/2020 and I went to work just fine. I don't have a headache and don't feel like I need a nap, my arm still hurts but that is usual. I called my provider and asked if I could take Tylenol, but they were unsure so I did not take medication
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMPAIRED WORK ABILITY	902793-1	My symptoms started about 15 minutes after shot. Initially I felt slight dizziness begin in my head. Then I felt slight uncomfortable feeling in my lungs, throat, and tongue. They were very slight so I left the vaccine center about 25 minutes after injection. On drive home my lips started to feel numb as well as my tongue & throat. Arriving home very tired. BP 135/ 80 P70 R20 T97.6 Blood sugar 101. Slept for about 4 hours. Called in sick for 7PM shift. Too weak & tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMPAIRED WORK ABILITY	903160-1	Dr.; the following day 12/16/2020, I woke up feeling more fatigue than usual with a migraine. Severe with nausea and light sensitivity. AE occurred about 4 hours. Resolved with Advil and Zofran. Missed work 12/16/2020. 12/17/2020 feel back to normal
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMPAIRED WORK ABILITY	903230-1	I got the injection on left deltoid and went to sit down. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic didn't feel right couldn't focus, temp was 100. Also experienced GI problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	IMPAIRED WORK ABILITY	903402-1	My symptoms started with bodyaches and fatigue. Quickly followed by a fever that reached 102.4. Later that night I had congestion, cough and headache. Woke up the next morning with moderate/severe bodyaches, chills, cough and headache. Moderate fatigue as well. Had to miss work.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION	902514-1	System was not populating immunization record, member denied having immunizations within last 14 days. Vaccine given, record populated and patient had anthrax on 12/10/20
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INCOHERENT	903094-1	40 min after shot experienced dizziness, feeling like was going to pass out, not coherent, BP high, fast heart rate, light headed. Got chills, freezing cold, shivering, and later in the day my ears were ringing. Extremely fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INCORRECT DOSE ADMINISTERED	902987-1	Medication error - reached the patient no harm, additional monitoring to preclude harm. A nurse (RN) diluted new vial of vaccine at 10:41 am. In the midst of adding diluent to vaccine vial, a patient arrived at our vaccine station. After drawing up and administering the 0.3 ml vaccine the RN looked at the vial again and noted that it was almost empty. She became concerned because she had just mixed a new vial and the amount of fluid remaining was not at the expected level. We immediately stopped and reported this to an employee who contacted pharmacy. We notified the patient that there was a discrepancy and had him wait for > 30 minutes to watch for any reaction. (APRN) called him at 1:30p to check on him and apprise him of the possibility of receiving higher than recommended concentration of vaccine. He stated he felt fine and felt no unusual symptoms.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INCREASED UPPER AIRWAY SECRETION	903217-1	COVID vaccine administered to patient. She began to have lightheadedness and dizziness. She disclosed she had not yet eaten for the day, except for a glass of milk. Writer brought her to an exam table and had her lay down. After 5-10 minutes, she was given a banana and two small apple juice boxes. She then laid back down. After another 5 minutes, she complained of headache and slight phlegm development in her throat. Dr. was called to evaluate- after an assessment, she asked for a BP. Writer completed the vitals and found her BP was 113/77. 5 more minutes passed. Dr. advised that since her situation was not improving and headache and phlegm appeared to be getting worse, patient should receive epi and go to the hospital. Writer administered 0.3mg/0.3mL of epi and drove patient to the Emergency Department of Hospital. She was there for about two hours before being discharged. Symptoms largely resolved by the evening.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INFLUENZA LIKE ILLNESS	902788-1	Received Pfizer Covid Vaccine - Had fever of 102 and flu like symptoms. Took Tylenol and temp resolved to 99.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INFLUENZA LIKE ILLNESS	902892-1	Started with onset of fatigue and disorientation shortly after receiving the vaccine. Several hours after the disorientation got worse, a headache came on and my whole body aches fatigue is bad. I feel like the flu just hit me.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INFLUENZA LIKE ILLNESS	903535-1	First day right after the vaccine the left arm was extremely sore, the next day I felt like I had the flu. body aches , headache, knees aching , abdominal pain, could not eat, lots of chill, breaking out in sweats .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INFLUENZA VIRUS TEST	902990-1	fever, cough,chills,body aches, weakness, loss of smell
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTED LIMB MOBILITY DECREASED	902745-1	PAIN AND EDEMA AT SITE OF INJECTION LEFT ARM WITH DECREASED RANGE OF MOTION LEFT ARM RIB CAGE PAIN ON INSPIRATION MUSCLE PAIN RIGHT AND LEFT THIGHS, WORSENING UPON AMBULATION MUSCLE PAIN AND TINGLING RIGHT UPPER EXTREMITY AND BACK
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTED LIMB MOBILITY DECREASED	902759-1	Fever , chills, Body Ache all over body, Joint Pain (worse in hips) Injection site swollen The PT cannot life her arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTED LIMB MOBILITY DECREASED	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTED LIMB MOBILITY DECREASED	903031-1	2 hours later pain in arm approximately 4-5 inches. Was not able to utilize left arm on yesterday. last night experienced muscle aches and chills. Taken Tylenol and rested. This morning experienced a really bad headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTED LIMB MOBILITY DECREASED	903231-1	Headache and, limited motion to the Injected arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTED LIMB MOBILITY DECREASED	903265-1	1. Left arm very sore, could not abduct more than 40 degrees, hard time sleeping, lasted for about 26 hours 2. Elevated temp to 100.2 F with chills and myalgia, lasted about 8 hours on second day 3. Diarrhea and indigestion for 2 days
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTED LIMB MOBILITY DECREASED	903286-1	I developed moderate to severe pain in my deltoid (of injection) that lasted 48 hours. I would describe the pain as 8/10 and moderately affected my ability to use my right arm on 12/16/20. I reported the side effect to VSafe, who called me and asked me to submit a VAERS.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE BRUISING	902764-1	.5 inch bruise at injection site, slight swelling, sore muscle, ibuprofen, ice bag,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE DISCOMFORT	903539-1	Injection site reaction. Mild localized redness and swelling. Reaction occurred on 12/15, the day after receiving 1st dose of Pfizer covid vaccine. Day 4 12/18 injection site is circular redness, approx 2.5 inches in diameter. Mild discomfort, not painful not itchy. Have been applying over the counter 1% hydrocortisone cream with some relief.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	902666-1	redness around the injection spot, fever chills, Stomach Ache, Body Ache, Short of breath (walking up stairs), Headaches no appetite, Dry heating .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	902667-1	After patient received vaccine had localized reaction in left deltoid. Redness and firm to touch. Patient observed for additional time frame and redness lessened. Patient released home.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	902823-1	Redness at injection site
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	902829-1	Redness to injection site

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	902836-1	Patient received covid-19 vaccine. 20+ minutes later patient states she began feeling flushed and nauseous. Patient states she look at her injection site, and it was hot and red. Local reaction approx. 2 inches x 2 inches. Dr. ordered 25 mg oral Benadryl. Vitals stable at 1840 133/88, 66 for pulse and regular, SPO2 99% on room air, respirations 20. Patient continued having complaints of light headedness and nausea. 1850 119/79, 74, 99% RA. Dr. states patient may depart from clinic if able to sit up and walk out, patient given instructions go to ED in symptoms progress. 1857 120/82, 70, 99.4. Patient's face becomes flushed and hot on left side, patient states she is shaky, and does not feel well at all. 1905 patient transferred to ED on 2L O2 for further evaluation and workup. Narrative ER Medical decision making narrative: Accu-Chek was obtained noting a glucose to be at 80. She received IV fluids as well as Solu-Medrol Benadryl and IV Pepcid. She also received IV Tylenol as she developed a headache while in the emergency department. Headache resolved and she was able to ambulate without assistance. Requested to go home states she felt much improved near normal. Clinical Impression: Adverse reaction to drug Patient Education: Anaphylaxis (ED)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	902940-1	0752- numbness and redness left arm (inj site)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	903040-1	arm felt hot to the touch, felt arm heavy very difficult to move the arm, felt feverish, took temperature but no fever, but hot to the touch, lots of chills, nausea, body aches. Took some tylenol and at night it started getting a little better. This morning the injection site is red and is sore but I can move my arm again.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	903185-1	headache, red raised area at injection site, 100.6 fever, fatigue, muscle aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	903189-1	Immediately after the injection, site turned red, I got hot and began sweating profusely. This lasted about 10 minutes and resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	903242-1	PAIN AND REDNESS ON INJECTION SITE.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	903282-1	Racing heart, itching throat. Heart racing resolved in 45 minutes, Itching throat never worsened and resolved after taking Benadryl and sleeping. Woke up 12/17 feeling fine, but also has a golf ball size knot and redness at injection site.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	903360-1	fever, fatigue, injection site slightly red and raised
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	903384-1	Swelling, redness, warmth at the injection site starting approx 15 min after injection was given. Then severe itching starting in right arm, right side of head approx 25 min after injection. Then itching progressed through the entire body including toes Claritin 10mg taken approx approx 2 hours prior to inj Allegra 1 tab Diclofenac 50mg Tylenol 1000mg Pepcid 1 tab Solumdrol 40mg IM All given at approx 8:30am Itching continued. Inj site reaction started to improve. At approx 9:20am Benadryl 50mg taken at 10:00am Benadryl and Pepcid repeated at 6pm due to return of itching Facial flushing and temp of 100.1 orally noted at 6am the next morning
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE ERYTHEMA	903539-1	Injection site reaction. Mild localized redness and swelling. Reaction occurred on 12/15, the day after receiving 1st dose of Pfizer covid vaccine. Day 4 12/18 injection site is circular redness, approx 2.5 inches in diameter. Mild discomfort, not painful not itchy. Have been applying over the counter 1% hydrocortisone cream with some relief.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE HYPOAESTHESIA	902778-1	Swelling and numbness at injection side. Increased blood pressure 199/99. Immediate headache. Workplace clinic called hospital ER, clinic administered Benadryl. Symptoms resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE HYPOAESTHESIA	902940-1	0752- numbness and redness left arm (inj site)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE INDURATION	902667-1	After patient received vaccine had localized reaction in left deltoid. Redness and firm to touch. Patient observed for additional time frame and redness lessened. Patient released home.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE INDURATION	903151-1	Chills, Body Ache, Hard around the injection
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE JOINT PAIN	903207-1	I had headache, muscle fatigue, nausea, stomach pain, severe joint pain in the shoulder where I received the injection. I got Covid tested yesterday afternoon to be safe and I'm waiting on the results.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE NODULE	903282-1	Racing heart, itching throat. Heart racing resolved in 45 minutes, Itching throat never worsened and resolved after taking Benadryl and sleeping. Woke up 12/17 feeling fine, but also has a golf ball size knot and redness at injection site.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE OEDEMA	902745-1	PAIN AND EDEMA AT SITE OF INJECTION LEFT ARM WITH DECREASED RANGE OF MOTION LEFT ARM RIB CAGE PAIN ON INSPIRATION MUSCLE PAIN RIGHT AND LEFT THIGHS, WORSENING UPON AMBULATION MUSCLE PAIN AND TINGLING RIGHT UPPER EXTREMITY AND BACK

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902575-1	Pain in deltoid muscle upon pressure at night. Hard to lay on the side of the vaccine due to pain in the arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902576-1	I received the vaccine @ 3:40 pm 12-15-20 and felt fine until around 9:00 pm 12-15-20 when I noted headache, nausea, no energy, overall not feeling well, and injection site pain. I did not have a fever. Symptoms still present @ 6:00 am 12-16-20.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902668-1	About 12 hours after the injection woke up and body was hurting all over, chills, body aches, felt feverish, temperature was 100.3F and really tired and hurting all over. Took Tylenol and returned to sleep. Woke up some hours later and took an Ibuprofen. rested for the rest of the day and now the only side effects is a little soreness on her injection mark. No other symptoms. Only the first 24 hours after the shot.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902709-1	I worked overnight after getting the vaccine. I felt really tired and came home and slept until 3 pm. When I woke up I had a dull headache and felt crummy. Decided to sleep the remainder of the day but no fever just was fatigued and had a headache. My arm was hurting at the injection site but the pain has sense left and the headache is gone also.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902745-1	PAIN AND EDEMA AT SITE OF INJECTION LEFT ARM WITH DECREASED RANGE OF MOTION LEFT ARM RIB CAGE PAIN ON INSPIRATION MUSCLE PAIN RIGHT AND LEFT THIGHS, WORSENING UPON AMBULATION MUSCLE PAIN AND TINGLING RIGHT UPPER EXTREMITY AND BACK
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902760-1	Burning and itching at injection site
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902763-1	Soreness and swelling at injection site
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902764-1	.5 inch bruise at injection site, slight swelling, sore muscle, ibuprofen, ice bag,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902796-1	I inserted my NuvaRing birth control on 12/14/2020. I have the Covid19 vaccine on 12/15/2020 at about 8:30am. The injection site was mildly sore and that continued into the next day. I woke up on 12/16/2020 feeling a little off and it progressed throughout the day. I felt a headache that I knew was turning into a migraine, threw up a few times (this is normal for me when I get migraines), and started having hot flashes. My temperature never went above 98. After sleeping a few hours and taking some Excedrin migraine I was feeling much better, though still a little sickly, by 4pm. I really think this is due to my migraines (which I get roughly once a month) even though it was a day later than normal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902810-1	Patient complained of feeling dizzy, anxious, shortness of breath. Did have some pain with injection. Did have mask on while waiting standard 15 minutes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902831-1	myalgia, joint pain, local site pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902835-1	Immediately after injection of vaccination her left deltoid started swelling. Complains of pain at injection site. No other complaints. Applied ice. She took Tylenol and Benedryl. Stayed 30 minutes after vaccination without further complaint.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902839-1	Local pain and swelling of the injection site
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902841-1	Local Pain and swelling of the injection site
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902927-1	Injection site swelling and pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902942-1	Headache, Left arm and shoulder pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902945-1	immediate burning upon injection, VS stable
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902983-1	Pfizer-BioNTech COVID-19 Vaccine EUA. Injection site pain, headache, tiredness, muscle pain, chills and fever. Took acetaminophen, no longer have fever after 12 hrs.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	902987-1	Medication error - reached the patient no harm, additional monitoring to preclude harm. A nurse (RN) diluted new vial of vaccine at 10:41 am. In the midst of adding diluent to vaccine vial, a patient arrived at our vaccine station. After drawing up and administering the 0.3 ml vaccine the RN looked at the vial again and noted that it was almost empty. She became concerned because she had just mixed a new vial and the amount of fluid remaining was not at the expected level. We immediately stopped and reported this to an employee who contacted pharmacy. We notified the patient that there was a discrepancy and had him wait for > 30 minutes to watch for any reaction. (APRN) called him at 1:30p to check on him and apprise him of the possibility of receiving higher than recommended concentration of vaccine. He stated he felt fine and felt no unusual symptoms.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903022-1	Caller stated at 11:30 a.m caller had right arm pain at injection site and headache. 12/17/20 headache and arm pain has subsided.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903040-1	arm felt hot to the touch, felt arm heavy very difficult to move the arm, felt feverish, took temperature but no fever, but hot to the touch, lots of chills, nausea, body aches. Took some tylenol and at night it started getting a little better. This morning the injection site is red and is sore but I can move my arm again.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903079-1	Around 630pm I began to have a really bad had a bad headache, feverish and body aching. Tenderness in the injection site area which eventually turned into full body aches and was tired. No vomiting or nausea. No redness at the site or injection site issues
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903091-1	I noticed the injection site was sore, swollen and warm. As the day progressed headache, fatigue, joint, legs aching and feeling heavy tires. Also had a fever of 101.2.Around 9:30 pm on 12/16 started to feel better fever was down.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903122-1	Injection site soreness started about 3 hrs post-injection. By that evening I was experiencing body aches & chills. I took Advil 400mg with dinner and felt okay for about 4 hours. As soon as the Advil wore off, body aches & chills returned. I did not take anymore Advil that night. My sleep was restless with body aches, chills, & pain at the injection site. I took my temperature during the night and was afebrile. I woke feeling tired with a mild headache. I took Advil after breakfast and currently feel okay.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903135-1	woke up the next day and felt nauseated, could not stand up, my heart started racing, I had to lay down, felt cramping, extreme fatigue, felt overall sick, and the pain at the injection site. No fever. Just lasted that day. Feel better today.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903140-1	Caller stated after injection at bout 9pm caller had severe headache with nausea and pain at injection site . Caller stated this morning she felt a bit better.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903147-1	Pain at the injection site and the whole arm felt sore. Felt like a pressure behind my eyes, very tired, extreme fatigue.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903149-1	1215 pm on 12/16/2020: pfizer covid vac in left arm Poor nights sleep with left arm pain at injection site 500am on 12/17/2020: stood up to get ready and immediately started to dizzy. Then immediately threw up and had darker green diarrhea. Once that finished I had the sweats and felt cold with a subjective fever until around 9 am with continued nausea. Symptoms resolved 11:40 AM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903170-1	I had pain at the injection site, swollen, body aches, and headache. It eventually just went away on its own. Did not take anything for it. Arm feels better after using it. Now I am just tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903191-1	Within about an hour headache and mild pain at the injection site, around 4:30/5PM all other symptoms hit: chills, fever, fatigue, runny nose and diarrhea, joint and muscle pain, very sweaty and clammy skin
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903204-1	12-16 I was nauseous, I received the vaccine and walked to my department, I ate a graham cracker and didn't subside the rest of my shift at 130pm and went home and ate lunch took Tylenol laid down, at that time my arm started to hurt at the injection site. And when I woke up later that night around 5pm and was feeling better kind of tired but good. Coworkers could tell I didn't feel good. I felt like I needed to have a Bowl movement and urinate more than usual
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903220-1	Pain in right arm , Pain in shot site
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903222-1	Patient is suspected to have received 0.3mL of undiluted vaccine (150mcg vs 30mcg). Patient reported having a dull headache 3/10 pain scale since yesterday afternoon post vaccination. Patient also reported soreness in her right arm down to her elbow. She did not experience any other symptoms.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903226-1	12/16/2020 Pain in the left deltoid uncomfortable to elevate and abduct my arm, it feels better today but it hurt yesterday to even elevate my arm to the steering wheel of my car
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903242-1	PAIN AND REDNESS ON INJECTION SITE.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903262-1	Joint Pain , tiredness, Body Ache . Injection site pain, fever

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903274-1	numbness to right ear and in front of ear. Also right ear feels plugged/underwater sound, Very sore left arm injection site.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903279-1	After an hour I got vaccinated, I started to feel nauseated and started throwing up. Theres pain and heaviness on the injection site. I had a headache as well.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903286-1	I developed moderate to severe pain in my deltoid (of injection) that lasted 48 hours. I would describe the pain as 8/10 and moderately affected my ability to use my right arm on 12/16/20. I reported the side effect to VSafe, who called me and asked me to submit a VAERS.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903287-1	Soreness injection site Headache Prickly sensation of skin Weakness/fatigue Stomach pain/nausea/ loss of appetite
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903323-1	Nausea, myalgia, injection site pain, malaise, diarrhea, chills, joint pain, headache, nasal congestion,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903334-1	Immediately after administration felt a strange sensation on nostrils and mouth that dissipated after the initial 15 minutes. Then I started with mild itching in the next arm and neck. About 30 minutes after administration my eyelids became swollen. No shortness of breath or tachycardia. I received Benadryl and solumedrol at ER. Stay at the ED for about 2 hours and left home. After that I felt strange for a while and could not sleep at all. The next morning everything was fine except for mild left arm side of injection pain.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903387-1	Ear pressure followed by bilateral under arm soreness. Later in the day both arms warm to touch and felt swollen. Face flushed and overall body aches and inability to stay awake. 600mg ibuprofen and rest. Felt myself in morning except as expected left arm pain at injection site and a little left arm tiredness or weakness.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PAIN	903388-1	Sore at the site of injection, and sore.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PRURITUS	902760-1	Burning and itching at injection site
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PRURITUS	903178-1	Two minutes after vaccination, she reported itching at the site. Upon assessment, red hives started to develop. Dr. came and assessed patient. Benadryl 50 mg. PO and 2 puffs Albuterol administered by Rapid Response Team RN. Tightness in chest, lightheaded, lungs clear throughout, itchiness in left arm. Resolved within 15 minutes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE PRURITUS	903336-1	Hives at the injection site 2-2.5 hours later extremely itchy and bumpy, self limited to the upper arm, resolved 3 hours later only intervention was ice as uncertain if Benadryl or steroids would have blunted an immune response
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE RASH	903118-1	Patient came to workplace clinic 12/17 @ 1215 saying she had a reaction to the COVID vaccination. She stated she took ibuprofen in the morning for the headache, however, rash was still present. N/V on 12/16 at night. Patient reported no throat swelling or SOB. Rash on injection site (left) arm and chest. Patient received Benadryl 50 mg po x 1 dose and Tylenol 500 mg po x 1 dose. After Benadryl and Tylenol, patient felt better and was able to go back to work. recommended to go home and rest.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE RASH	903264-1	Around 4:15PM, employee's arm felt very hot and extremely itchy. Light pink rash on left upper arm around injection site. No respiratory symptoms. She received diphenhydramine 25mg IM; 15 minutes later she stated her symptoms and rash were improved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE RASH	903289-1	Warm flushing feeling within about 10-15 seconds of injection, as well as metallic taste in mouth. Repeated on an off for the next hour. Taken to ED of hospital. Noted right arm mild rash distal to injection site and on chest, mild to moderate nausea.. IV Bendadryl 50mg given, IV Solumedrol 125mg, IV Pepcid, IV Zofran. Discharged home with PO prednisone x 4 days. PO Pepcid and Benadryl PRN
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE REACTION	903015-1	Fatigue, migraine, muscle fatigue on site, diarrhea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE REACTION	903279-1	After an hour I got vaccinated, I started to feel nauseated and started throwing up. Theres pain and heaviness on the injection site. I had a headache as well.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	902759-1	Fever , chills, Body Ache all over body, Joint Pain (worse in hips) Injection site swollen The PT cannot life her arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	902763-1	Soreness and swelling at injection site

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	902764-1	.5 inch bruise at injection site, slight swelling, sore muscle, ibuprofen, ice bag,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	902778-1	Swelling and numbness at injection side. Increased blood pressure 199/99. Immediate headache. Workplace clinic called hospital ER, clinic administered Benadryl. Symptoms resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	902835-1	Immediately after injection of vaccination her left deltoid started swelling. Complains of pain at injection site. No other complaints. Applied ice. She took Tylenol and Benedryl. Stayed 30 minutes after vaccination without further complaint.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	902839-1	Local pain and swelling of the injection site
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	902841-1	Local Pain and swelling of the injection site
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	902927-1	Injection site swelling and pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	903091-1	I noticed the injection site was sore, swollen and warm. As the day progressed headache, fatigue, joint, legs aching and feeling heavy tires. Also had a fever of 101.2.Around 9:30 pm on 12/16 started to feel better fever was down.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	903185-1	headache, red raised area at injection site, 100.6 fever, fatigue, muscle aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	903241-1	Immediate swelling at injection site, approximately 1.5cm diameter and raised about 1 cm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	903360-1	fever, fatigue, injection site slightly red and raised
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	903384-1	Swelling, redness, warmth at the injection site starting approx 15 min after injection was given. Then severe itching starting in right arm, right side of head approx 25 min after injection. Then itching progressed through the entire body including toes Claritin 10mg taken approx approx 2 hours prior to inj Allegra 1 tab Diclofenac 50mg Tylenol 1000mg Pepcid 1 tab Solumrdrol 40mg IM All given at approx 8:30am Itching continued. Inj site reaction started to improve. At approx 9:20am Benadryl 50mg taken at 10:00am Benadryl and Pepcid repeated at 6pm due to return of itching Facial flushing and temp of 100.1 orally noted at 6am the next morning
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE SWELLING	903539-1	Injection site reaction. Mild localized redness and swelling. Reaction occurred on 12/15, the day after receiving 1st dose of Pfizer covid vaccine. Day 4 12/18 injection site is circular redness, approx 2.5 inches in diameter. Mild discomfort, not painful not itchy. Have been applying over the counter 1% hydrocortisone cream with some relief.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE URTICARIA	903138-1	during the administration of vaccine patient developed a wheal at the site on injection. Pressure and massage reduced the wheal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE URTICARIA	903336-1	Hives at the injection site 2-2.5 hours later extremely itchy and bumpy, self limited to the upper arm, resolved 3 hours later only intervention was ice as uncertain if Benadryl or steroids would have blunted an immune response
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE WARMTH	902836-1	Patient received covid-19 vaccine. 20+ minutes later patient states she began feeling flushed and nauseous. Patient states she look at her injection site, and it was hot and red. Local reaction approx. 2 inches x 2 inches. Dr. ordered 25 mg oral Benadryl. Vitals stable at 1840 133/88, 66 for pulse and regular, SPO2 99% on room air, respirations 20. Patient continued having complaints of light headedness and nausea. 1850 119/79, 74, 99% RA. Dr. states patient may depart from clinic if able to sit up and walk out, patient given instructions go to ED in symptoms progress. 1857 120/82, 70, 99.4. Patient's face becomes flushed and hot on left side, patient states she is shaky, and does not feel well at all. 1905 patient transferred to ED on 2L O2 for further evaluation and workup. Narrative ER Medical decision making narrative: Accu-Chek was obtained noting a glucose to be at 80. She received IV fluids as well as Solu-Medrol Benadryl and IV Pepcid. She also received IV Tylenol as she developed a headache while in the emergency department. Headache resolved and she was able to ambulate without assistance. Requested to go home states she felt much improved near normal. Clinical Impression: Adverse reaction to drug Patient Education: Anaphylaxis (ED)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE WARMTH	903091-1	I noticed the injection site was sore, swollen and warm. As the day progressed headache, fatigue, joint, legs aching and feeling heavy tires. Also had a fever of 101.2.Around 9:30 pm on 12/16 started to feel better fever was down.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INJECTION SITE WARMTH	903384-1	Swelling, redness, warmth at the injection site starting approx 15 min after injection was given. Then severe itching starting in right arm, right side of head approx 25 min after injection. Then itching progressed through the entire body including toes Claritin 10mg taken approx approx 2 hours prior to inj Allegra 1 tab Diclofenac 50mg Tylenol 1000mg Pepcid 1 tab Solumrdrol 40mg IM All given at approx 8:30am Itching continued. Inj site reaction started to improve. At approx 9:20am Benadryl 50mg taken at 10:00am Benadryl and Pepcid repeated at 6pm due to return of itching Facial flushing and temp of 100.1 orally noted at 6am the next morning

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INSOMNIA	903265-1	1. Left arm very sore, could not abduct more than 40 degrees, hard time sleeping, lasted for about 26 hours 2. Elevated temp to 100.2 F with chills and myalgia, lasted about 8 hours on second day 3. Diarrhea and indigestion for 2 days
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INSOMNIA	903334-1	Immediately after administration felt a strange sensation on nostrils and mouth that dissipated after the initial 15 minutes. Then I started with mild itching in the next arm and neck. About 30 minutes after administration my eyelids became swollen. No shortness of breath or tachycardia. I received Benadryl and solumedrol at ER. Stay at the ED for about 2 hours and left home. After that I felt strange for a while and could not sleep at all. The next morning everything was fine except for mild left arm side of injection pain.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	INTERNATIONAL NORMALISED RATIO NORMAL	903243-1	Patient developed hives, facial swelling, throat swelling/itching, and nausea approximately 13min after vaccination while in observation. Patient immediately taken to Emergency Department where epinephrine was given IM in the left thigh followed by 125mg IV solumedrol, 50mg IV benadryl, 1000mL NS, and 20mg IV famotidine. Hemodynamically stable throughout ED course.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	JOINT SWELLING	902672-1	Left arm swelling of forearm, old L wrist tattoo because raised and lifted out of skin approx 3 mm, whole arm was itching with several red dots; reaction resolved within 8 hours without intervention body wide itching persisting now
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	JOINT SWELLING	903234-1	Right ankle swollen within an hour of injection. Felt like sprain. Still swollen but pain better today. Took naproxen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LABORATORY TEST	903016-1	Approximately 11 minutes after receiving the vaccine, the patient complained of shortness of breath, tingling in arms and hands, numbness and tingling in legs and feet, and was observably shaking, with no complaints of swelling in throat or other signs of anaphylaxis. Patient was brought to ER in same facility via stretcher and was examined by staff there. ER report states the patient presented with shortness of breath and what appeared to be a panic attack, with fast breathing, slight flushing, and shaking. Per ER report, the patient was treated for an acute anaphylactic reaction, with clear lungs and given an EpiPen shot in the right thigh. IV was initiated and given a fluid bolus, solu medrol, famotidine, and lorazepam. Labs and a chest x-ray done and reviewed. After treatment, patient found to be stable and was discharged home at 4:42 pm with orders for famotidine, albuterol inhaler, and epinephrine pen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LABORATORY TEST	903218-1	Patient reports chest heaviness, muscle aches, loss of energy. No fever or chills noted.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LABORATORY TEST	903318-1	10:00 am received vaccine @ medical center right side of mouth felt strange on the way home. 13:00 pm right side of mouth continued to feel strange. Looked in mirror and noticed uneven smile, right side of mouth drooping. 13:35 pm messaged my primary care MD. And called Nurse triage. 14:00 pm Nurse triage advised me to go the emergency room ASAP. 15:00 pm @ Emergency room. Stroke code called, labs, CT, MRI completed. Diagnosis Bell's palsy. Went home with steroid and anti-viral. Symptoms are improving.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LABORATORY TEST	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LABORATORY TEST NORMAL	902464-1	within 15 minutes progressive light-headedness leading to near-syncope and diaphoresis. After 20 minutes symptoms subsided.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LABORATORY TEST NORMAL	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LABORATORY TEST NORMAL	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil themselves and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LABORATORY TEST NORMAL	903233-1	Fever 102, nausea, headaches, muscle pain, lightheaded, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LABORATORY TEST NORMAL	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LACRIMATION INCREASED	902894-1	"Allergic reaction with facial swelling, eye tearing, ""itchy"" throat"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LACRIMATION INCREASED	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LIMB DISCOMFORT	902524-1	I am a immunization nurse at this location. I gave 2 of the first 4 Covid vaccinations given at our location. Then I received dose # 5. It was easy. I did a couple of things and then returned to my desk. As I sat down, my arm started feeling very heavy. I was unable to send a text. I told staff that I was feeling funny and that I was going to the other room to lay down. Staff followed me and took my Pulse 100 and BP 164/ 82 (high for me!) . I felt shaky, but my hands were not shaking. Put a wet cloth on my head and laid there a few minutes, telling staff stories and laughing at my BP. When I sat up, my BP was 126/74 and pulse was 80. I stood up for a minute or two, then my legs got heavy and I sat down for a few more minutes. I went to the bathroom and came back to my desk, but was weak and tired. I ate and drank some fluids. Because it was snowing and I live 25 miles away, I accepted a ride home from a co-worker. I walked across the parking lot without problems and talked all the way home. At home, I was tired, but had a sandwich and talked on the phone. I would still describe myself as tired, but functioning.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LIMB DISCOMFORT	903040-1	arm felt hot to the touch, felt arm heavy very difficult to move the arm, felt feverish, took temperature but no fever, but hot to the touch, lots of chills, nausea, body aches. Took some tylenol and at night it started getting a little better. This morning the injection site is red and is sore but I can move my arm again.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LIMB DISCOMFORT	903091-1	I noticed the injection site was sore, swollen and warm. As the day progressed headache, fatigue, joint, legs aching and feeling heavy tires. Also had a fever of 101.2.Around 9:30 pm on 12/16 started to feel better fever was down.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LIMB DISCOMFORT	903143-1	Employee had tingling sensation in Right upper extremity, and heaviness in bilateral lower extremities 5 minutes after receiving vaccine. These symptoms resolved approximately 2 hours after they began
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LIMB DISCOMFORT	903279-1	After an hour I got vaccinated, I started to feel nauseated and started throwing up. Theres pain and heaviness on the injection site. I had a headache as well.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LIMB DISCOMFORT	903329-1	hot flushing feeling, light headed, legs heavy gave patient a chair to sit and candy symptoms resolved by 11:36
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LIP SWELLING	902597-1	Right sided facial/lip swelling. Started about 0200 on 12/16/20. Patient sometimes gets angioedema, so unsure if this is related but wanted to report
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LOCAL REACTION	902667-1	After patient received vaccine had localized reaction in left deltoid. Redness and firm to touch. Patient observed for additional time frame and redness lessened. Patient released home.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LOCAL REACTION	902836-1	Patient received covid-19 vaccine. 20+ minutes later patient states she began feeling flushed and nauseous. Patient states she look at her injection site, and it was hot and red. Local reaction approx. 2 inches x 2 inches. Dr. ordered 25 mg oral Benadryl. Vitals stable at 1840 133/88, 66 for pulse and regular, SPO2 99% on room air, respirations 20. Patient continued having complaints of light headedness and nausea. 1850 119/79, 74, 99% RA. Dr. states patient may depart from clinic if able to sit up and walk out, patient given instructions go to ED in symptoms progress. 1857 120/82, 70, 99.4. Patient's face becomes flushed and hot on left side, patient states she is shaky, and does not feel well at all. 1905 patient transferred to ED on 2L O2 for further evaluation and workup. Narrative ER Medical decision making narrative: Accu-Chek was obtained noting a glucose to be at 80. She received IV fluids as well as Solu-Medrol Benadryl and IV Pepcid. She also received IV Tylenol as she developed a headache while in the emergency department. Headache resolved and she was able to ambulate without assistance. Requested to go home states she felt much improved near normal. Clinical Impression: Adverse reaction to drug Patient Education: Anaphylaxis (ED)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LOSS OF CONSCIOUSNESS	902832-1	Within and hour and a half of receiving developed tinnitus in both ears lasting 6 hours. The night after receiving vaccine also developed orthostatic hypotension and started to pass out but caught myself with an assisted fall. Fever(102 F with temporal and oral thermometer) body aches/sweats/general malaise lasting close to 24 hours after receiving vaccine. Fever/aches treated with acetaminophen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LOSS OF CONSCIOUSNESS	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil themselves and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LUNG HYPERINFLATION	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LYMPHADENOPATHY	903019-1	I took tylenol for fever and headache and rested, left side lymph nodes were swollen on 12/16/20 which was the worst day, and has gotten better today 12/17/2020. Did not go to the doctor.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	LYMPHADENOPATHY	903092-1	12/15/2020My arm was really sore at first, and then my arm was worse the next day on 12/16/2020 as the morning went on my temperature felt like it was going up and down I felt body aches and felt really tired I had covid in June and it wasn't as bad as when I had it in June but it was still pretty bad, I also had a headache, I took tylenol and my fever broke but after a few hours my headache was worse and I started to take tylenol and ibuprofen. 12/17/2020 Under my left arm my lymph nodes are swollen but I feel much better and will go to work today 12/17/2020

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MAGNETIC RESONANCE IMAGING	903318-1	10:00 am received vaccine @ medical center right side of mouth felt strange on the way home. 13:00 pm right side of mouth continued to feel strange. Looked in mirror and noticed uneven smile, right side of mouth drooping. 13:35 pm messaged my primary care MD. And called Nurse triage. 14:00 pm Nurse triage advised me to go the emergency room ASAP. 15:00 pm @ Emergency room. Stroke code called, labs, CT, MRI completed. Diagnosis Bell's palsy. Went home with steroid and anti-viral. Symptoms are improving.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	902576-1	I received the vaccine @ 3:40 pm 12-15-20 and felt fine until around 9:00 pm 12-15-20 when I noted headache, nausea, no energy, overall not feeling well, and injection site pain. I did not have a fever. Symptoms still present @ 6:00 am 12-16-20.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	902709-1	I worked overnight after getting the vaccine. I felt really tired and came home and slept until 3 pm. When I woke up I had a dull headache and felt crummy. Decided to sleep the remainder of the day but no fever just was fatigued and had a headache. My arm was hurting at the injection site but the pain has sense left and the headache is gone also.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	902793-1	My symptoms started about 15 minutes after shot. Initially I felt slight dizziness begin in my head. Then I felt slight uncomfortable feeling in my lungs, throat, and tongue. They were very slight so I left the vaccine center about 25 minutes after injection. On drive home my lips started to feel numb as well as my tongue & throat. Arriving home very tired. BP 135/ 80 P70 R20 T97.6 Blood sugar 101. Slept for about 4 hours. Called in sick for 7PM shift. Too weak & tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	902796-1	I inserted my NuvaRing birth control on 12/14/2020. I have the Covid19 vaccine on 12/15/2020 at about 8:30am. The injection site was mildly sore and that continued into the next day. I woke up on 12/16/2020 feeling a little off and it progressed throughout the day. I felt a headache that I knew was turning into a migraine, threw up a few times (this is normal for me when I get migraines), and started having hot flashes. My temperature never went above 98. After sleeping a few hours and taking some Excedrin migraine I was feeling much better, though still a little sickly, by 4pm. I really think this is due to my migraines (which I get roughly once a month) even though it was a day later than normal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	902799-1	Patient was feeling nauseated in the morning prior to coming to work and prior to receiving vaccine. He had a banana thinking he would feel better. He then received the vaccine and felt progressively worse experiencing diarrhea, weakness, and malaise.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	902832-1	Within an hour and a half of receiving developed tinnitus in both ears lasting 6 hours. The night after receiving vaccine also developed orthostatic hypotension and started to pass out but caught myself with an assisted fall. Fever(102 F with temporal and oral thermometer) body aches/sweats/general malaise lasting close to 24 hours after receiving vaccine. Fever/aches treated with acetaminophen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	902836-1	Patient received covid-19 vaccine. 20+ minutes later patient states she began feeling flushed and nauseous. Patient states she look at her injection site, and it was hot and red. Local reaction approx. 2 inches x 2 inches. Dr. ordered 25 mg oral Benadryl. Vitals stable at 1840 133/88, 66 for pulse and regular, SPO2 99% on room air, respirations 20. Patient continued having complaints of light headedness and nausea. 1850 119/79, 74, 99% RA. Dr. states patient may depart from clinic if able to sit up and walk out, patient given instructions go to ED in symptoms progress. 1857 120/82, 70, 99.4. Patient's face becomes flushed and hot on left side, patient states she is shaky, and does not feel well at all. 1905 patient transferred to ED on 2L O2 for further evaluation and workup. Narrative ER Medical decision making narrative: Accu-Chek was obtained noting a glucose to be at 80. She received IV fluids as well as Solu-Medrol Benadryl and IV Pepcid. She also received IV Tylenol as she developed a headache while in the emergency department. Headache resolved and she was able to ambulate without assistance. Requested to go home states she felt much improved near normal. Clinical Impression: Adverse reaction to drug Patient Education: Anaphylaxis (ED)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	902900-1	Day 0 of injection that evening , experienced fevers, chills, rigors, malaise. Day 1 morning experienced nausea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	903131-1	Nausea, fatigue, body aches, joint pain, malaise
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	903135-1	woke up the next day and felt nauseated, could not stand up, my heart started racing, I had to lay down, felt cramping, extreme fatigue, felt overall sick, and the pain at the injection site. No fever. Just lasted that day. Feel better today.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	903285-1	Headache, fever, malaise, body ache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	903323-1	Nausea, myalgia, injection site pain, malaise, diarrhea, chills, joint pain, headache, nasal congestion,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MALAISE	903327-1	Patient reported that she started to feel unwell immediately after the vaccine with some nausea. She presented to the Emergency Department where she was treated by myself approximately 17 hours vaccine administration. She was having vomiting, diarrhea, diffuse rash, and throat discomfort. She was successfully treated for anaphylaxis and was able to discharge to home.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MATERNAL EXPOSURE DURING BREAST FEEDING	903355-1	Breastfeeding toddler developed rash to torso, back, and cheek
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MEMORY IMPAIRMENT	902790-1	11 minutes after first dose of Covid Pfizer vaccine, patient became unresponsive, pale, diaphoretic with possible seizure activity. Patient dropped all belongings, leaned to the left side, with eyes rolling back in her head. Episode lasted about a minute. Patient could not remember what had happened. Vitals were BP 110/60, HR 64, RR 22. Patient was advised to go to ED for further evaluation but she refused. Patient was given a snack and an RN stayed with her for about 20 more minutes to monitor.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MENTAL STATUS CHANGES	903082-1	Persistent cough, dyspnea, sweats, myalgias, mental status changes and diarrhea, still resolving

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	METABOLIC ACIDOSIS	903130-1	Shortly Administration of vaccine I experienced a metallic taste. approximately 40 minutes after administration of vaccine I experienced difficulty swallowing, dyspnea, tachycardia and numbness in tingling in bilateral hands. I am a healthcare provider and I received the vaccine at my place of employment. I was taken to the emergency department for monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	METABOLIC FUNCTION TEST NORMAL	903243-1	Patient developed hives, facial swelling, throat swelling/itching, and nausea approximately 13min after vaccination while in observation. Patient immediately taken to Emergency Department where epinephrine was given IM in the left thigh followed by 125mg IV solumedrol, 50mg IV benadryl, 1000mL NS, and 20mg IV famotidine. Hemodynamically stable throughout ED course.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	METABOLIC FUNCTION TEST NORMAL	903334-1	Immediately after administration felt a strange sensation on nostrils and mouth that dissipated after the initial 15 minutes. Then I started with mild itching in the next arm and neck. About 30 minutes after administration my eyelids became swollen. No shortness of breath or tachycardia. I received Benadryl and solumedrol at ER. Stay at the ED for about 2 hours and left home. After that I felt strange for a while and could not sleep at all. The next morning everything was fine except for mild left arm side of injection pain.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MIGRAINE	902796-1	I inserted my NuvaRing birth control on 12/14/2020. I have the Covid19 vaccine on 12/15/2020 at about 8:30am. The injection site was mildly sore and that continued into the next day. I woke up on 12/16/2020 feeling a little off and it progressed throughout the day. I felt a headache that I knew was turning into a migraine, threw up a few times (this is normal for me when I get migraines), and started having hot flashes. My temperature never went above 98. After sleeping a few hours and taking some Excedrin migraine I was feeling much better, though still a little sickly, by 4pm. I really think this is due to my migraines (which I get roughly once a month) even though it was a day later than normal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MIGRAINE	903015-1	Fatigue, migraine, muscle fatigue on site, diarrhea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MIGRAINE	903160-1	Dr.; the following day 12/16/2020, I woke up feeling more fatigue then usual with a migraine. Severe with nausea and light sensitivity. AE occurred about 4 hours. Resolved with Advil and Zofran. Missed work 12/16/2020. 12/17/2020 feel back to normal
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MOBILITY DECREASED	902725-1	I experienced a sore arm and could not lift my arm.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MOBILITY DECREASED	903040-1	arm felt hot to the touch, felt arm heavy very difficult to move the arm, felt feverish, took temperature but no fever, but hot to the touch, lots of chills, nausea, body aches. Took some tylenol and at night it started getting a little better. This morning the injection site is red and is sore but I can move my arm again.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MOBILITY DECREASED	903251-1	Soreness to arm , Couldn't lift arm above shoulder
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MUSCLE FATIGUE	903015-1	Fatigue, migraine, muscle fatigue on site, diarrhea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MUSCLE FATIGUE	903207-1	I had headache, muscle fatigue, nausea, stomach pain, severe joint pain in the shoulder where I received the injection. I got Covid tested yesterday afternoon to be safe and I'm waiting on the results.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MUSCLE SPASMS	903135-1	woke up the next day and felt nauseated, could not stand up, my heart started racing, I had to lay down, felt cramping, extreme fatigue, felt overall sick, and the pain at the injection site. No fever. Just lasted that day. Feel better today.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MUSCULAR WEAKNESS	903142-1	Pt showed for Covid Vasc #1, received the immunization in left deltoid. minutes later, felt numbness, in arm, the a lump in the throat. Denied SOB, or Dyspnea. Patient the stated weakness in the legs. Assisted to the restroom, x 1. no difficulty. after 30 minutes and no relief from symptoms, patient was wheelchair over to urgent care, and treated there. Patient was able to leave urgent care on her own, with no problems Patient transferred to urgent care for evaluation. Left from urgent care on her own
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MUSCULAR WEAKNESS	903387-1	Ear pressure followed by bilateral under arm soreness. Later in the day both arms warm to touch and felt swollen. Face flushed and overall body aches and inability to stay awake. 600mg ibuprofen and rest. Felt myself in morning except as expected left arm pain at injection site and a little left arm tiredness or weakness.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MUSCULOSKELETAL CHEST PAIN	902745-1	PAIN AND EDEMA AT SITE OF INJECTION LEFT ARM WITH DECREASED RANGE OF MOTION LEFT ARM RIB CAGE PAIN ON INSPIRATION MUSCLE PAIN RIGHT AND LEFT THIGHS, WORSENING UPON AMBULATION MUSCLE PAIN AND TINGLING RIGHT UPPER EXTREMITY AND BACK
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MUSCULOSKELETAL CHEST PAIN	902784-1	Pt presents to the ED for c/o L anterior chest wall pain after receiving covid19 vaccination today around 1030. Pt reports she received the first dose in the L bicep. Pt reports after she received that shot she started having L anterior chest wall pain. Pt states she doesn't have any chest tightness but does have stabbing pain to the L anterior chest wall. Pt denies any difficulty breathing or hives or any allergic reaction. Pt was hooked up to cardiac/spO2 and BP monitoring equipment. Medication: Ibuprofen Route: PO Dose:800 mg Patient tolerated medication well; no adverse reaction noted. Medication: Tylenol Route: PO Dose:975 mg Patient tolerated medication well; no adverse reaction noted.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	902733-1	Pt started to have a metallic taste in her mouth immediately after administration of the Covid-19 vaccine. She started to feel nauseous and myalgias. The patient was seated, given Zofran 4mg once and Benadryl 25 mg once. After 10 min patient was eating juice + crackers. Reports she feels better. A co-worker verbalized he would drive her home, patient agreed.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	902745-1	PAIN AND EDEMA AT SITE OF INJECTION LEFT ARM WITH DECREASED RANGE OF MOTION LEFT ARM RIB CAGE PAIN ON INSPIRATION MUSCLE PAIN RIGHT AND LEFT THIGHS, WORSENING UPON AMBULATION MUSCLE PAIN AND TINGLING RIGHT UPPER EXTREMITY AND BACK

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	902821-1	Fatigue, nausea, muscle aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	902826-1	Severe muscle aches Diarrhea Headaches Feverish Nauseous Left arm super sore Sore throat
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	902831-1	myalgia, joint pain, local site pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	902923-1	NAUSEA, CHILLS, MUSCLE PAIN, WEAKNESS
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	902943-1	Headache, fatigue, muscle aches, nausea, sweating
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	902983-1	Pfizer-BioNTech COVID-19 Vaccine EUA. Injection site pain, headache, tiredness, muscle pain, chills and fever. Took acetaminophen, no longer have fever after 12 hrs.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	902998-1	Morning after injection: mild fatigue, arm soreness; later in the morning-headache then chills, muscle aches, joint pain and low grade fever (99) and nausea/loss of appetite. These persisted for approximately 12 hours then cleared completely.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903018-1	I woke up at 6:15am had a terrible headache, low fever 100.1. I took Tylenol for the headache and fever. Throughout the day exp muscle aches and joint pain. I also exp hot/cold flashes and fatigue. Around 6:00pm on 12/16 started to l feel better and was able to return to work on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903023-1	Fever (37.8 °C) and muscle pain.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903031-1	2 hours later pain in arm approximately 4-5 inches. Was not able to utilize left arm on yesterday. last night experienced muscle aches and chills. Taken Tylenol and rested. This morning experienced a really bad headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903075-1	12/15/2020 I felt terrible with muscle aches, shivering, chills, fever was 102.8,I took tylenol and ibuprofen (alternated) 24 hours after initial fever I ceased meds and fever was still 101.5, this morning I was 98.6. The course of the fever was 36 hours total
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903081-1	Muscle ache, fatigue, drowsiness, brief confusion, bilateral headache, onset 11 AM, duration 2-3 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903082-1	Persistent cough, dyspnea, sweats, myalgias, mental status changes and diarrhea, still resolving
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903089-1	Headache , dizziness, neck pain, left flank pain, fever 100.2 , chills,fatigue and muscle aches.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903121-1	Myalgias, headache, neck pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903180-1	Muscle aches , Joint aches, cold sweats, chills, Stomach Pain, Diarrhea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903185-1	headache, red raised area at injection site, 100.6 fever, fatigue, muscle aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903191-1	Within about an hour headache and mild pain at the injection site, around 4:30/5PM all other symptoms hit: chills, fever, fatigue, runny nose and diarrhea, joint and muscle pain, very sweaty and clammy skin
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903205-1	woke up at 3am with diarrhea and nausea . Woke at 6 am with fever of 101.7, joint pain, Headache and fatigue any myalgia

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903218-1	Patient reports chest heaviness, muscle aches, loss of energy. No fever or chills noted.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903233-1	Fever 102, nausea, headaches, muscle pain, lightheaded, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903258-1	Elevated temperature, muscle pain, tiredness
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903265-1	1. Left arm very sore, could not abduct more than 40 degrees, hard time sleeping, lasted for about 26 hours 2. Elevated temp to 100.2 F with chills and myalgia, lasted about 8 hours on second day 3. Diarrhea and indigestion for 2 days
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903323-1	Nausea, myalgia, injection site pain, malaise, diarrhea, chills, joint pain, headache, nasal congestion,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903376-1	Severe headache, fatigue, muscle aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903393-1	Approximately 90 minutes following first dose of vaccine, developed severe headache, chills, joint pain and full body muscle aches. Continued throughout the night and were improved by next morning, but not fully resolved by the time of this submission.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	MYALGIA	903404-1	Entire left side of body muscle aches and joint aches. Started about 2 hours after getting injection and worse the next day
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NASAL CONGESTION	903323-1	Nausea, myalgia, injection site pain, malaise, diarrhea, chills, joint pain, headache, nasal congestion,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NASAL DISCOMFORT	903334-1	Immediately after administration felt a strange sensation on nostrils and mouth that dissipated after the initial 15 minutes. Then I started with mild itching in the next arm and neck. About 30 minutes after administration my eyelids became swollen. No shortness of breath or tachycardia. I received Benadryl and solumedrol at ER. Stay at the ED for about 2 hours and left home. After that I felt strange for a while and could not sleep at all. The next morning everything was fine except for mild left arm side of injection pain.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NASAL DRYNESS	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100. Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902491-1	Within a few minutes of receiving the COVID 19 vaccination, patient developed lightheadedness, shortness of breath, headache, and some nausea. She did get some redness to her neck and upper chest. No recent illness. Had elevated BPs ranged from 158/103 to 207/126 . HR ranged from 82-106. O2 sats always > 96%. Temp 37.1 C. Received Tylenol 1000 mg PO, Dexamethasone 10 mg IV, diphenhydramine 50 mg IV, famotidine 20 mg IV, ketorolac 30 mg IV, ondansetron 4 mg IV, and 1 L NS. Patient prescribed EpiPen and prednisone and discharged.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902492-1	About 25 minutes after receiving vaccine complained of dizziness and being hot and nauseated. No difficulty breathing. No chest pain. B/P was 130/90 and was monitored. It went down to 124/80 after he started feeling better. He was wearing sweater over shirt and it was warm in building. Took sweater off. Cool wet cloth applied to back of neck. States he had only had a donut and cup of hot chocolate before receiving vaccine. Sprite and peanut butter crackers given. Became nauseated after eating peanut butter crackers Blood pressure monitored monitored. He laid on exam table for about 15 minutes. He felt better. Stood up and walked to conference room for another 15 minutes. Stated he felt much better and was ready to leave. Coworker drove him back. Received email from him letting us know he had made it back and they had stopped and eaten pizza on the way. Received text from coworker that he was dizzy and seeing spots and that his blood pressure had been 120/80 and then spiked to 160/100. Coworkers taking him to ER for evaluation.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902572-1	Pfizer-BioNTech COVID-19 Vaccine EUA Developed chills, nausea and vomiting beginning at 2 AM the night after receiving the vaccine. Potential fever as well (I don't have a thermometer to check). Symptoms have lasted over 3 hours thus far, still continuing.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902576-1	I received the vaccine @ 3:40 pm 12-15-20 and felt fine until around 9:00 pm 12-15-20 when I noted headache, nausea, no energy, overall not feeling well, and injection site pain. I did not have a fever. Symptoms still present @ 6:00 am 12-16-20.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902621-1	Patient received shot around 1pm later that night he started to experience chills, hot/cold, nausea, headache, extreme fatigue, low grade temp (99.1) Associate vomited several times the early the next morning. By the next day, day patient was vomiting less and was able to keep food down. Patient is feeling better the second day, experiencing some nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902669-1	Immediately after the vaccine, I got severely nauseated, got a yucky metal taste in my mouth and got super lightheaded and hadn't even gotten up. The agent helped walk me to a chair and I felt really loopy in the head. After the 15 minutes, I got up and immediately felt the whole room was spinning causing me to have to sit back down another 15 minutes. Closing my eyes made the dizziness much worse. I was given juice, my sugar was checked at was 115. After about 30 minutes I stood and felt alot better. I went back to my assigned duties but was feeling super bad and my supervisor sent me home because they states I didnt look good. On the drive home I threw up and my PCP called in Zopran to help with the nausea.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902673-1	Patient had sudden onset of nausea . Patient was laid flat on the floor and given and alcohol. Symptoms resolved and patient was released home.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902706-1	Bp of 85/44, nauseous, body aches, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902733-1	Pt started to have a metallic taste in her mouth immediately after administration of the Covid-19 vaccine. She started to feel nauseous and myalgias. The patient was seated, given Zofran 4mg once and Benadryl 25 mg once. After 10 min patient was eating juice + crackers. Reports she feels better. A co-worker verbalized he would drive her home, patient agreed.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902744-1	12/15/2020 5:00 PM Nauseas(worst) 5:30 Pm Headache 6:00 Pm Stomach Pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902768-1	Nausea, tremors, and decrease in HR. Patient taken to ED. No epinephrine injection administered.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902792-1	1-2 minutes later patient felt nausea, palpitations, and lightheaded
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902821-1	Fatigue, nausea, muscle aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902826-1	Severe muscle aches Diarrhea Headaches Feverish Nauseous Left arm super sore Sore throat
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902836-1	Patient received covid-19 vaccine. 20+ minutes later patient states she began feeling flushed and nauseous. Patient states she look at her injection site, and it was hot and red. Local reaction approx. 2 inches x 2 inches. Dr. ordered 25 mg oral Benadryl. Vitals stable at 1840 133/88, 66 for pulse and regular, SPO2 99% on room air, respirations 20. Patient continued having complaints of light headedness and nausea. 1850 119/79, 74, 99% RA. Dr. states patient may depart from clinic if able to sit up and walk out, patient given instructions go to ED in symptoms progress. 1857 120/82, 70, 99.4. Patient's face becomes flushed and hot on left side, patient states she is shaky, and does not feel well at all. 1905 patient transferred to ED on 2L O2 for further evaluation and workup. Narrative ER Medical decision making narrative: Accu-Chek was obtained noting a glucose to be at 80. She received IV fluids as well as Solu-Medrol Benadryl and IV Pepcid. She also received IV Tylenol as she developed a headache while in the emergency department. Headache resolved and she was able to ambulate without assistance. Requested to go home states she felt much improved near normal. Clinical Impression: Adverse reaction to drug Patient Education: Anaphylaxis (ED)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902898-1	Nausea started about 8 hours after getting vaccine and progressively got worse over 12 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902900-1	Day 0 of injection that evening , experienced fevers, chills, rigors, malaise. Day 1 morning experienced nausea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902923-1	NAUSEA, CHILLS, MUSCLE PAIN, WEAKNESS
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902926-1	caller reported Flushing, redness around face and nauseous. Advised that Number for IMT (Incident management Team)will be activated. Caller declined. Advised to return to observation room where shot was given. Caller stated she would. Called her 5 minutes and left a message to call back if symptoms also persist or worsens
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902943-1	Headache, fatigue, muscle aches, nausea, sweating
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902995-1	pt developed chills, nausea and vomiting. Reports > 10 episodes of vomiting total. Went to lunch and continued to have chills and vomiting. Also developed chest pain - described as burning and heaviness. Denies any shortness of breath. CT negative for any changes. Chest X ray normal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902997-1	SWEATY, NAUSEA, DIZZY, EYES GLAZED OVER, NOT TRACKING RIGHT, STARTED MORNING AFTER SHOT

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	902998-1	Morning after injection: mild fatigue, arm soreness; later in the morning-headache then chills, muscle aches, joint pain and low grade fever (99) and nausea/loss of appetite. These persisted for approximately 12 hours then cleared completely.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903009-1	Patient complained of vision disturbance confusion dizziness, chills, clammy, no trouble breathing. Nausea, Patient stated she did not have any breakfast. gave patient diphenhydramine 25 mg and EMS arrived to take her to the hospital.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903011-1	started feeling nauseated, had her sit until feelings resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903028-1	12/15/2020 Around 7:30pm, I started to itch on neck and face. Progressed to scalp, stomach, back and whole body; ears, top of head to bottom of toes. Called critical care healthcare staff; 1 25mg benadryl Had nausea, fatigue, hip and joint pain 12/16/2020 Still itchy not as severe as 12/15/2020. Still joint pain and achiness. Nausea was a 8/10. 12/17/2020 feel better. About 80% . Mild itchiness. 'letting it run its course' and haven't taken any other benadryl since 12/15/2020. Joint and nausea has subsided. Flu shot 09/2020 Second dose of Pfizer shot is scheduled for 01/05/2021
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903036-1	I have a sore arm and I am experiencing severe back pain, nausea and a headache that comes and goes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903040-1	arm felt hot to the touch, felt arm heavy very difficult to move the arm, felt feverish, took temperature but no fever, but hot to the touch, lots of chills, nausea, body aches. Took some tylenol and at night it started getting a little better. This morning the injection site is red and is sore but I can move my arm again.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903118-1	Patient came to workplace clinic 12/17 @ 1215 saying she had a reaction to the COVID vaccination. She stated she took ibuprofen in the morning for the headache, however, rash was still present. N/V on 12/16 at night. Patient reported no throat swelling or SOB. Rash on injection site (left) arm and chest. Patient received Benadryl 50 mg po x 1 dose and Tylenol 500 mg po x 1 dose. After Benadryl and Tylenol, patient felt better and was able to go back to work. recommended to go home and rest.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903131-1	Nausea, fatigue, body aches, joint pain, malaise
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903135-1	woke up the next day and felt nauseated, could not stand up, my heart started racing, I had to lay down, felt cramping, extreme fatigue, felt overall sick, and the pain at the injection site. No fever. Just lasted that day. Feel better today.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903140-1	Caller stated after injection at bout 9pm caller had severe headache with nausea and pain at injection site . Caller stated this morning she felt a bit better.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903149-1	1215 pm on 12/16/2020: pfizer covid vac in left arm Poor nights sleep with left arm pain at injection site 500am on 12/17/2020: stood up to get ready and immediately started to dizzy. Then immediately threw up and had darker green diarrhea. Once that finished I had the sweats and felt cold with a subjective fever until around 9 am with continued nausea. Symptoms resolved 11:40 AM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903160-1	Dr.; the following day 12/16/2020, I woke up feeling more fatigue then usual with a migraine. Severe with nausea and light sensitivity. AE occurred about 4 hours. Resolved with Advil and Zofran. Missed work 12/16/2020. 12/17/2020 feel back to normal
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903183-1	Last night I was slightly nauseous, tired and full body aches and today I am just tired and still suffering from the full body aches.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903188-1	12/15/2020 little bit of a headache at night and took an ibuprofen, intermittent nausea the next day, around 530 pm 12/16/2020 fatigue joint pain chills, I had a fever but I did not take my temp, nausea at 9pm I took ibuprofen and this morning 12/17/2020 I woke up fine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903195-1	Headache , fever 100.8, chills, Fatigue, body ache . Nausea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903204-1	12-16 I was nauseous, I received the vaccine and walked to my department, I ate a graham cracker and didn't subside the rest of my shift at 130pm and went home and ate lunch took Tylenol laid down, at that time my arm started to hurt at the injection site. And when I woke up later that night around 5pm and was feeling better kind of tired but good. Coworkers could tell I didn't feel good. I felt like I needed to have a Bowl movement and urinate more than usual
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903205-1	woke up at 3am with diarrhea and nausea . Woke at 6 am with fever of 101.7, joint pain, Headache and fatigue any myalgia
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903207-1	I had headache, muscle fatigue, nausea, stomach pain, severe joint pain in the shoulder where I received the injection. I got Covid tested yesterday afternoon to be safe and I'm waiting on the results.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903209-1	Chills nausea sweats headache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903227-1	Pfizer-BioNTech COVID-19 Vaccine EUA within the first hour of dose, facial numbness on right side of face that migrated to lips. Within 2 hours of dose, nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903233-1	Fever 102, nausea, headaches, muscle pain, lightheaded, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903243-1	Patient developed hives, facial swelling, throat swelling/itching, and nausea approximately 13min after vaccination while in observation. Patient immediately taken to Emergency Department where epinephrine was given IM in the left thigh followed by 125mg IV solumedrol, 50mg IV benadryl, 1000mL NS, and 20mg IV famotidine. Hemodynamically stable throughout ED course.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903279-1	After an hour I got vaccinated, I started to feel nauseated and started throwing up. Theres pain and heaviness on the injection site. I had a headache as well.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903280-1	Patient reported she was pregnant at time of screening. Patient confirmed that her and her OB/GYN discussed the COVID19 vaccine and determined it was the right decision for her to receive the vaccine. Upon receipt of the vaccine, she stated she was feeling flushed, nauseated and felt she was going to pass out. The vaccine clinic team took her to the ED for evaluation and monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903287-1	Soreness injection site Headache Prickly sensation of skin Weakness/fatigue Stomach pain/nausea/ loss of appetite
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903289-1	Warm flushing feeling within about 10-15 seconds of injection, as well as metallic taste in mouth. Repeated on an off for the next hour. Taken to ED of hospital. Noted right arm mild rash distal to injection site and on chest, mild to moderate nausea.. IV Bendadryl 50mg given, IV Solumedrol 125mg, IV Pepcid, IV Zofran. Discharged home with PO prednisone x 4 days. PO Pepcid and Benadryl PRN
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903323-1	Nausea, myalgia, injection site pain, malaise, diarrhea, chills, joint pain, headache, nasal congestion,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903327-1	Patient reported that she started to feel unwell immediately after the vaccine with some nausea. She presented to the Emergency Department where she was treated by myself approximately 17 hours vaccine administration. She was having vomiting, diarrhea, diffuse rash, and throat discomfort. She was successfully treated for anaphylaxis and was able to discharge to home.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903333-1	vasovagal response - dizziness and nausea which lasted about one hour after injection - resolved with supine position and dry cereal
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903338-1	5-10 minutes after vaccination, vasovagal syncope: pallor, diaphoresis, dizziness, tunnel vision, nausea, weakness, tingling in arms/legs, BP 103/69
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NAUSEA	903614-1	I didn't eat after because I lost my appetite. I was nauseous with chills , sweating and vomitting and tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NECK PAIN	903045-1	about 1 1/2 hour after receiving it I felt a pain and numbness down left arm into pinky and ring finger. That only last about 2 minutes. Then the pain radiated to left side of neck and head and headache is still there at 1pm.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NECK PAIN	903089-1	Headache , dizziness, neck pain, left flank pain, fever 100.2 , chills,fatigue and muscle aches.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NECK PAIN	903121-1	Myalgias, headache, neck pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NECK PAIN	903238-1	I work night shift so when I got home 12h after my injection and at approximately 11:00 (am) my back hurt but not terribly. When I woke after sleeping today at 4:00 (pm) I experienced joint pain in my bilateral elbows, bilateral shoulders, neck, lumbar spine & bilateral knees. It's mild pain and I will not be going in for an MD appt. It does hurt a little more if I bump into something.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NECK PAIN	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NERVE CONDUCTION STUDIES ABNORMAL	903163-1	Pt underwent 15 minutes observation and felt fine during that time, while walking back to work on the way to work unit noticed tingling on the L side of her lower lip and a few inches back along jaw. It persisted so she returned to the vaccine clinic for evaluation. She was evaluated by a physician and had a normal cranial nerve and motor exam other than diminished sensation CN5- no change in appearance of lip. There was no other reaction at vaccination site or change in symptoms during a further 30 minute observation period. She was released back to work. Checkin after a few hours the tingling had improved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NERVOUSNESS	902524-1	I am a immunization nurse at this location. I gave 2 of the first 4 Covid vaccinations given at our location. Then I received dose # 5. It was easy. I did a couple of things and then returned to my desk. As I sat down, my arm started feeling very heavy. I was unable to send a text. I told staff that I was feeling funny and that I was going to the other room to lay down. Staff followed me and took my Pulse 100 and BP 164/ 82 (high for me!) . I felt shaky, but my hands were not shaking. Put a wet cloth on my head and laid there a few minutes, telling staff stories and laughing at my BP. When I sat up, my BP was 126/74 and pulse was 80. I stood up for a minute or two, then my legs got heavy and I sat down for a few more minutes. I went to the bathroom and came back to my desk, but was weak and tired. I ate and drank some fluids. Because it was snowing and I live 25 miles away, I accepted a ride home from a co-worker. I walked across the parking lot without problems and talked all the way home. At home, I was tired, but had a sandwich and talked on the phone. I would still describe myself as tired, but functioning.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NEUROLOGICAL EXAMINATION NORMAL	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil themselves and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	NEUROLOGICAL EXAMINATION NORMAL	903143-1	Employee had tingling sensation in Right upper extremity, and heaviness in bilateral lower extremities 5 minutes after receiving vaccine. These symptoms resolved approximately 2 hours after they began
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	OCULAR DISCOMFORT	903085-1	"1145: Patient complained of minor left eye swelling. Vital signs 99%, 83, 141/80. 1155: Vitals rechecked 1155 100%, 79, 112/80. Patient has new complaints of itchy ears, facial ""heat"", and slight tingling in fingers. 1200: 25 mg of oral Benadryl given. 1211: per RN, patient states symptoms are resolving. 1230: Patient still feels slight eye discomfort, all other symptoms have resolved. Patient states she feels comfortable leaving vaccination clinic, her son will be taking her home."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	OCULAR DISCOMFORT	903147-1	Pain at the injection site and the whole arm felt sore. Felt like a pressure behind my eyes, very tired, extreme fatigue.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	OCULAR DISCOMFORT	903199-1	2 1/2 hours after the shot, I felt pressure building in my head, my eyes felt bulging, my throat felt tight, and I started having an asthma attack
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	OCULAR HYPERAEMIA	903380-1	hives all over body. with swelling.. Red eyes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	OEDEMA PERIPHERAL	902903-1	Hives within 3 hours lasted 12 hours. Left Arm edema and erythema 24 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ORAL DISCOMFORT	903318-1	10:00 am received vaccine @ medical center right side of mouth felt strange on the way home. 13:00 pm right side of mouth continued to feel strange. Looked in mirror and noticed uneven smile, right side of mouth drooping. 13:35 pm messaged my primary care MD. And called Nurse triage. 14:00 pm Nurse triage advised me to go the emergency room ASAP. 15:00 pm @ Emergency room. Stroke code called, labs, CT, MRI completed. Diagnosis Bell's palsy. Went home with steroid and anti-viral. Symptoms are improving.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ORAL DISCOMFORT	903334-1	Immediately after administration felt a strange sensation on nostrils and mouth that dissipated after the initial 15 minutes. Then I started with mild itching in the next arm and neck. About 30 minutes after administration my eyelids became swollen. No shortness of breath or tachycardia. I received Benadryl and solumedrol at ER. Stay at the ED for about 2 hours and left home. After that I felt strange for a while and could not sleep at all. The next morning everything was fine except for mild left arm side of injection pain.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ORAL PRURITUS	902465-1	Pt felt wave come over body @ 1218 starting in head and going down. Bad taste in mouth, tingling in body , legs, back , across stomach, BP 150/100 P 120@ 1219, EMS activated. BP 120/80, P 80 Pt alert and oriented, Pt declined transport and Benadryl. Symptoms come and go, pt feels better but then bad taste in mouth starts, shaking of hands, tingling starts again in stomach and back. @ 1300 pt requests Benadryl, 25 mg administered. Pt notified family by phone of circumstances and family in transit.@1324 BP 120/80, P 84, tongue tingling and pt reports smelling chemical smell. @1345 Pt complained of mouth itching, EMS activated and will transport to Medical Center. Pt oriented and transported at @13
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	OROPHARYNGEAL DISCOMFORT	902793-1	My symptoms started about 15 minutes after shot. Initially I felt slight dizziness begin in my head. Then I felt slight uncomfortable feeling in my lungs, throat, and tongue. They were very slight so I left the vaccine center about 25 minutes after injection. On drive home my lips started to feel numb as well as my tongue & throat. Arriving home very tired. BP 135/ 80 P70 R20 T97.6 Blood sugar 101. Slept for about 4 hours. Called in sick for 7PM shift. Too weak & tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	OROPHARYNGEAL DISCOMFORT	903161-1	Sensation of swelling around the mouth and throat felt funny

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	OROPHARYNGEAL DISCOMFORT	903327-1	Patient reported that she started to feel unwell immediately after the vaccine with some nausea. She presented to the Emergency Department where she was treated by myself approximately 17 hours vaccine administration. She was having vomiting, diarrhea, diffuse rash, and throat discomfort. She was successfully treated for anaphylaxis and was able to discharge to home.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	OROPHARYNGEAL PAIN	902656-1	sore throat, headache, lightheadedness
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	OROPHARYNGEAL PAIN	902826-1	Severe muscle aches Diarrhea Headaches Feverish Nauseous Left arm super sore Sore throat
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ORTHOSTATIC HYPOTENSION	902832-1	Within and hour and a half of receiving developed tinnitus in both ears lasting 6 hours. The night after receiving vaccine also developed orthostatic hypotension and started to pass out but caught myself with an assisted fall. Fever(102 F with temporal and oral thermometer) body aches/sweats/general malaise lasting close to 24 hours after receiving vaccine. Fever/aches treated with acetaminophen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902490-1	Headache, body ache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902655-1	chills - 0730 body ache, headache - 1000 headache significantly worse - 1110
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902666-1	redness around the injection spot, fever chills, Stomach Ache, Body Ache, Short of breath (walking up stairs), Headaches no appetite, Dry heating .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902668-1	About 12 hours after the injection woke up and body was hurting all over, chills, body aches, felt feverish, temperature was 100.3F and really tired and hurting all over. Took Tylenol and returned to sleep. Woke up some hours later and took an Ibuprofen. rested for the rest of the day and now the only side effects is a little soreness on her injection mark. No other symptoms. Only the first 24 hours after the shot.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902691-1	Pain; This is a spontaneous report from a non-contactable physician. A 39-year-old male patient received BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine), via an unspecified route of administration on 14Dec2020 at 12:00 (at the age of 39-years-old) as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On an unknown date in Dec2020, the patient experienced pain. The clinical outcome of the pain was unknown. No follow-up attempts are possible; information about lot number cannot be obtained.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902706-1	Bp of 85/44, nauseous, body aches, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902745-1	PAIN AND EDEMA AT SITE OF INJECTION LEFT ARM WITH DECREASED RANGE OF MOTION LEFT ARM RIB CAGE PAIN ON INSPIRATION MUSCLE PAIN RIGHT AND LEFT THIGHS, WORSENING UPON AMBULATION MUSCLE PAIN AND TINGLING RIGHT UPPER EXTREMITY AND BACK
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902748-1	Chills, Body Ache, Fever
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902759-1	Fever , chills, Body Ache all over body, Joint Pain (worse in hips) Injection site swollen The PT cannot life her arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902824-1	Headache, body aches, low grade fever (99.3 F)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902832-1	Within and hour and a half of receiving developed tinnitus in both ears lasting 6 hours. The night after receiving vaccine also developed orthostatic hypotension and started to pass out but caught myself with an assisted fall. Fever(102 F with temporal and oral thermometer) body aches/sweats/general malaise lasting close to 24 hours after receiving vaccine. Fever/aches treated with acetaminophen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902892-1	Started with onset of fatigue and disorientation shortly after receiving the vaccine. Several hours after the disorientation got worse, a headache came on and my whole body aches fatigue is bad. I feel like the flu just hit me.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902933-1	Pfizer-BioNTech COVID-19 Vaccine EUA Fever, chills, severe body aches. Fever resolved with ibuprofen
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902990-1	fever, cough,chills,body aches, weakness, loss of smell

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	902992-1	fatigue, soreness, headache occurred the night after receiving vaccine (approx. 8 hours later) lasting into the following day. I did not take any medications for this .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903008-1	I had a headache, body aches and fatigue.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903040-1	arm felt hot to the touch, felt arm heavy very difficult to move the arm, felt feverish, took temperature but no fever, but hot to the touch, lots of chills, nausea, body aches. Took some tylenol and at night it started getting a little better. This morning the injection site is red and is sore but I can move my arm again.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903045-1	about 1 1/2 hour after receiving it I felt a pain and numbness down left arm into pinky and ring finger. That only last about 2 minutes. Then the pain radiated to left side of neck and head and headache is still there at 1pm.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903079-1	Around 630pm I began to have a really bad had a bad headache, feverish and body aching. Tenderness in the injection site area which eventually turned into full body aches and was tired. No vomiting or nausea. No redness at the site or injection site issues
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903092-1	12/15/2020My arm was really sore at first, and then my arm was worse the next day on 12/16/2020 as the morning went on my temperature felt like it was going up and down I felt body aches and felt really tired I had covid in June and it wasn't as bad as when I had it in June but it was still pretty bad, I also had a headache, I took tylenol and my fever broke but after a few hours my headache was worse and I started to take tylenol and ibuprofen. 12/17/2020 Under my left arm my lymph nodes are swollen but I feel much better and will go to work today 12/17/2020
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903115-1	Fever, severe body aches, severe chills, still have symptoms this morning although less severe.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903122-1	Injection site soreness started about 3 hrs post-injection. By that evening I was experiencing body aches & chills. I took Advil 400mg with dinner and felt okay for about 4 hours. As soon as the Advil wore off, body aches & chills returned. I did not take anymore Advil that night. My sleep was restless with body aches, chills, & pain at the injection site. I took my temperature during the night and was afebrile. I woke feeling tired with a mild headache. I took Advil after breakfast and currently feel okay.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903127-1	My left arm was very sore and very painful to move and ached.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903131-1	Nausea, fatigue, body aches, joint pain, malaise
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903151-1	Chills, Body Ache, Hard around the injection
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903165-1	On the night 12/15 exp body aches typically how you feel when having a virus, no fever, no gi symptoms. The following day I had fatigue and one point had chills, body aches. Then took Motrin on night of 12/16 and felt better on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903170-1	I had pain at the injection site, swollen, body aches, and headache. It eventually just went away on its own. Did not take anything for it. Arm feels better after using it. Now I am just tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903183-1	Last night I was slightly nauseous, tired and full body aches and today I am just tired and still suffering from the full body aches.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903195-1	Headache , fever 100.8, chills, Fatigue, body ache . Nausea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903223-1	12/16 It's hard to know because I have a fever but I work on the COVID unit and there has been an outbreak, chills, fatigue, and the thought of moving to take a shower I feel in pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903226-1	12/16/2020 Pain in the left deltoid uncomfortable to elevate and abduct my arm, it feels better today but it hurt yesterday to even elevate my arm to the steering wheel of my car

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903229-1	Patient reports it started as a tingling, pain and burning in the elbow and travelled up the shoulder and up the chest and to the heart. Pain felt like a cardio thump . Grabbed the epi. Sitting forward. Talked Dr. Doctor stated to sit back and uncross legs. Initiated slow breathing. Pain subsided to a tolerable amount. Not short of breath but tachycardic. Still dizzy. Stayed an hour sitting position, after injection. Felt there was an irritating sensation around the heart. Left and walked back to clinic. 10 minutes after arriving to the clinic, dizziness, flushing , came back and irritation around the heart was still noticed but tolerable. 2 minutes after, voice started cracking and drank some water. Intensity of dizziness increased and overall symptoms also intensified. Returned to COVID immunization clinic 15 minutes later. Patient was moved to direct observation in a chair. Given oral benadryl. Instructed to stay and would evaluate if new interventions would be deemed necessary. Benadryl helped. Symptoms were relieved in 15 mins. Patient has been in the clinic under direct observation for about 3.5 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903262-1	Joint Pain , tiredness, Body Ache . Injection site pain, fever
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903285-1	Headache, fever, malaise, body ache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903373-1	Dizzy,Hives on neck and chest, body aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903387-1	Ear pressure followed by bilateral under arm soreness. Later in the day both arms warm to touch and felt swollen. Face flushed and overall body aches and inability to stay awake. 600mg ibuprofen and rest. Felt myself in morning except as expected left arm pain at injection site and a little left arm tiredness or weakness.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903388-1	Sore at the site of injection, and sore.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903402-1	My symptoms started with bodyaches and fatigue. Quickly followed by a fever that reached 102.4. Later that night I had congestion, cough and headache. Woke up the next mornign with moderate/sever bodyaches, chills, cough and headache. Moderate fatigue as well. Had to miss work.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN	903535-1	First day right after the vaccine the left arm was extremely sore, the next day I felt like I had the flu. body aches , headache, knees aching , abdominal pain, could not eat, lots of chill, breaking out in sweats .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	902575-1	Pain in deltoid muscle upon pressure at night. Hard to lay on the side of the vaccine due to pain in the arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	902720-1	NORMAL ARM PAIN HOWEVER THE FOLLOWING WAS FELT REAL TIRED BARELY ABLE TO STAY AWAKE
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	902725-1	I experienced a sore arm and could not lift my arm.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	902757-1	I got it about 10 am I went home I attempted to work from home for about an hour and had a headache, took a 3 hour nap and felt much better after waking up, I felt like I couldn't concentrate. I felt fine this morning 12/16/2020 and I went to work just fine. I don't have a headache and don't feel like I need a nap, my arm still hurts but that is usual. I called my provider and asked if I could take Tylenol, but they were unsure so I did not take medication
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	902826-1	Severe muscle aches Diarrhea Headaches Feverish Nauseous Left arm super sore Sore throat
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	902930-1	left arm soreness/pain tender to touch/palpation
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	902942-1	Headache, Left arm and shoulder pain
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	902987-1	Medication error - reached the patient no harm, additional monitoring to preclude harm. A nurse (RN) diluted new vial of vaccine at 10:41 am. In the midst of adding diluent to vaccine vial, a patient arrived at our vaccine station. After drawing up and administering the 0.3 ml vaccine the RN looked at the vial again and noted that it was almost empty. She became concerned because she had just mixed a new vial and the amount of fluid remaining was not at the expected level. We immediately stopped and reported this to an employee who contacted pharmacy. We notified the patient that there was a discrepancy and had him wait for > 30 minutes to watch for any reaction. (APRN) called him at 1:30p to check on him and apprise him of the possibility of receiving higher than recommended concentration of vaccine. He stated he felt fine and felt no unusual symptoms.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	902998-1	Morning after injection: mild fatigue, arm soreness; later in the morning-headache then chills, muscle aches, joint pain and low grade fever (99) and nausea/loss of appetite. These persisted for approximately 12 hours then cleared completely.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903031-1	2 hours later pain in arm approximately 4-5 inches. Was not able to utilize left arm on yesterday. last night experienced muscle aches and chills. Taken Tylenol and rested. This morning experienced a really bad headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903036-1	I have a sore arm and I am experiencing severe back pain, nausea and a headache that comes and goes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903045-1	about 1 1/2 hour after receiving it I felt a pain and numbness down left arm into pinky and ring finger. That only last about 2 minutes. Then the pain radiated to left side of neck and head and headache is still there at 1pm.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903046-1	Caller had vaccine and at 12:30 at night caller had extreme paid in left arm and had to take Tylenol. Next day caller stated pain had subsided.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903091-1	I noticed the injection site was sore, swollen and warm. As the day progressed headache, fatigue, joint, legs aching and feeling heavy tires. Also had a fever of 101.2.Around 9:30 pm on 12/16 started to feel better fever was down.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903092-1	12/15/2020My arm was really sore at first, and then my arm was worse the next day on 12/16/2020 as the morning went on my temperature felt like it was going up and down I felt body aches and felt really tired I had covid in June and it wasn't as bad as when I had it in June but it was still pretty bad, I also had a headache, I took tylenol and my fever broke but after a few hours my headache was worse and I started to take tylenol and ibuprofen. 12/17/2020 Under my left arm my lymph nodes are swollen but I feel much better and will go to work today 12/17/2020
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903127-1	My left arm was very sore and very painful to move and ached.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903147-1	Pain at the injection site and the whole arm felt sore. Felt like a pressure behind my eyes, very tired, extreme fatigue.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903152-1	12/15/2020 I was tired, body chills, pain in left arm but was all very light until 12/16/2020 headache was more severe
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903174-1	On day after vaccination: Left arm soreness, chills, headaches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903182-1	tingling in arm at the time of admin down into fingers which faded over 15 mins and then soreness in arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903220-1	Pain in right arm , Pain in shot site
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903247-1	I had arm pain. Yesterday I had a hot flash with throwing up and diarrhea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903251-1	Soreness to arm , Couldn't lift arm above shoulder
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903253-1	Left arm pain. Painful enough it awoke from sleep when I would roll on it. It is tender to touch. However no limit to range of motion or use
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903261-1	I received the vaccination on 12/14 no problems 3-4 later sore arm. After went home next day on 12/15 had a sore arm went to work as normal. At work left early felt tired went to bed early around 8pm. The next day on 12/16 overslept important morning meeting reported to V-safe was feeling tired, mild headache and had severe fatigue. On 12/17 felt much better not as tired returned to normal and no headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903265-1	1. Left arm very sore, could not abduct more than 40 degrees, hard time sleeping, lasted for about 26 hours 2. Elevated temp to 100.2 F with chills and myalgia, lasted about 8 hours on second day 3. Diarrhea and indigestion for 2 days
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903288-1	Noticed Arm pain at bedtime on the day of the injection. Soreness lasted approximately two days.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903340-1	soreness in right hand...seems to go away as i start to move my arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903345-1	Right arm soreness, headache, hot flashes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903359-1	Pfizer-BioNTech COVID-19 Vaccine EUA - Sore and sensitive right arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903387-1	Ear pressure followed by bilateral under arm soreness. Later in the day both arms warm to touch and felt swollen. Face flushed and overall body aches and inability to stay awake. 600mg ibuprofen and rest. Felt myself in morning except as expected left arm pain at injection site and a little left arm tiredness or weakness.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN EXTREMITY	903535-1	First day right after the vaccine the left arm was extremely sore, the next day I felt like I had the flu. body aches , headache, knees aching , abdominal pain, could not eat, lots of chill, breaking out in sweats .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN JAW	903129-1	patient felt jaw pain, a strange taste (unable to describe), and numbness in her right arm patient was monitored and symptoms resolved within 30 minutes of vaccine administration
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAIN IN JAW	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAINFUL RESPIRATION	902745-1	PAIN AND EDEMA AT SITE OF INJECTION LEFT ARM WITH DECREASED RANGE OF MOTION LEFT ARM RIB CAGE PAIN ON INSPIRATION MUSCLE PAIN RIGHT AND LEFT THIGHS, WORSENING UPON AMBULATION MUSCLE PAIN AND TINGLING RIGHT UPPER EXTREMITY AND BACK
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALATAL OEDEMA	903155-1	At 11:15am, patient received first dose of SARS-CoV-2 vaccine. At 12:00pm, patient began to develop a rash and had mild edema noted in the uvula. She did not have difficulty breathing/swallowing/speaking. She was given prednisone 50mg x 1 and diphenhydramine 50mg x 1 in the ED.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALLOR	902746-1	Following first dose, patient became hypotensive, pale, and diaphoretic. Denies syncope. Patient went to nearby emergency department at Hospital. Was monitored for several hours and was discharged in stable condition.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALLOR	902790-1	11 minutes after first dose of Covid Pfizer vaccine, patient became unresponsive, pale, diaphoretic with possible seizure activity. Patient dropped all belongings, leaned to the left side, with eyes rolling back in her head. Episode lasted about a minute. Patient could not remember what had happened. Vitals were BP 110/60, HR 64, RR 22. Patient was advised to go to ED for further evaluation but she refused. Patient was given a snack and an RN stayed with her for about 20 more minutes to monitor.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALLOR	903030-1	~30 minutes after vaccination, patient reported lightheadedness, difficulty swallowing, SOB, feeling flushed, pallor, bilateral arm tingling, brief chest pain and tremors. Symptoms lasted approximately 30 minutes and then resolved. Benadryl given after resolution of acute symptoms. Reported a metallic taste in her mouth immediately after receiving the COVID vaccine (dose #1). Had uneventful 15 minute recovery period immediately after vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALLOR	903263-1	5 minutes after I received the injection, I experienced a mild headache and metallic taste in my mouth, with very slight dizziness for a couple seconds. I reported the mild headache and taste disturbance to the RN in the Covid vaccine room before I left for her information. I stayed 15 minutes , then walked to my car. I sat in my car, then began to feel cold, dizzy, and my heart began to race. I walked back to the Neurology clinic where I work as an NP, and sat in the Neurologist's office, who observed me to be pale and sweating. I continued to feel dizzy with tachycardia for about 7 minutes until this resolved. The only symptom remaining after this was a headache and metallic taste.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALLOR	903338-1	5-10 minutes after vaccination, vasovagal syncope: pallor, diaphoresis, dizziness, tunnel vision, nausea, weakness, tingling in arms/legs, BP 103/69
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALMAR ERYTHEMA	903375-1	pruritis of upper extremities. Erythema of bilateral palms and dorsal wrists
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	902505-1	Patient felt facial flushing, pounding in chest, burning and hot ears and blood pressure went up. Tingly in right arm and chest and hands. Symptoms resolved, after a few minutes but then returned. Patient sat with nurse during this reaction.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	902792-1	1-2 minutes later patient felt nausea, palpitations, and lightheaded

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	903112-1	Patient felt flushed, heart racing. Had irregular rhythm. Transported to Emergency Department. Treated with epinephrine. EKG performed, having pre-ventricular contractions. Checked in to ED for further evaluation.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	903135-1	woke up the next day and felt nauseated, could not stand up, my heart started racing, I had to lay down, felt cramping, extreme fatigue, felt overall sick, and the pain at the injection site. No fever. Just lasted that day. Feel better today.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	903154-1	After receiving the injection, patient felt flushed and lightheaded. Began to feel like heart was racing and chest tightness. The patient's heart rate was checked, the patient was provided with Tylenol and water, and observed for an additional 15 minutes. Symptoms resolved during this time.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	903159-1	1450 COVID19 vaccine given. 1503 Patient verbalized a racing heartbeat. 1504 Vital signs obtained, BP & HR were elevated. 1507 Physician paged. 1509 Patient reports feeling much better. 1511 Physician arrived to evaluate. 1516 Patient no longer had symptoms. Vital signs improving. Verbalized understanding to seek medical attention if symptoms reoccur or new symptoms begin. Patient left.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	903211-1	Facial swelling, slurred speech, taste in mouth (medicine like), heart palpitations, rash to chest and face.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	903228-1	Patient experiences palpitations, dizziness, and hypertension within 10 minutes of receiving the vaccine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	903240-1	"1658 Patient reports feeling lightheaded after receiving COVID vaccine. VS obtained, BP & HR are elevated. 1700 PA called 1702 PA arrived Patient remains lightheaded with some palpitations but denies any trouble breathing. 1711 VS are improving 1716 Patient states she starts feeling better but then gets a new wave of lightheadedness with ""fogginess"". Monitoring continued. 1741 Patient starting to feel ""extra lightheaded"" 1742 Benadryl given per PA 1748 Patient verbalized a headache 1818 Medic called because BP & HR have not improved after 1 hour of monitoring. 1825 Medic team transported patient to the ER"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	903249-1	End of monitoring period, when staff asked how he was feeling he said he was having palpitations. Nursing checked his HR and associates HR was 100-120BPM. But denied chest pain and SOB.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	903256-1	After vaccination in the medical office building adjacent to the hospital, the hospital employee felt palpitations (within 30 minutes of shot). Employee went to the ED at the hospital and was evaluated by medical personnel. Employee was SOB but did not have difficulty breathing. No other untoward reactions were observed. All other ROS was unremarkable. Sinus tachycardia of 140bpm observed in the ED, repeated ECG was sinus tachycardia of 119bpm, no other abnormalities. IVF, 50mg IV diphenhydramine, 40mg IV famotidine, and 125mg IV methylprednisolone given. Symptoms of palpitations and SOB resolved. Discharged with instruction to return to the ED if any symptoms returned.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	903263-1	5 minutes after I received the injection, I experienced a mild headache and metallic taste in my mouth, with very slight dizziness for a couple seconds. I reported the mild headache and taste disturbance to the RN in the Covid vaccine room before I left for her information. I stayed 15 minutes, then walked to my car. I sat in my car, then began to feel cold, dizzy, and my heart began to race. I walked back to the Neurology clinic where I work as an NP, and sat in the Neurologist's office, who observed me to be pale and sweating. I continued to feel dizzy with tachycardia for about 7 minutes until this resolved. The only symptom remaining after this was a headache and metallic taste.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	903281-1	Palpitations, shortness of breath, lump in throat
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PALPITATIONS	903282-1	Racing heart, itching throat. Heart racing resolved in 45 minutes, Itching throat never worsened and resolved after taking Benadryl and sleeping. Woke up 12/17 feeling fine, but also has a golf ball size knot and redness at injection site.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PANIC ATTACK	902665-1	"Pt. became lightheaded, and clammy. noted heart rate to be 51, oxygen saturation 100%. after sitting for a few minutes, she felt better, but then became dizzy and had some chest tightness and bilateral hand tingling. Pt. noted to have respiratory rate 22-26 with deep breath, but other vital signs were stable. (Blood pressures 108-138/70's to 80's) Heart rate remained stable in the 70-90's range, lungs remained clear to auscultation through out. No rash or swelling noted anywhere. No itching, no throat tightness. Pt. repeatedly stated ""I think I am having a panic attack"". Due to the continued complaint of chest tightness, pt. sent to the emergency department for evaluation."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PANIC ATTACK	903016-1	Approximately 11 minutes after receiving the vaccine, the patient complained of shortness of breath, tingling in arms and hands, numbness and tingling in legs and feet, and was observably shaking, with no complaints of swelling in throat or other signs of anaphylaxis. Patient was brought to ER in same facility via stretcher and was examined by staff there. ER report states the patient presented with shortness of breath and what appeared to be a panic attack, with fast breathing, slight flushing, and shaking. Per ER report, the patient was treated for an acute anaphylactic reaction, with clear lungs and given an EpiPen shot in the right thigh. IV was initiated and given a fluid bolus, solu medrol, famotidine, and lorazepam. Labs and a chest x-ray done and reviewed. After treatment, patient found to be stable and was discharged home at 4:42 pm with orders for famotidine, albuterol inhaler, and epinephrine pen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	902465-1	Pt felt wave come over body @ 1218 starting in head and going down. Bad taste in mouth, tingling in body, legs, back, across stomach, BP 150/100 P 120 @ 1219, EMS activated. BP 120/80, P 80 Pt alert and oriented, Pt declined transport and Benadryl. Symptoms come and go, pt feels better but then bad taste in mouth starts, shaking of hands, tingling starts again in stomach and back. @ 1300 pt requests Benadryl, 25 mg administered. Pt notified family by phone of circumstances and family in transit. @1324 BP 120/80, P 84, tongue tingling and pt reports smelling chemical smell. @1345 Pt complained of mouth itching, EMS activated and will transport to Medical Center. Pt oriented and transported at @13

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	902505-1	Patient felt facial flushing, pounding in chest, burning and hot ears and blood pressure went up. Tingly in right arm and chest and hands. Symptoms resolved, after a few minutes but then returned. Patient sat with nurse during this reaction.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	902518-1	Tingling of upper lip and cheeks, warmth in face, and itchy eyes Treatment: diphenhydramine 50 mg PO x1 Outcome: symptom onset within 15 minutes of vaccine administration. Symptoms resolved within 20-30 minutes of diphenhydramine administration.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	902665-1	"Pt. became lightheaded, and clammy. noted heart rate to be 51, oxygen saturation 100%. after sitting for a few minutes, she felt better, but then became dizzy and had some chest tightness and bilateral hand tingling. Pt. noted to have respiratory rate 22-26 with deep breath, but other vital signs were stable. (Blood pressures 108-138/70's to 80's) Heart rate remained stable in the 70-90's range, lungs remained clear to auscultation through out. No rash or swelling noted anywhere. No itching, no throat tightness. Pt. repeatedly stated ""I think I am having a panic attack"". Due to the continued complaint of chest tightness, pt. sent to the emergency department for evaluation."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	902745-1	PAIN AND EDEMA AT SITE OF INJECTION LEFT ARM WITH DECREASED RANGE OF MOTION LEFT ARM RIB CAGE PAIN ON INSPIRATION MUSCLE PAIN RIGHT AND LEFT THIGHS, WORSENING UPON AMBULATION MUSCLE PAIN AND TINGLING RIGHT UPPER EXTREMITY AND BACK
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	902791-1	"1039: Responded to notification of potential adverse reaction after receiving COVID-19 vaccination. Pt had been escorted from observation area to emergency area with PA with c/o tightness in throat. On my arrival, pt was eupneic, p/w/d, ambulatory, NAD. Vitals @ 1039: P72, 100% pulse ox on RA Vitals @ 1056: P72, 98% pulse ox on RA, 112/78 seated. Administered 25mg diphenhydramine po per PA @ 1050, pt swallowed with water. Called 911 for EMS response @ 1103 per instruction from provider. Vitals @ 1103: 98% pulse ox on RA, P74, denies shortness of breath or pain. Off phone with EMS @ 1108, en route. EMS on site @ 1115, report given to medic. Pt left with EMS en route to ED @ 1116. Report called to ED Charge Nurse @ 1121. Patient presented to vaccination clinic. Patient received her vaccination at approximately 1021. Patient reports symptoms onset at approximately 1038 with tightness of the throat and difficulty swallowing. She described it as a swelling of the throat sensation. She states she had a sensation moving from her head to her toes as in a ""wave"". Patient denied shortness of breath, chest pain denies nausea. Patient denies hives or rashes or pruritis. Patient was assessed and moved to the emergency area. Her symptoms continued with some improvement. At this point time 25 mg of Benadryl was administered orally. Approximately 10 to 15 minutes after administration the patient developed numbness tingling around the upper lip, the right upper extremity. She denied shortness of breath or chest pain. She denied increasing severity of the throat sensations. Pertinent past medical history: Reactions bee stings currently carries EpiPen. She is not had any previous reactions to vaccinations. Allergic reaction. The patient symptoms seem to continue with the numbness tingling around the lips after administration of the Benadryl. Hand tingling of the right upper extremity also continued although it was decreasing. Her symptoms of the tightness of the throat remain the same. She did not develop shortness or breath or chest tightness or pain. At this time I feel be prudent to evacuate the patient to higher level care. Patient was evacuated at 11:16 by ambulance service. A A"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	902938-1	0749 - tingling in body, scratchy throat for 10 minutes, flushing
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	902939-1	Patient was given to co vid injection- developed numbness and tingling inside bicep- speech- slurred speech- tongue speech- tongue not swollen- feels like novican. Takes lisinopril, novolog jardiance, lansoprazole, and mirena.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903002-1	Patient received the vaccine. During the 15 minute observation period she developed chest heaviness, arm tingling, and throat tingling. BP elevated at 169/79. The patient was sent to the ED and evaluated. Diagnosed with more anxiety type symptoms. Discharge from ED stable.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903003-1	Patient received the vaccine. During the 15 minute observation period she developed chest heaviness, arm tingling, and throat tingling. BP elevated at 169/79. The patient was sent to the ED and evaluated. Diagnosed with more anxiety type symptoms. Discharge from ED stable.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903016-1	Approximately 11 minutes after receiving the vaccine, the patient complained of shortness of breath, tingling in arms and hands, numbness and tingling in legs and feet, and was observably shaking, with no complaints of swelling in throat or other signs of anaphylaxis. Patient was brought to ER in same facility via stretcher and was examined by staff there. ER report states the patient presented with shortness of breath and what appeared to be a panic attack, with fast breathing, slight flushing, and shaking. Per ER report, the patient was treated for an acute anaphylactic reaction, with clear lungs and given an EpiPen shot in the right thigh. IV was initiated and given a fluid bolus, solu medrol, famotidine, and lorazepam. Labs and a chest x-ray done and reviewed. After treatment, patient found to be stable and was discharged home at 4:42 pm with orders for famotidine, albuterol inhaler, and epinephrine pen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903030-1	~30 minutes after vaccination, patient reported lightheadedness, difficulty swallowing, SOB, feeling flushed, pallor, bilateral arm tingling, brief chest pain and tremors. Symptoms lasted approximately 30 minutes and then resolved. Benadryl given after resolution of acute symptoms. Reported a metallic taste in her mouth immediately after receiving the COVID vaccine (dose #1). Had uneventful 15 minute recovery period immediately after vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903085-1	"1145: Patient complained of minor left eye swelling. Vital signs 99%, 83, 141/80. 1155: Vitals rechecked 1155 100%, 79, 112/80. Patient has new complaints of itchy ears, facial ""heat"", and slight tingling in fingers. 1200: 25 mg of oral Benadryl given. 1211: per RN, patient states symptoms are resolving. 1230: Patient still feels slight eye discomfort, all other symptoms have resolved. Patient states she feels comfortable leaving vaccination clinic, her son will be taking her home."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903130-1	Shortly Administration of vaccine I experienced a metallic taste. approximately 40 minutes after administration of vaccine I experienced difficulty swallowing, dyspnea, tachycardia and numbness in tingling in bilateral hands. I am a healthcare provider and I received the vaccine at my place of employment. I was taken to the emergency department for monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903143-1	Employee had tingling sensation in Right upper extremity, and heaviness in bilateral lower extremities 5 minutes after receiving vaccine. These symptoms resolved approximately 2 hours after they began

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903163-1	Pt underwent 15 minutes observation and felt fine during that time, while walking back to work on the way to work unit noticed tingling on the L side of her lower lip and a few inches back along jaw. It persisted so she returned to the vaccine clinic for evaluation. She was evaluated by a physician and had a normal cranial nerve and motor exam other than diminished sensation CN5- no change in appearance of lip. There was no other reaction at vaccination site or change in symptoms during a further 30 minute observation period. She was released back to work. Checkin after a few hours the tingling had improved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903182-1	tingling in arm at the time of admin down into fingers which faded over 15 mins and then soreness in arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903214-1	"Patient complains of ""tingling sensation down arm radiating to the hand"" Patient given 25 mg PO Benadryl."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903229-1	Patient reports it started as a tingling, pain and burning in the elbow and travelled up the shoulder and up the chest and to the heart. Pain felt like a cardio thump . Grabbed the epi. Sitting forward. Talked Dr. Doctor stated to sit back and uncross legs. Initiated slow breathing. Pain subsided to a tolerable amount. Not short of breath but tachycardic. Still dizzy. Stayed an hour sitting position, after injection. Felt there was an irritating sensation around the heart. Left and walked back to clinic. 10 minutes after arriving to the clinic, dizziness, flushing , came back and irritation around the heart was still noticed but tolerable. 2 minutes after, voice started cracking and drank some water. Intensity of dizziness increased and overall symptoms also intensified. Returned to COVID immunization clinic 15 minutes later. Patient was moved to direct observation in a chair. Given oral benadryl. Instructed to stay and would evaluate if new interventions would be deemed necessary. Benadryl helped. Symptoms were relieved in 15 mins. Patient has been in the clinic under direct observation for about 3.5 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100.Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903235-1	elevated heart rate 102, flushed, cold, tingly fingertips
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903248-1	Approximately 5 minutes after receiving vaccine I noted an intense flushing and burning sensation from my waist up followed by tachycardia with heart rate in 150s elevated BP 150/100. These symptoms subsided after approximately 10 minutes but were then followed by a ?cloudy? feeling in my head as well as tingling in bilateral hands that lasted the rest of the day but had resolved by the next morning. The next morning I felt very well until 2 pm when I had a short period (approximately 2 minutes) of elevated heart rate (120s) that then resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903287-1	Soreness injection site Headache Prickly sensation of skin Weakness/fatigue Stomach pain/nausea/ loss of appetite
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903322-1	SOB, tingling
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903338-1	5-10 minutes after vaccination, vasovagal syncope: pallor, diaphoresis, dizziness, tunnel vision, nausea, weakness, tingling in arms/legs, BP 103/69
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA	903347-1	Received the vaccine at 2:30 PM. Approximately at 2:50 I started feeling paresthesia of my left leg, approximately 1 to 2 hours later a progressed to my left arm. Around 8:00 PM it progressed to my right leg, right arm, torso and face. I subsequently took Aleve. No significant shortness of breath, or weakness noted. This morning paresthesia continues but less apparent. It feels more apparent in my left side. I can no longer feel it on my torso or face.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA ORAL	902465-1	Pt felt wave come over body @ 1218 starting in head and going down. Bad taste in mouth, tingling in body , legs, back , across stomach, BP 150/100 P 120@ 1219, EMS activated. BP 120/80, P 80 Pt alert and oriented, Pt declined transport and Benadryl. Symptoms come and go, pt feels better but then bad taste in mouth starts, shaking of hands, tingling starts again in stomach and back. @ 1300 pt requests Benadryl, 25 mg administered. Pt notified family by phone of circumstances and family in transit.@1324 BP 120/80, P 84, tongue tingling and pt reports smelling chemical smell. @1345 Pt complained of mouth itching, EMS activated and will transport to Medical Center. Pt oriented and transported at @13
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA ORAL	902508-1	She claims she experienced tightness in the right side of throat and her tongue started tingling. Took her the Emergency Department, She decided to go and buy Benadryl
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA ORAL	902518-1	Tingling of upper lip and cheeks, warmth in face, and itchy eyes Treatment: diphenhydramine 50 mg PO x1 Outcome: symptom onset within 15 minutes of vaccine administration. Symptoms resolved within 20-30 minutes of diphenhydramine administration.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA ORAL	902791-1	"1039: Responded to notification of potential adverse reaction after receiving COVID-19 vaccination. Pt had been escorted from observation area to emergency area with PA with c/o tightness in throat. On my arrival, pt was eupneic, p/w/d, ambulatory, NAD. Vitals @ 1039: P72, 100% pulse ox on RA Vitals @ 1056: P72, 98% pulse ox on RA, 112/78 seated. Administered 25mg diphenhydramine po per PA @ 1050, pt swallowed with water. Called 911 for EMS response @ 1103 per instruction from provider. Vitals @ 1103: 98% pulse ox on RA, P74, denies shortness of breath or pain. Off phone with EMS @ 1108, en route. EMS on site @ 1115, report given to medic. Pt left with EMS en route to ED @ 1116. Report called to ED Charge Nurse @ 1121. Patient presented to vaccination clinic. Patient received her vaccination at approximately 1021. Patient reports symptoms onset at approximately 1038 with tightness of the throat and difficulty swallowing. She described it as a swelling of the throat sensation. She states she had a sensation moving from her head to her toes as in a "wave". Patient denied shortness of breath, chest pain denies nausea. Patient denies hives or rashes or pruritis. Patient was assessed and moved to the emergency area. Her symptoms continued with some improvement. At this point time 25 mg of Benadryl was administered orally. Approximately 10 to 15 minutes after administration the patient developed numbness tingling around the upper lip, the right upper extremity. She denied shortness of breath or chest pain. She denied increasing severity of the throat sensations. Pertinent past medical history: Reactions bee stings currently carries EpiPen. She is not had any previous reactions to vaccinations. Allergic reaction. The patient symptoms seem to continue with the numbness tingling around the lips after administration of the Benadryl. Hand tingling of the right upper extremity also continued although it was decreasing. Her symptoms of the tightness of the throat remain the same. She did not develop shortness or breath or chest tightness or pain. At this time I feel be prudent to evacuate the patient to higher level care. Patient was evacuated at 11:16 by ambulance service. á á"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA ORAL	903162-1	Allergic reaction to vaccine +1 more Dx Referred by MD Reason for Visit Progress Notes PA-C (Physician Assistant) ? Physician Assistant Cosign Needed Patient was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer-Biontech (lot: EH9899) vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience oral tingling (upper lip and then into the lower lip) It then progressed to the tongue and she reported tingling to the tip of the tongue and further back to the middle of tongue. She thought there might be some mild swelling to the tip of the tongue. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling and lip swelling. This Staff member was notified of patient reaction and she was then assessed in the emergency bay area. PMH: Hx hypertension but did not take her medication today. Patient had recovered from the COVID-19 virus about 2 weeks ago. Vitals Time 1130 BP 170/90 HR 86 s/r RR 14 nl O2 97 % Physical Exam Constitutional: She is oriented to person, place, and time. She appears well-developed and well-nourished. No distress. HENT: Head: Normocephalic and atraumatic. Right Ear: Hearing and external ear normal. Left Ear: Hearing and external ear normal. Eyes: Conjunctivae are normal. Right eye exhibits no discharge. Left eye exhibits no discharge. No scleral icterus. Neck: Normal range of motion. Cardiovascular: Normal rate, regular rhythm and normal heart sounds. Pulmonary/Chest: Effort normal and breath sounds normal. No stridor. No respiratory distress. She has no wheezes. She has no rales. Musculoskeletal: Normal range of motion. Neurological: She is alert and oriented to person, place, and time. No sensory deficit. Gait normal. Skin: Skin is warm and dry. She is not diaphoretic. Psychiatric: She has a normal mood and affect. Her behavior is normal. Judgment and thought content normal. Cognition and memory are normal. Vitals reviewed. Treatment included antihistamines. Patient was given 50 mg of benadryl at 1138. Vitals Time 1147 BP 160/100 HR 90 S/R RR 14 nl O2 98% Response to care: Patient states the upper lip resolved but the lower lip and tongue sensations remained but did not worsen. Patient was recommended to go to the hospital given her sudden response with concern of tongue swelling. Patient did agree to this. COVID staff was made aware that the patient would be leaving her SUV in the parking lot. Patient was transfer by Response team to the hospital at 11:53 AM. á á
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA ORAL	903163-1	Pt underwent 15 minutes observation and felt fine during that time, while walking back to work on the way to work unit noticed tingling on the L side of her lower lip and a few inches back along jaw. It persisted so she returned to the vaccine clinic for evaluation. She was evaluated by a physician and had a normal cranial nerve and motor exam other than diminished sensation CN5- no change in appearance of lip. There was no other reaction at vaccination site or change in symptoms during a further 30 minute observation period. She was released back to work. Checkin after a few hours the tingling had improved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA ORAL	903184-1	tingling in lips no treatment
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA ORAL	903192-1	Paresthesias of lateral tongue and throat, subjective swelling of tongue and throat, subjective shortness of breath
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA ORAL	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100. Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PARAESTHESIA ORAL	903259-1	TINGLING AROUND LIPS, MONITORED FOR ADDITIONAL 15 MINS. (TOTAL OF 30MINS), PATIENT STATES TINGLING RESOLVED. REPORTED HEADACHE BUT STATES SHE HAD IT ALL DAY.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PAROSMIA	902465-1	Pt felt wave come over body @ 1218 starting in head and going down. Bad taste in mouth, tingling in body , legs, back , across stomach, BP 150/100 P 120@ 1219, EMS activated. BP 120/80, P 80 Pt alert and oriented, Pt declined transport and Benadryl. Symptoms come and go, pt feels better but then bad taste in mouth starts, shaking of hands, tingling starts again in stomach and back. @ 1300 pt requests Benadryl, 25 mg administered. Pt notified family by phone of circumstances and family in transit.@1324 BP 120/80, P 84, tongue tingling and pt reports smelling chemical smell. @1345 Pt complained of mouth itching, EMS activated and will transport to Medical Center. Pt oriented and transported at @13
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PERIORBITAL SWELLING	902758-1	"@ ~5 min felt cotton mouth. Got up to ask if he could go early. Then at 10 min post injection, felt eyes feeling weird and he felt "high". As in lightheaded. @ 10 min, skin surrounding the eyes are puffy. Given 25 mf benedryl. No immediate SOB or wheeze. No lip or mouth or throat swelling. Taken to ED. Given IM epi 1:1000 0.3ml. Pepcid and more benedryll PO."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PERIPHERAL COLDNESS	903271-1	About 20 minutes after the injection, the arm i received the injection in became very cold, changed color like I was not perfusion to the limb. This was gone in about two hours. Woke up eye lid continually twitching.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PERIPHERAL COLDNESS	903492-1	patient presented with a (L) hand numbness + coldness (ipsilateral to vaccine) right after her vaccination symptoms resolved after a warm shower

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PERIPHERAL SWELLING	902672-1	Left arm swelling of forearm, old L wrist tattoo because raised and lifted out of skin approx 3 mm, whole arm was itching with several red dots; reaction resolved within 8 hours without intervention body wide itching persisting now
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PERIPHERAL SWELLING	902728-1	Swelling on arm. Placement lower than deltoid, 4 cm. treated with corticosteroids, antihistamines
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PERIPHERAL SWELLING	903494-1	Swelling locally in arm began within 12hrs. No systemic symptoms, started on dose pack (Medrol) antihistamines, Ice bag.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL HYPOAESTHESIA	902793-1	My symptoms started about 15 minutes after shot. Initially I felt slight dizziness begin in my head. Then I felt slight uncomfortable feeling in my lungs, throat, and tongue. They were very slight so I left the vaccine center about 25 minutes after injection. On drive home my lips started to feel numb as well as my tongue & throat. Arriving home very tired. BP 135/ 80 P70 R20 T97.6 Blood sugar 101. Slept for about 4 hours. Called in sick for 7PM shift. Too weak & tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL HYPOAESTHESIA	902941-1	throat dryness and scratchiness, numbness. hoarse coughing
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL HYPOAESTHESIA	903153-1	Immediately after the injection the tips of my finger began to go numb my hand started itching my throat started to go numb and itch and I got 25mg of Benedryl symptoms got worse so they had to give me in IV injection of benedryl which made the symptoms a litter better. I was released and when I got home I went to sleep. When I woke up my body felt like I had been run over by a big truck. I took my temp and it was 99.8. I laid back down and decided to sleep it off and woke up this morning not feeling any worse but not any better. My hands got red from the rash and is still a little red.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL HYPOAESTHESIA	903382-1	About 5-10 minutes the vaccine I began to get tingling and a itchiness in the back of my throat , notified personnel and vitals were checked and stable. The tingling and numbing sensation went away and came back and benedryl was given. The symptoms came in waves of about ever 2-3 minutes so I was transported to ER and somumedrol was given was monitor for 1-1.5 hrs and the numbness and tingling sensation continued for about an 1-2 hours and finally subsided and was released to go home
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL PARAESTHESIA	902949-1	"While waiting the 15 minute after vaccination the Patient noticed a ""tingling"" feeling in throat about 5 minutes after vaccine was given. Time: 0930 - Oxygen Saturation was 98% Pulse Rate 100. Patient stated that the feeling went away and then came back. Time: 0938 - Again vital signs were taken BP 156/88 Oxygen Saturation 100% Pulse Rate 83. Time: 0942 - 50 mg of Benadryl PO were given with water at this time. Patient was taken to ER for evaluation."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL PARAESTHESIA	903002-1	Patient received the vaccine. During the 15 minute observation period she developed chest heaviness, arm tingling, and throat tingling. BP elevated at 169/79. The patient was sent to the ED and evaluated. Diagnosed with more anxiety type symptoms. Discharge from ED stable.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL PARAESTHESIA	903003-1	Patient received the vaccine. During the 15 minute observation period she developed chest heaviness, arm tingling, and throat tingling. BP elevated at 169/79. The patient was sent to the ED and evaluated. Diagnosed with more anxiety type symptoms. Discharge from ED stable.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL PARAESTHESIA	903192-1	Paresthesias of lateral tongue and throat, subjective swelling of tongue and throat, subjective shortness of breath
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL PARAESTHESIA	903382-1	About 5-10 minutes the vaccine I began to get tingling and a itchiness in the back of my throat , notified personnel and vitals were checked and stable. The tingling and numbing sensation went away and came back and benedryl was given. The symptoms came in waves of about ever 2-3 minutes so I was transported to ER and somumedrol was given was monitor for 1-1.5 hrs and the numbness and tingling sensation continued for about an 1-2 hours and finally subsided and was released to go home
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL SWELLING	902791-1	":1039: Responded to notification of potential adverse reaction after receiving COVID-19 vaccination. Pt had been escorted from observation area to emergency area with PA with c/o tightness in throat. On my arrival, pt was eupneic, p/w/d, ambulatory, NAD. á Vitals @ 1039: P72, 100% pulse ox on RA Vitals @ 1056: P72, 98% pulse ox on RA, 112/78 seated. á Administered 25mg diphenhydramine po per PA @ 1050, pt swallowed with water. á Called 911 for EMS response @ 1103 per instruction from provider. á Vitals @ 1103: 98% pulse ox on RA, P74, denies shortness of breath or pain. á Off phone with EMS @ 1108, en route. á EMS on site @ 1115, report given to medic. á Pt left with EMS en route to ED @ 1116. á Report called to ED Charge Nurse @ 1121. Patient presented to vaccination clinic. Patient received her vaccination at approximately 1021. Patient reports symptoms onset at approximately 1038 with tightness of the throat and difficulty swallowing. She described it as a swelling of the throat sensation. She states she had a sensation moving from her head to her toes as in a ""wave "" . Patient denied shortness of breath, chest pain denies nausea. Patient denies hives or rashes or pruritis. á á Patient was assessed and moved to the emergency area. á Her symptoms continued with some improvement. At this point time 25 mg of Benadryl was administered orally. Approximately 10 to 15 minutes after administration the patient developed numbness tingling around the upper lip, the right upper extremity. She denied shortness of breath or chest pain. She denied increasing severity of the throat sensations. á Pertinent past medical history: Reactions bee stings currently carries EpiPen. á She is not had any previous reactions to vaccinations. á á Allergic reaction. á The patient symptoms seem to continue with the numbness tingling around the lips after administration of the Benadryl. Hand tingling of the right upper extremity also continued although it was decreasing. á Her symptoms of the tightness of the throat remain the same. She did not develop shortness or breath or chest tightness or pain. á At this time I feel be prudent to evacuate the patient to higher level care. á Patient was evacuated at 11:16 by ambulance service. á á á"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL SWELLING	902986-1	Basically after I took the vaccine I took the vaccine, about 10 min later, my heart was racing, I felt very hot and sweaty, hard time breathing, chest tightness, my hands were tingling, went to ER to be observed and although I would feel out of breath they said my oxygen was fine. My heart was racing. First my pulse was low, and then later on got very high. My BP was bouncing all over. Now, I can't raise my left arm my arm hurts I can't move it very well and I feel fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL SWELLING	903128-1	Throat swelling, raspy voice, tachycardia, itching, anxiety, rash

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL SWELLING	903192-1	Paresthesias of lateral tongue and throat, subjective swelling of tongue and throat, subjective shortness of breath
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHARYNGEAL SWELLING	903243-1	Patient developed hives, facial swelling, throat swelling/itching, and nausea approximately 13min after vaccination while in observation. Patient immediately taken to Emergency Department where epinephrine was given IM in the left thigh followed by 125mg IV solumedrol, 50mg IV benadryl, 1000mL NS, and 20mg IV famotidine. Hemodynamically stable throughout ED course.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PHOTOPHOBIA	903160-1	Dr.; the following day 12/16/2020, I woke up feeling more fatigue then usual with a migraine. Severe with nausea and light sensitivity. AE occurred about 4 hours. Resolved with Advil and Zofran. Missed work 12/16/2020. 12/17/2020 feel back to normal
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	POLLAKIURIA	903204-1	12-16 I was nauseous, I received the vaccine and walked to my department, I ate a graham cracker and didn't subside the rest of my shift at 130pm and went home and ate lunch took Tylenol laid down, at that time my arm started to hurt at the injection site. And when I woke up later that night around 5pm and was feeling better kind of tired but good. Coworkers could tell I didn't feel good. I felt like I needed to have a Bowl movement and urinate more than usual
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	POOR QUALITY SLEEP	903122-1	Injection site soreness started about 3 hrs post-injection. By that evening I was experiencing body aches & chills. I took Advil 400mg with dinner and felt okay for about 4 hours. As soon as the Advil wore off, body aches & chills returned. I did not take anymore Advil that night. My sleep was restless with body aches, chills, & pain at the injection site. I took my temperature during the night and was afebrile. I woke feeling tired with a mild headache. I took Advil after breakfast and currently feel okay.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	POOR QUALITY SLEEP	903149-1	1215 pm on 12/16/2020: pfizer covid vac in left arm Poor nights sleep with left arm pain at injection site 500am on 12/17/2020: stood up to get ready and immediately started to dizzy. Then immediately threw up and had darker green diarrhea. Once that finished I had the sweats and felt cold with a subjective fever until around 9 am with continued nausea. Symptoms resolved 11:40 AM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRESYNCOPE	902464-1	within 15 minutes progressive light-headedness leading to near-syncope and diaphoresis. After 20 minutes symptoms subsided.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRESYNCOPE	903333-1	vasovagal response - dizziness and nausea which lasted about one hour after injection - resolved with supine position and dry cereal
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRODUCT ADMINISTERED AT INAPPROPRIATE SITE	902728-1	Swelling on arm. Placement lower than deltoid, 4 cm. treated with corticosteroids, antihistamines
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRODUCT DESIGN ISSUE	902795-1	"When injecting the vaccine fluid, the vaccine administrator noted about 4 drops of liquid that leaked from the area of the syringe tip / needle hub connection. This particular dose was administered by a pharmacist who has experience administering vaccines. In speaking with a few other nurses who administered COVID-19 Pfizer vaccinations at the same clinic (this was the first clinic day), the consensus was that they all did not like the syringes/needles provided by Pfizer. It was a shared opinion that they felt ""cheap"" and ""flimsy"". Going forward, our site is not going to use the Pfizer supplied syringes/needles but will be using our own syringes and needles for vaccine administration."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRODUCT PREPARATION ERROR	903236-1	Pharmacist was diluting doses of vaccine for vaccination clinic in hospital. After dilution of 3 vials, the compounding pharmacist passed off to the on coming pharmacist. The on coming pharmacist grabbed one of the empty vials of vaccine and added diluent to the empty vial. 6 doses were drawn up and delivered to the vaccine clinic with only diluent in the syringe. The pharmacist in the clinic noted the number of syringe doses exceeded the number possible from the amount of vials used and sequestered all vaccine doses in clinic. It is possible some of the patients in the first hour received diluent instead of vaccine but is not known for certain. The pharmacist at the clinic kept the record of all the patients in the morning clinic. Would you recommend any actions prior to the second dose for these patients? Is there any utility in antibody testing the identified patients prior to administering the second dose? Have parameters been established for titter? Please provide direction.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRODUCT PREPARATION ERROR	903339-1	undiluted dose given
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRODUCT PREPARATION ISSUE	903194-1	Patient may have received undiluted Pfizer COVID-19 vaccine 0.3 ml= ~120 mcg
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRODUCT PREPARATION ISSUE	903222-1	Patient is suspected to have received 0.3mL of undiluted vaccine (150mcg vs 30mcg). Patient reported having a dull headache 3/10 pain scale since yesterday afternoon post vaccination. Patient also reported soreness in her right arm down to her elbow. She did not experience any other symptoms.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRODUCT PREPARATION ISSUE	903341-1	undiluted dose given
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRODUCT QUALITY ISSUE	902795-1	"When injecting the vaccine fluid, the vaccine administrator noted about 4 drops of liquid that leaked from the area of the syringe tip / needle hub connection. This particular dose was administered by a pharmacist who has experience administering vaccines. In speaking with a few other nurses who administered COVID-19 Pfizer vaccinations at the same clinic (this was the first clinic day), the consensus was that they all did not like the syringes/needles provided by Pfizer. It was a shared opinion that they felt ""cheap"" and ""flimsy"". Going forward, our site is not going to use the Pfizer supplied syringes/needles but will be using our own syringes and needles for vaccine administration."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	902672-1	Left arm swelling of forearm, old L wrist tattoo because raised and lifted out of skin approx 3 mm, whole arm was itching with several red dots; reaction resolved within 8 hours without intervention body wide itching persisting now

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	902770-1	Patient started to develop maculopapular rash and itching starting ~15 minutes after the vaccine administration. The patient did not report shortness of breath or other respiratory symptoms. The patient was given IV diphenhydramine 50 mg, famotidine 20 mg IV, and methylprednisolone 125 mg IV. The patient's symptoms resolved and was sent home with a Medrol dose pack and antihistamine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	902777-1	redness, itching to face, armpit, and neck
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	902902-1	"Patient presented with feeling of ""headrush"" dizziness, tachycardia to 130's, itching to neck, visible hives to face and neck."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	902908-1	Extreme fatigue, felt very warm all over body for 14 - 16 hours, exceptional pruritus on head and back, all joints are exceptionally achey
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	902932-1	Patient reports of itching immediately after vaccine, dizzy, feeling of flush. Medical directive given for itching that include OTC antihistamine (Claritin). Incident Management team activated for dizziness and feeling of flush.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903028-1	12/15/2020 Around 7:30pm, I started to itch on neck and face. Progressed to scalp, stomach, back and whole body; ears, top of head to bottom of toes. Called critical care healthcare staff; 1 25mg benadryl Had nausea, fatigue, hip and joint pain 12/16/2020 Still itchy not as severe as 12/15/2020. Still joint pain and achiness. Nausea was a 8/10. 12/17/2020 feel better. About 80% . Mild itchiness. 'letting it run its course' and haven't taken any other benadryl since 12/15/2020. Joint and nausea has subsided. Flu shot 09/2020 Second dose of Pfizer shot is scheduled for 01/05/2021
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903035-1	"Stayed for 15 minutes after the vaccine given and no reaction was noted and she left. States she got into her car about 20 minutes after the vaccine and started to ""itch"" all over and noted ""red bumps"" on the back of her neck. She had a flushed face by the time she arrived home but remained afebrile. Her itchiness is better but only concentrated on the back of her neck on 12/17/20 when she reported the reaction to Employee Health Services. She denied any further issues today."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903128-1	Throat swelling, raspy voice, tachycardia, itching, anxiety, rash
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903153-1	Immediately after the injection the tips of my finger began to go numb my hand started itching my throat started to go numb and itch and I got 25mg of Benedryl symptoms got worse so they had to give me in IV injection of benedryl which made the symptoms a litter better. I was released and when I got home I went to sleep. When I woke up my body felt like I had been run over by a big truck. I took my temp and it was 99.8. I laid back down and decided to sleep it off and woke up this morning not feeling any worse but not any better. My hands got red from the rash and is still a little red.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903175-1	sudden onset of rinorrhea 5 minutes after receiving vaccine. then itching near ears, 5 minutes later had diffuse itching a rash, was sent to ED. There was evaluated for mild shortness of breath and hives on wrists. Did NOT et epi but did get benedryl and steroids, discharge home
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903178-1	Two minutes after vaccination, she reported itching at the site. Upon assessment, red hives started to develop. Dr. came and assessed patient. Benadryl 50 mg. PO and 2 puffs Albuterol administered by Rapid Response Team RN. Tightness in chest, lightheaded, lungs clear throughout, itchiness in left arm. Resolved within 15 minutes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903187-1	Itching all over the body
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903210-1	Patient reported feeling fine for the first 15 minutes after the vaccination was given then reported itching of her face excluding her forehead. Patient was given 25mg IM diphenhydramine. Pulse ox was taken and read within normal limits. Within 5-10 minutes after the diphenhydramine was given patient reported itching involving her arms, facial flushing but no shortness of breath. An extra dose of 25mg IM diphenhydramine was given and an IM EpiPen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903225-1	about 15 minutes after shot, pt had itching. After another 15 minutes the itching resolved and patient left facility
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903264-1	Around 4:15PM, employee's arm felt very hot and extremely itchy. Light pink rash on left upper arm around injection site. No respiratory symptoms. She received diphenhydramine 25mg IM; 15 minutes later she stated her symptoms and rash were improved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903334-1	Immediately after administration felt a strange sensation on nostrils and mouth that dissipated after the initial 15 minutes. Then I started with mild itching in the next arm and neck. About 30 minutes after administration my eyelids became swollen. No shortness of breath or tachycardia. I received Benadryl and solumedrol at ER. Stay at the ED for about 2 hours and left home. After that I felt strange for a while and could not sleep at all. The next morning everything was fine except for mild left arm side of injection pain.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903374-1	Monitored 30 minutes in clinic, woke up at 930pm itchy hands/arms, then spread. No respiratory issues, but called to ED. Spread to thighs, and back of legs rash. 10:30 ED medicated with IV Solumedrol, Pepcid and Benadryl. Sent home with Prednisone, Pepcid and taper. Dr. spoke with this am and plan to pre-medicate prior to 2nd dose, but does approve. Monitor another 30 minutes . Rash resolved minimal on forearms.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903375-1	pruritis of upper extremities. Erythema of bilateral palms and dorsal wrists

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903384-1	Swelling, redness, warmth at the injection site starting approx 15 min after injection was given. Then severe itching starting in right arm, right side of head approx 25 min after injection. Then itching progressed through the entire body including toes Claritin 10mg taken approx approx 2 hours prior to inj Allegra 1 tab Diclofenac 50mg Tylenol 1000mg Pepcid 1 tab Solumrdrol 40mg IM All given at approx 8:30am Itching continued. Inj site reaction started to improve. At approx 9:20am Benadryl 50mg taken at 10:00am Benadryl and Pepcid repeated at 6pm due to return of itching Facial flushing and temp of 100.1 orally noted at 6am the next morning
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PRURITUS	903392-1	Rash - noted all over body - mostly trunk, neck, upper arms bilaterally - mostly macular with slight papular component. Significant itch.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PULSE ABNORMAL	902557-1	1750- IM injection of R Deltoid. She was sitting, and felt short of breath without wheeze or tightness in the chest or throat. She stood up, and then felt tunneling. Assisted to chair and floor. Pulse weak, skin flushed, sweating on torso. Face and Neck remained flushed and red. She refused epi at first. So we gave her benedryll 25 mg po with apple juice. She said she just had a big meal 30 min prior, but we checked her blood sugar- it was 85. 10 min after the first SOB feeling, it returned. BP was recorded as 160/100.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902621-1	Patient received shot around 1pm later that night he started to experience chills, hot/cold, nausea, headache, extreme fatigue, low grade temp (99.1) Associate vomited several times the early the next morning. By the next day, day patient was vomiting less and was able to keep food down. Patient is feeling better the second day, experiencing some nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902666-1	redness around the injection spot, fever chills, Stomach Ache, Body Ache, Short of breath (walking up stairs), Headaches no appetite, Dry heating .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902668-1	About 12 hours after the injection woke up and body was hurting all over, chills, body aches, felt feverish, temperature was 100.3F and really tired and hurting all over. Took Tylenol and returned to sleep. Woke up some hours later and took an Ibuprofen. rested for the rest of the day and now the only side effects is a little soreness on her injection mark. No other symptoms. Only the first 24 hours after the shot.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902748-1	Chills, Body Ache, Fever
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902750-1	The employee experienced headaches the evening after receiving the vaccine. The next morning he experienced improvements in the headaches but developed chills, fatigue, and fever, all of which have improved somewhat by the afternoon when he reported these adverse effects to our employee health service. As he is recently recovered from COVID, a repeat COVID test may not be helpful. He was advised to call our employee health service and followup with his own doctor if these symptoms do not improve or resolve after 3 days.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902759-1	Fever , chills, Body Ache all over body, Joint Pain (worse in hips) Injection site swollen The PT cannot life her arm
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902788-1	Received Pfizer Covid Vaccine - Had fever of 102 and flu like symptoms. Took Tylenol and temp resolved to 99.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902824-1	Headache, body aches, low grade fever (99.3 F)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902826-1	Severe muscle aches Diarrhea Headaches Feverish Nauseous Left arm super sore Sore throat
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902832-1	Within and hour and a half of receiving developed tinnitus in both ears lasting 6 hours. The night after receiving vaccine also developed orthostatic hypotension and started to pass out but caught myself with an assisted fall. Fever(102 F with temporal and oral thermometer) body aches/sweats/general malaise lasting close to 24 hours after receiving vaccine. Fever/aches treated with acetaminophen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902900-1	Day 0 of injection that evening , experienced fevers, chills, rigors, malaise. Day 1 morning experienced nausea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902933-1	Pfizer-BioNTech COVID-19 Vaccine EUA Fever, chills, severe body aches. Fever resolved with ibuprofen
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902983-1	Pfizer-BioNTech COVID-19 Vaccine EUA. Injection site pain, headache, tiredness, muscle pain, chills and fever. Took acetaminophen, no longer have fever after 12 hrs.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902990-1	fever, cough,chills,body aches, weakness, loss of smell

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	902998-1	Morning after injection: mild fatigue, arm soreness; later in the morning-headache then chills, muscle aches, joint pain and low grade fever (99) and nausea/loss of appetite. These persisted for approximately 12 hours then cleared completely.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903018-1	I woke up at 6:15am had a terrible headache, low fever 100.1. I took Tylenol for the headache and fever. Throughout the day exp muscle aches and joint pain. I also exp hot/cold flashes and fatigue. Around 6:00pm on 12/16 started to l feel better and was able to return to work on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903019-1	I took tylenol for fever and headache and rested, left side lymph nodes were swollen on 12/16/20 which was the worst day, and has gotten better today 12/17/2020. Did not go to the doctor.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903023-1	Fever (37.8 °C) and muscle pain.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903075-1	12/15/2020 I felt terrible with muscle aches, shivering, chills, fever was 102.8,I took tylenol and ibuprofen (alternated) 24 hours after initial fever I ceased meds and fever was still 101.5, this morning I was 98.6. The course of the fever was 36 hours total
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903079-1	Around 630pm I began to have a really bad had a bad headache, feverish and body aching. Tenderness in the injection site area which eventually turned into full body aches and was tired. No vomiting or nausea. No redness at the site or injection site issues
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903089-1	Headache , dizziness, neck pain, left flank pain, fever 100.2 , chills,fatigue and muscle aches.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903091-1	I noticed the injection site was sore, swollen and warm. As the day progressed headache, fatigue, joint, legs aching and feeling heavy tires. Also had a fever of 101.2.Around 9:30 pm on 12/16 started to feel better fever was down.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903092-1	12/15/2020My arm was really sore at first, and then my arm was worse the next day on 12/16/2020 as the morning went on my temperature felt like it was going up and down I felt body aches and felt really tired I had covid in June and it wasn't as bad as when I had it in June but it was still pretty bad, I also had a headache, I took tylenol and my fever broke but after a few hours my headache was worse and I started to take tylenol and ibuprofen. 12/17/2020 Under my left arm my lymph nodes are swollen but I feel much better and will go to work today 12/17/2020
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903115-1	Fever, severe body aches, severe chills, still have symptoms this morning although less severe.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903125-1	tachycardia, flushed,low grade fever
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903149-1	1215 pm on 12/16/2020: pfizer covid vac in left arm Poor nights sleep with left arm pain at injection site 500am on 12/17/2020: stood up to get ready and immediately started to dizzy. Then immediately threw up and had darker green diarrhea. Once that finished I had the sweats and felt cold with a subjective fever until around 9 am with continued nausea. Symptoms resolved 11:40 AM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903185-1	headache, red raised area at injection site, 100.6 fever, fatigue, muscle aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903188-1	12/15/2020 little bit of a headache at night and took an ibuprofen, intermittent nausea the next day, around 530 pm 12/16/2020 fatigue joint pain chills, I had a fever but I did not take my temp, nausea at 9pm I took ibuprofen and this morning 12/17/2020 I woke up fine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903191-1	Within about an hour headache and mild pain at the injection site, around 4:30/5PM all other symptoms hit: chills, fever, fatigue, runny nose and diarrhea, joint and muscle pain, very sweaty and clammy skin
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903195-1	Headache , fever 100.8, chills, Fatigue, body ache . Nausea
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903205-1	woke up at 3am with diarrhea and nausea . Woke at 6 am with fever of 101.7, joint pain, Headache and fatigue any myalgia
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903223-1	12/16 It's hard to know because I have a fever but I work on the COVID unit and there has been an outbreak, chills, fatigue, and the thought of moving to take a shower I feel in pain

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903230-1	I got the injection on left deltoid and went to sit doe town. seafood allergy started to get hot, flush nasal passage way got really dry and got headache, face and mouth tingling. The headache felt like a rubber band around my head and continued to get hot 20 mins. When I got up to walk out felt light headed. Then went to the clinic dint feel right couldn't focus, temp was 100. Also exp gi problems had loose stool. I took Tylenol and Motrin for headache/fever and also on 12/17. Had to leave work early on 12/16 and was able to return on 12/17.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903233-1	Fever 102, nausea, headaches, muscle pain, lightheaded, chills
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903252-1	Fever of Tmax 100.5, chills and headache 24 hours after receiving the covid vaccine
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903262-1	Joint Pain , tiredness, Body Ache . Injection site pain, fever
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903285-1	Headache, fever, malaise, body ache
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903328-1	Fever and chills that started approximately 24 hours after injection lasting for approximately 8 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903352-1	Fever with max of 101.9, headache, chills, heartburn, cough, fatigue.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903360-1	fever, fatigue, injection site slightly red and raised
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	PYREXIA	903402-1	My symptoms started with bodyaches and fatigue. Quickly followed by a fever that reached 102.4. Later that night I had congestion, cough and headache. Woke up the next mornign with moderate/sever bodyaches, chills, cough and headache. Moderate fatigue as well. Had to miss work.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	902648-1	diffuse rash at anterior and right lateral neck associated with feeling of warmth
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	902780-1	The patient got a rash on the upper chest and neck approximately 3 hours after vaccination. The rash was self limiting and no treatment currently needed.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	902827-1	I developed a new rash on my torso and have had three bouts of diarrhea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	902895-1	Systemic rash, dry cough (causing cough); 650mg Tylenol every 6; 50mg Benadryl to start then 25 mg every 6, Pepcid 20mg every 12 hours; rash is slowly resolving; throat still very dry with dry cough
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	902991-1	rash - treatment: acetaminophen and diphenhydramine
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	903035-1	"Stayed for 15 minutes after the vaccine given and no reaction was noted and she left. States she got into her car about 20 minutes after the vaccine and started to ""itch"" all over and noted ""red bumps"" on the back of her neck. She had a flushed face by the time she arrived home but remained afebrile. Her itchiness is better but only concentrated on the back of her neck on 12/17/20 when she reported the reaction to Employee Health Services. She denied any further issues today."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	903118-1	Patient came to workplace clinic 12/17 @ 1215 saying she had a reaction to the COVID vaccination. She stated she took ibuprofen in the morning for the headache, however, rash was still present. N/V on 12/16 at night. Patient reported no throat swelling or SOB. Rash on injection site (left) arm and chest. Patient received Benadryl 50 mg po x 1 dose and Tylenol 500 mg po x 1 dose. After Benadryl and Tylenol, patient felt better and was able to go back to work. recommended to go home and rest.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	903128-1	Throat swelling, raspy voice, tachycardia, itching, anxiety, rash
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	903134-1	At 24 minutes after vaccination, pt experienced chest tightness, shortness of breath, cough, flushing, and rash on chest and neck.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	903155-1	At 11:15am, patient received first dose of SARS-CoV-2 vaccine. At 12:00pm, patient began to develop a rash and had mild edema noted in the uvula. She did not have difficulty breathing/swallowing/speaking. She was given prednisone 50mg x 1 and diphenhydramine 50mg x 1 in the ED.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	903197-1	Swollen tongue, scratchy throat, rash, tachycardia, and raspy voice
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	903211-1	Facial swelling, slurred speech, taste in mouth (medicine like), heart palpitations, rash to chest and face.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	903289-1	Warm flushing feeling within about 10-15 seconds of injection, as well as metallic taste in mouth. Repeated on an off for the next hour. Taken to ED of hospital. Noted right arm mild rash distal to injection site and on chest, mild to moderate nausea.. IV Bendadryl 50mg given, IV Solumedrol 125mg, IV Pepcid, IV Zofran. Discharged home with PO prednisone x 4 days. PO Pepcid and Benadryl PRN
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	903327-1	Patient reported that she started to feel unwell immediately after the vaccine with some nausea. She presented to the Emergency Department where she was treated by myself approximately 17 hours vaccine administration. She was having vomiting, diarrhea, diffuse rash, and throat discomfort. She was successfully treated for anaphylaxis and was able to discharge to home.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	903374-1	Monitored 30 minutes in clinic, woke up at 930pm itchy hands/arms, then spread. No respiratory issues, but called to ED. Spread to thighs, and back of legs rash. 10:30 ED medicated with IV Solumedrol, Pepcid and Benadryl. Sent home with Prednisone, Pepcid and taper. Dr. spoke with this am and plan to pre-medicate prior to 2nd dose, but does approve. Monitor another 30 minutes . Rash resolved minimal on forearms.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH	903392-1	Rash - noted all over body - mostly trunk, neck, upper arms bilaterally - mostly macular with slight papular component. Significant itch.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH ERYTHEMATOUS	903035-1	"Stayed for 15 minutes after the vaccine given and no reaction was noted and she left. States she got into her car about 20 minutes after the vaccine and started to ""itch"" all over and noted ""red bumps"" on the back of her neck. She had a flushed face by the time she arrived home but remained afebrile. Her itchiness is better but only concentrated on the back of her neck on 12/17/20 when she reported the reaction to Employee Health Services. She denied any further issues today."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH MACULO-PAPULAR	902770-1	Patient started to develop maculopapular rash and itching starting ~15 minutes after the vaccine administration. The patient did not report shortness of breath or other respiratory symptoms. The patient was given IV diphenhydramine 50 mg, famotidine 20 mg IV, and methylprednisolone 125 mg IV. The patient's symptoms resolved and was sent home with a Medrol dose pack and antihistamine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH MACULO-PAPULAR	903392-1	Rash - noted all over body - mostly trunk, neck, upper arms bilaterally - mostly macular with slight papular component. Significant itch.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH PRURITIC	903175-1	sudden onset of rinorrhea 5 minutes after receiving vaccine. then itching near ears, 5 minutes later had diffuse itching a rash, was sent to ED. There was evaluated for mild shortness of breath and hives on wrists. Did NOT et epi but did get benedryl and steroids, discharge home
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RASH PUSTULAR	902948-1	Papular, pustular rash on back occurring approximately 6-10 hours after injection of vaccine.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RESPIRATORY RATE INCREASED	903016-1	Approximately 11 minutes after receiving the vaccine, the patient complained of shortness of breath, tingling in arms and hands, numbness and tingling in legs and feet, and was observably shaking, with no complaints of swelling in throat or other signs of anaphylaxis. Patient was brought to ER in same facility via stretcher and was examined by staff there. ER report states the patient presented with shortness of breath and what appeared to be a panic attack, with fast breathing, slight flushing, and shaking. Per ER report, the patient was treated for an acute anaphylactic reaction, with clear lungs and given an EpiPen shot in the right thigh. IV was initiated and given a fluid bolus, solu medrol, famotidine, and lorazepam. Labs and a chest x-ray done and reviewed. After treatment, patient found to be stable and was discharged home at 4:42 pm with orders for famotidine, albuterol inhaler, and epinephrine pen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RESPIRATORY TRACT CONGESTION	903402-1	My symptoms started with bodyaches and fatigue. Quickly followed by a fever that reached 102.4. Later that night I had congestion, cough and headache. Woke up the next mornign with moderate/sever bodyaches, chills, cough and headache. Moderate fatigue as well. Had to miss work.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RESPIRATORY TRACT IRRITATION	902793-1	My symptoms started about 15 minutes after shot. Initially I felt slight dizziness begin in my head. Then I felt slight uncomfortable feeling in my lungs, throat, and tongue. They were very slight so I left the vaccine center about 25 minutes after injection. On drive home my lips started to feel numb as well as my tongue & throat. Arriving home very tired. BP 135/ 80 P70 R20 T97.6 Blood sugar 101. Slept for about 4 hours. Called in sick for 7PM shift. Too weak & tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RETCHING	902666-1	redness around the injection spot, fever chills, Stomach Ache, Body Ache, Short of breath (walking up stairs), Headaches no appetite, Dry heating .
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RHINORRHOEA	903175-1	sudden onset of rinorrhea 5 minutes after receiving vaccine. then itching near ears, 5 minutes later had diffuse itching a rash, was sent to ED. There was evaluated for mild shortness of breath and hives on wrists. Did NOT et epi but did get benedryl and steroids, discharge home
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	RHINORRHOEA	903191-1	Within about an hour headache and mild pain at the injection site, around 4:30/5PM all other symptoms hit: chills, fever, fatigue, runny nose and diarrhea, joint and muscle pain, very sweaty and clammy skin

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	ROSACEA	903024-1	Headache, right retroocular pain, exacerbation of rosacea Tx. acetaminophen Duration: 3 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SARS-COV-2 TEST	902990-1	fever, cough,chills,body aches, weakness, loss of smell
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SARS-COV-2 TEST	903207-1	I had headache, muscle fatigue, nausea, stomach pain, severe joint pain in the shoulder where I received the injection. I got Covid tested yesterday afternoon to be safe and I'm waiting on the results.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SARS-COV-2 TEST NEGATIVE	903075-1	12/15/2020 I felt terrible with muscle aches, shivering, chills, fever was 102.8,I took tylenol and ibuprofen (alternated) 24 hours after initial fever I ceased meds and fever was still 101.5, this morning I was 98.6. The course of the fever was 36 hours total
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SARS-COV-2 TEST NEGATIVE	903261-1	I received the vaccination on 12/14 no problems 3-4 later sore arm. After went home next day on 12/15 had a sore arm went to work as normal. At work left early felt tired went to bed early around 8pm. The next day on 12/16 overslept important morning meeting reported to V-safe was feeling tired, mild headache and had severe fatigue. On 12/17 felt much better not as tired returned to normal and no headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SEIZURE LIKE PHENOMENA	902811-1	Associate received vaccine at 12:15 pm and was monitored for 15 minutes. After 15 minutes, associate went to check out table. While at check out table, associate fell to ground and was experiencing seizure like activity. Supportive treatment was administered and associate was transferred to ED.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SENSATION OF FOREIGN BODY	903142-1	Pt showed for Covid Vasc #1, received the immunization in left deltoid. minutes later, felt numbness, in arm, the a lump in the throat. Denied SOB, or Dyspnea. Patient the stated weakness in the legs. Assisted to the restroom, x 1. no difficulty. after 30 minutes and no relief from symptoms, patient was wheelchair over to urgent care, and treated there. Patient was able to leave urgent care on her own, with no problems Patient transferred to urgent care for evaluation. Left from urgent care on her own
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SENSATION OF FOREIGN BODY	903281-1	Palpitations, shortness of breath, lump in throat
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SENSORY DISTURBANCE	902465-1	Pt felt wave come over body @ 1218 starting in head and going down. Bad taste in mouth, tingling in body , legs, back , across stomach, BP 150/100 P 120@ 1219, EMS activated. BP 120/80, P 80 Pt alert and oriented, Pt declined transport and Benadryl. Symptoms come and go, pt feels better but then bad taste in mouth starts, shaking of hands, tingling starts again in stomach and back. @ 1300 pt requests Benadryl, 25 mg administered. Pt notified family by phone of circumstances and family in transit.@1324 BP 120/80, P 84, tongue tingling and pt reports smelling chemical smell. @1345 Pt complained of mouth itching, EMS activated and will transport to Medical Center. Pt oriented and transported at @13
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SENSORY DISTURBANCE	902791-1	" :1039: Responded to notification of potential adverse reaction after receiving COVID-19 vaccination. Pt had been escorted from observation area to emergency area with PA with c/o tightness in throat. On my arrival, pt was eupneic, p/w/d, ambulatory, NAD. á Vitals @ 1039: P72, 100% pulse ox on RA Vitals @ 1056: P72, 98% pulse ox on RA, 112/78 seated. á Administered 25mg diphenhydramine po per PA @ 1050, pt swallowed with water. á Called 911 for EMS response @ 1103 per instruction from provider. á Vitals @ 1103: 98% pulse ox on RA, P74, denies shortness of breath or pain. á Off phone with EMS @ 1108, en route. á EMS on site @ 1115, report given to medic. á Pt left with EMS en route to ED @ 1116. á Report called to ED Charge Nurse @ 1121. Patient presented to vaccination clinic. Patient received her vaccination at approximately 1021. Patient reports symptoms onset at approximately 1038 with tightness of the throat and difficulty swallowing. She described it as a swelling of the throat sensation. She states she had a sensation moving from her head to her toes as in a ""wave"". Patient denied shortness of breath, chest pain denies nausea. Patient denies hives or rashes or pruritis. á á Patient was assessed and moved to the emergency area. á Her symptoms continued with some improvement. At this point time 25 mg of Benadryl was administered orally. Approximately 10 to 15 minutes after administration the patient developed numbness tingling around the upper lip, the right upper extremity. She denied shortness of breath or chest pain. She denied increasing severity of the throat sensations. á Pertinent past medical history: Reactions bee stings currently carries EpiPen. á She is not had any previous reactions to vaccinations. á á Allergic reaction. á The patient symptoms seem to continue with the numbness tingling around the lips after administration of the Benadryl. Hand tingling of the right upper extremity also continued although it was decreasing. á Her symptoms of the tightness of the throat remain the same. She did not develop shortness or breath or chest tightness or pain. á At this time I feel be prudent to evacuate the patient to higher level care. á Patient was evacuated at 11:16 by ambulance service. á á á"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SINUS TACHYCARDIA	903256-1	After vaccination in the medical office building adjacent to the hospital, the hospital employee felt palpitations (within 30 minutes of shot). Employee went to the ED at the hospital and was evaluated by medical personnel. Employee was SOB but did not have difficulty breathing. No other untoward reactions were observed. All other ROS was unremarkable. Sinus tachycardia of 140bpm observed in the ED, repeated ECG was sinus tachycardia of 119bpm, no other abnormalities. IVF, 50mg IV diphenhydramine, 40mg IV famotidine, and 125mg IV methylprednisolone given. Symptoms of palpitations and SOB resolved. Discharged with instruction to return to the ED if any symptoms returned.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SKIN DISCOLOURATION	903271-1	About 20 minutes after the injection, the arm i received the injection in became very cold, changed color like I was not perfusion to the limb. This was gone in about two hours. Woke up eye lid continually twitching.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SKIN WARM	902505-1	Patient felt facial flushing, pounding in chest, burning and hot ears and blood pressure went up. Tingly in right arm and chest and hands. Symptoms resolved, after a few minutes but then returned. Patient sat with nurse during this reaction.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SKIN WARM	903040-1	arm felt hot to the touch, felt arm heavy very difficult to move the arm, felt feverish, took temperature but no fever, but hot to the touch, lots of chills, nausea, body aches. Took some tylenol and at night it started getting a little better. This morning the injection site is red and is sore but I can move my arm again.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SKIN WARM	903264-1	Around 4:15PM, employee's arm felt very hot and extremely itchy. Light pink rash on left upper arm around injection site. No respiratory symptoms. She received diphenhydramine 25mg IM; 15 minutes later she stated her symptoms and rash were improved.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SKIN WARM	903387-1	Ear pressure followed by bilateral under arm soreness. Later in the day both arms warm to touch and felt swollen. Face flushed and overall body aches and inability to stay awake. 600mg ibuprofen and rest. Felt myself in morning except as expected left arm pain at injection site and a little left arm tiredness or weakness.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SLEEP DISORDER	903253-1	Left arm pain. Painful enough it awoke from sleep when I would roll on it. It is tender to touch. However no limit to range of motion or use
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SLOW RESPONSE TO STIMULI	903010-1	After receiving vaccine patient started complain of vision disturbance, confusion, nurses started he was slow to respond. Nurses also documented that he was acting the same way the day before due to UTI. No SOB . no signs of allergic reaction
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SOMNOLENCE	902720-1	NORMAL ARM PAIN HOWEVER THE FOLLOWING WAS FELT REAL TIRED BARELY ABLE TO STAY AWAKE
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SOMNOLENCE	902757-1	I got it about 10 am I went home I attempted to work from home for about an hour and had a headache, took a 3 hour nap and felt much better after waking up, I felt like I couldn't concentrate. I felt fine this morning 12/16/2020 and I went to work just fine. I don't have a headache and don't feel like I need a nap, my arm still hurts but that is usual. I called my provider and asked if I could take Tylenol, but they were unsure so I did not take medication
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SOMNOLENCE	903081-1	Muscle ache, fatigue, drowsiness, brief confusion, bilateral headache, onset 11 AM, duration 2-3 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SOMNOLENCE	903261-1	I received the vaccination on 12/14 no problems 3-4 later sore arm. After went home next day on 12/15 had a sore arm went to work as normal. At work left early felt tired went to bed early around 8pm. The next day on 12/16 overslept important morning meeting reported to V-safe was feeling tired, mild headache and had severe fatigue. On 12/17 felt much better not as tired returned to normal and no headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SPINAL PAIN	903238-1	I work night shift so when I got home 12h after my injection and at approximately 11:00 (am) my back hurt but not terribly. When I woke after sleeping today at 4:00 (pm) I experienced joint pain in my bilateral elbows, bilateral shoulders, neck, lumbar spine & bilateral knees. It's mild pain and I will not be going in for an MD appt. It does hurt a little more if I bump into something.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	STREPTOCOCCUS TEST	902990-1	fever, cough,chills,body aches, weakness, loss of smell
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWELLING	903170-1	I had pain at the injection site, swollen, body aches, and headache. It eventually just went away on its own. Did not take anything for it. Arm feels better after using it. Now I am just tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWELLING	903380-1	hives all over body. with swelling.. Red eyes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWELLING	903387-1	Ear pressure followed by bilateral under arm soreness. Later in the day both arms warm to touch and felt swollen. Face flushed and overall body aches and inability to stay awake. 600mg ibuprofen and rest. Felt myself in morning except as expected left arm pain at injection site and a little left arm tiredness or weakness.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWELLING FACE	902597-1	Right sided facial/lip swelling. Started about 0200 on 12/16/20. Patient sometimes gets angioedema, so unsure if this is related but wanted to report
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWELLING FACE	902894-1	"Allergic reaction with facial swelling, eye tearing, ""itchy"" throat"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWELLING FACE	903211-1	Facial swelling, slurred speech, taste in mouth (medicine like), heart palpitations, rash to chest and face.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWELLING FACE	903243-1	Patient developed hives, facial swelling, throat swelling/itching, and nausea approximately 13min after vaccination while in observation. Patient immediately taken to Emergency Department where epinephrine was given IM in the left thigh followed by 125mg IV solumedrol, 50mg IV benadryl, 1000mL NS, and 20mg IV famotidine. Hemodynamically stable throughout ED course.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWELLING FACE	903325-1	I received 1st dose of the vaccine at 4:30pm on the 15th, felt well and at my baseline. The morning of the 16th (~1030), I woke up with my face and cheeks swollen and mildly red. I then took 50mg Benadryl and 10mg zyrtec, and iced my face (1 zyrtec in the morning, another at night). I began to see improvement in my swelling. The morning of the 17th I took another 50mg of Benadryl and my face is back to it's baseline.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWELLING OF EYELID	903334-1	Immediately after administration felt a strange sensation on nostrils and mouth that dissipated after the initial 15 minutes. Then I started with mild itching in the next arm and neck. About 30 minutes after administration my eyelids became swollen. No shortness of breath or tachycardia. I received Benadryl and solumedrol at ER. Stay at the ED for about 2 hours and left home. After that I felt strange for a while and could not sleep at all. The next morning everything was fine except for mild left arm side of injection pain.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWOLLEN TONGUE	902794-1	""Pfizer-BioNTech COVID-19 Vaccine EUA"": Acute onset of tongue swelling, throat tightness, and diffuse erythema approximately 5 minutes after receiving COVID-19 vaccine. Patient transferred to emergency department. Patient treated with Epinephrine 0.3 mg IM X1 dose, Dexamethasone 10 mg IV x1 dose, Diphenhydramine 25 mg IV x1 dose. Patient discharged same day with resolution of symptoms."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWOLLEN TONGUE	903162-1	Allergic reaction to vaccine +1 more Dx Referred by MD Reason for Visit Progress Notes PA-C (Physician Assistant) ? ? Physician Assistant Cosign Needed á Patient was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. á She was given the Pfizer-Biontech (lot: EH9899) vaccination in the left deltoid muscle. á During her 15 minute waiting period after the injection, the patient began to experience oral tingling (upper lip and then into the lower lip) It then progressed to the tongue and she reported tingling to the tip of the tongue and further back to the middle of tongue. She thought there might be some mild swelling to the tip of the tongue. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling and lip swelling. á This Staff member was notified of patient reaction and she was then assessed in the emergency bay area. á PMH: Hx hypertension but did not take her medication today. Patient had recovered from the COVID-19 virus about 2 weeks ago. á Vitals Time 1130 BP 170/90 HR 86 s/r RR 14 nl O2 97 % á Physical Exam Constitutional: She is oriented to person, place, and time. She appears well-developed and well-nourished. No distress. HENT: Head: Normocephalic and atraumatic. Right Ear: Hearing and external ear normal. Left Ear: Hearing and external ear normal. Eyes: Conjunctivae are normal. Right eye exhibits no discharge. Left eye exhibits no discharge. No scleral icterus. Neck: Normal range of motion. Cardiovascular: Normal rate, regular rhythm and normal heart sounds. Pulmonary/Chest: Effort normal and breath sounds normal. No stridor. No respiratory distress. She has no wheezes. She has no rales. Musculoskeletal: Normal range of motion. Neurological: She is alert and oriented to person, place, and time. No sensory deficit. Gait normal. Skin: Skin is warm and dry. She is not diaphoretic. Psychiatric: She has a normal mood and affect. Her behavior is normal. Judgment and thought content normal. Cognition and memory are normal. Vitals reviewed. á á Treatment included antihistamines. Patient was given 50 mg of benadryl at 1138. á Vitals Time 1147 BP 160/100 HR 90 S/R RR 14 nl O2 98% á Response to care: Patient states the upper lip resolved but the lower lip and tongue sensations remained but did not worsen. Patient was recommended to go to the hospital given her sudden response with concern of tongue swelling. Patient did agree to this. COVID staff was made aware that the patient would be leaving her SUV in the parking lot. á Patient was transfer by Response team to the hospital at 11:53 AM. á á
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWOLLEN TONGUE	903192-1	Paresthesias of lateral tongue and throat, subjective swelling of tongue and throat, subjective shortness of breath
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SWOLLEN TONGUE	903197-1	Swollen tongue, scratchy throat, rash, tachycardia, and raspy voice
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SYNCOPE	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil themselves and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SYNCOPE	903047-1	Employee states that there was confusion at the time of vaccine injection, and that she was possibly given a second injection right after the first. approximately 45 minutes later she experienced headache and dizziness and had an observed syncopal episode. She was taken to the ER, evaluated for MI. Was found to be stable and was discharged.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SYNCOPE	903338-1	5-10 minutes after vaccination, vasovagal syncope: pallor, diaphoresis, dizziness, tunnel vision, nausea, weakness, tingling in arms/legs, BP 103/69
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SYRINGE ISSUE	902795-1	"When injecting the vaccine fluid, the vaccine administrator noted about 4 drops of liquid that leaked from the area of the syringe tip / needle hub connection. This particular dose was administered by a pharmacist who has experience administering vaccines. In speaking with a few other nurses who administered COVID-19 Pfizer vaccinations at the same clinic (this was the first clinic day), the consensus was that they all did not like the syringes/needles provided by Pfizer. It was a shared opinion that they felt ""cheap"" and ""flimsy"". Going forward, our site is not going to use the Pfizer supplied syringes/needles but will be using our own syringes and needles for vaccine administration."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	SYRINGE ISSUE	903017-1	The nurse was tapping the syringe to get all the air out and the needle popped out of the vaccine vial and stuck to the sticker that was on the vial. 0.3ml of the vaccine was discarded with the syringe into the sharps box.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TACHYCARDIA	902902-1	"Patient presented with feeling of ""headrush"" dizziness, tachycardia to 130's, itching to neck, visible hives to face and neck."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TACHYCARDIA	903125-1	tachycardia, flushed, low grade fever
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TACHYCARDIA	903128-1	Throat swelling, raspy voice, tachycardia, itching, anxiety, rash

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TACHYCARDIA	903130-1	Shortly Administration of vaccine I experienced a metallic taste. approximately 40 minutes after administration of vaccine I experienced difficulty swallowing, dyspnea, tachycardia and numbness in tingling in bilateral hands. I am a healthcare provider and I received the vaccine at my place of employment. I was taken to the emergency department for monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TACHYCARDIA	903133-1	"1204 Patient became flushed and started saying she was having a difficult time ""catching her breath"". She then became tachycardic (upper 90's- low 100's). 1205 Benadryl given (25mg). Physician called down to clinic. Vital signs obtained and showed increased BP (145/90) and pulse. 1214 Patient verbalized she was feeling a little better. Monitoring continued until 1245, vital signs were improving and patient no longer had symptoms. She was released at 1252 but encouraged to seek medical attention if she developed new symptoms or had symptoms reoccur."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TACHYCARDIA	903197-1	Swollen tongue, scratchy throat, rash, tachycardia, and raspy voice
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TACHYCARDIA	903221-1	Patient with tachycardia and elevated BP about 20 min following vaccination; O2 sat okay; sat down for 15 min and symptoms resolved without treatment
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TACHYCARDIA	903229-1	Patient reports it started as a tingling, pain and burning in the elbow and travelled up the shoulder and up the chest and to the heart. Pain felt like a cardio thump . Grabbed the epi. Sitting forward. Talked Dr. Doctor stated to sit back and uncross legs. Initiated slow breathing. Pain subsided to a tolerable amount. Not short of breath but tachycardic. Still dizzy. Stayed an hour sitting position, after injection. Felt there was an irritating sensation around the heart. Left and walked back to clinic. 10 minutes after arriving to the clinic, dizziness, flushing , came back and irritation around the heart was still noticed but tolerable. 2 minutes after, voice started cracking and drank some water. Intensity of dizziness increased and overall symptoms also intensified. Returned to COVID immunization clinic 15 minutes later. Patient was moved to direct observation in a chair. Given oral benadryl. Instructed to stay and would evaluate if new interventions would be deemed necessary. Benadryl helped. Symptoms were relieved in 15 mins. Patient has been in the clinic under direct observation for about 3.5 hours.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TACHYCARDIA	903248-1	Approximately 5 minutes after receiving vaccine I noted an intense flushing and burning sensation from my waist up followed by tachycardia with heart rate in 150s elevated BP 150/100. These symptoms subsided after approximately 10 minutes but were then followed by a ?cloudy? feeling in my head as well as tingling in bilateral hands that lasted the rest of the day but had resolved by the next morning. The next morning I felt very well until 2 pm when I had a short period (approximately 2 minutes) of elevated heart rate (120s) that then resolved.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TACHYCARDIA	903263-1	5 minutes after I received the injection, I experienced a mild headache and metallic taste in my mouth, with very slight dizziness for a couple seconds. I reported the mild headache and taste disturbance to the RN in the Covid vaccine room before I left for her information. I stayed 15 minutes , then walked to my car. I sat in my car, then began to feel cold, dizzy, and my heart began to race. I walked back to the Neurology clinic where I work as an NP, and sat in the Neurologist's office, who observed me to be pale and sweating. I continued to feel dizzy with tachycardia for about 7 minutes until this resolved. The only symptom remaining after this was a headache and metallic taste.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TACHYCARDIA	903321-1	tachycardia, HR up to 130s 1 hour after vaccination. Tachycardia while sitting down. Lightheadedness. Tachycardia improved but still100-118 while at rest for hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TACHYCARDIA	903358-1	She became diaphoretic, her throat felt dry and as if it was beginning to close. Rapid response was called and she was transported to the ER. She was tachycardic, experienced chest tightness, and shortness of breath.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TASTE DISORDER	903211-1	Facial swelling, slurred speech, taste in mouth (medicine like), heart palpitations, rash to chest and face.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TASTE DISORDER	903263-1	5 minutes after I received the injection, I experienced a mild headache and metallic taste in my mouth, with very slight dizziness for a couple seconds. I reported the mild headache and taste disturbance to the RN in the Covid vaccine room before I left for her information. I stayed 15 minutes , then walked to my car. I sat in my car, then began to feel cold, dizzy, and my heart began to race. I walked back to the Neurology clinic where I work as an NP, and sat in the Neurologist's office, who observed me to be pale and sweating. I continued to feel dizzy with tachycardia for about 7 minutes until this resolved. The only symptom remaining after this was a headache and metallic taste.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TEARFULNESS	902837-1	Patient feeling very anxious before and after vaccination. Described having difficulty swallowing water shortly (~15 min) post vaccination. Patient was tearful but breathing normally. Walked under her own power from the pharmacy down to the Emergency Room for anxiety over anaphylaxis. Given dose of Vistaril in ER.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TENDERNESS	902930-1	left arm soreness/pain tender to touch/palpation
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TENDERNESS	903253-1	Left arm pain. Painful enough it awoke from sleep when I would roll on it. It is tender to touch. However no limit to range of motion or use
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THIRST	903541-1	Symptoms began 30 min after vaccinated was tired then HAd fatigue. Took Tylenol/Advil. Fatigue persists > 24 hours Sore @ vaccine site. No induration . nl appetite. Increased fluid intake. takes Allegra + Flonase regularly. Recent sinus surgery in Oct.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT IRRITATION	902894-1	"Allergic reaction with facial swelling, eye tearing, ""itchy"" throat"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT IRRITATION	902931-1	"After receiving the injection the patient stated ""my throat feels funny, similar to how it has felt in the past when I have had a reaction."" Pt. transferred from the vaccine clinic location to ED."

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT IRRITATION	902938-1	0749 - tingling in body, scratchy throat for 10 minutes, flushing
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT IRRITATION	902941-1	throat dryness and scratchiness, numbness. hoarse coughing
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT IRRITATION	903153-1	Immediately after the injection the tips of my finger began to go numb my hand started itching my throat started to go numb and itch and I got 25mg of Benedryl symptoms got worse so they had to give me in IV injection of benedryl which made the symptoms a litter better. I was released and when I got home I went to sleep. When I woke up my body felt like I had been run over by a big truck. I took my temp and it was 99.8. I laid back down and decided to sleep it off and woke up this morning not feeling any worse but not any better. My hands got red from the rash and is still a little red.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT IRRITATION	903197-1	Swollen tongue, scratchy throat, rash, tachycardia, and raspy voice
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT IRRITATION	903213-1	Joint Ache , Dizzy, tickly throat, Tiredness,
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT IRRITATION	903243-1	Patient developed hives, facial swelling, throat swelling/itching, and nausea approximately 13min after vaccination while in observation. Patient immediately taken to Emergency Department where epinephrine was given IM in the left thigh followed by 125mg IV solumedrol, 50mg IV benadryl, 1000mL NS, and 20mg IV famotidine. Hemodynamically stable throughout ED course.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT IRRITATION	903282-1	Racing heart, itching throat. Heart racing resolved in 45 minutes, Itching throat never worsened and resolved after taking Benadryl and sleeping. Woke up 12/17 feeling fine, but also has a golf ball size knot and redness at injection site.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT IRRITATION	903382-1	About 5-10 minutes the vaccine I began to get tingling and a itchiness in the back of my throat , notified personnel and vitals were checked and stable. The tingling and numbing sensation went away and came back and benedryl was given. The symptoms came in waves of about ever 2-3 minutes so I was transported to ER and somumedrol was given was monitor for 1-1.5 hrs and the numbness and tingling sensation continued for about an 1-2 hours and finally subsided and was released to go home
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT TIGHTNESS	902508-1	She claims she experienced tightness in the right side of throat and her tongue started tingling. Took her the Emergency Department, She decided to go and buy Benadryl
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT TIGHTNESS	902791-1	":1039: Responded to notification of potential adverse reaction after receiving COVID-19 vaccination. Pt had been escorted from observation area to emergency area with PA with c/o tightness in throat. On my arrival, pt was eupneic, p/w/d, ambulatory, NAD. á Vitals @ 1039: P72, 100% pulse ox on RA Vitals @ 1056: P72, 98% pulse ox on RA, 112/78 seated. á Administered 25mg diphenhydramine po per PA @ 1050, pt swallowed with water. á Called 911 for EMS response @ 1103 per instruction from provider. á Vitals @ 1103: 98% pulse ox on RA, P74, denies shortness of breath or pain. á Off phone with EMS @ 1108, en route. á EMS on site @ 1115, report given to medic. á Pt left with EMS en route to ED @ 1116. á Report called to ED Charge Nurse @ 1121. Patient presented to vaccination clinic. Patient received her vaccination at approximately 1021. Patient reports symptoms onset at approximately 1038 with tightness of the throat and difficulty swallowing. She described it as a swelling of the throat sensation. She states she had a sensation moving from her head to her toes as in a ""wave"". Patient denied shortness of breath, chest pain denies nausea. Patient denies hives or rashes or pruritis. á á Patient was assessed and moved to the emergency area. á Her symptoms continued with some improvement. At this point time 25 mg of Benadryl was administered orally. Approximately 10 to 15 minutes after administration the patient developed numbness tingling around the upper lip, the right upper extremity. She denied shortness of breath or chest pain. She denied increasing severity of the throat sensations. á Pertinent past medical history: Reactions bee stings currently carries EpiPen. á She is not had any previous reactions to vaccinations. á á Allergic reaction. á The patient symptoms seem to continue with the numbness tingling around the lips after administration of the Benadryl. Hand tingling of the right upper extremity also continued although it was decreasing. á Her symptoms of the tightness of the throat remain the same. She did not develop shortness or breath or chest tightness or pain. á At this time I feel be prudent to evacuate the patient to higher level care. á Patient was evacuated at 11:16 by ambulance service. á á á"
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT TIGHTNESS	902794-1	""Pfizer-BioNTech COVID-19 Vaccine EUA"": Acute onset of tongue swelling, throat tightness, and diffuse erythema approximately 5 minutes after receiving COVID-19 vaccine. Patient transferred to emergency department. Patient treated with Epinephrine 0.3 mg IM X1 dose, Dexamethasone 10 mg IV x1 dose, Diphenhydramine 25 mg IV x1 dose. Patient discharged same day with resolution of symptoms."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT TIGHTNESS	902818-1	Patient was in observation area after admistration of covid vaccine. At 15 Minute mark patient stated throat felt tight and like it was closing up. Assesment of patient showed tongue PWD, vital signs as follows. 97.6, 118/72, 66 pulse and 100% pulse oxygenation. Observed patient for 15 minutes more, gave patient water and monitored for full 30 minutes. Breathing normal at this time. States feeling better. Discharged and advised to monitor throughout night and if worse go to emergency room. Patient agreed and stated understanding.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT TIGHTNESS	902919-1	Patient left the vaccine clinic after waiting 15 minutes. While driving home, she began to feel clammy with a tightness in her chest and throat. She reports that it felt harder for her to breathe. She describes the onset as 20-30 minutes after vaccine was administered. She returned to the vaccine clinic where she was given diphenhydramine 25 mg PO, and her blood pressure was ~130/100 mmHg. She reports that she is usually normotensive. Patient was observed for 30-45 minutes, and she reports feeling better.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT TIGHTNESS	903199-1	2 1/2 hours after the shot, I felt pressure building in my head, my eyes felt bulging, my throat felt tight, and I started having an asthma attack
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT TIGHTNESS	903255-1	Within 10min patient first experienced feeling hot and tightening of throat. Patient visibly sweating on forehead. Patient expressed feeling extremely flushed. No meds given per patient request. 30 min post-vaccination, patient now feeling very cold, throat feels better but still a little tight, and a little dizzy. No nausea.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	THROAT TIGHTNESS	903358-1	She became diaphoretic, her throat felt dry and as if it was beginning to close. Rapid response was called and she was transported to the ER. She was tachycardic, experienced chest tightness, and shortness of breath.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TINNITUS	902832-1	Within an hour and a half of receiving developed tinnitus in both ears lasting 6 hours. The night after receiving vaccine also developed orthostatic hypotension and started to pass out but caught myself with an assisted fall. Fever(102 F with temporal and oral thermometer) body aches/sweats/general malaise lasting close to 24 hours after receiving vaccine. Fever/aches treated with acetaminophen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TINNITUS	903094-1	40 min after shot experienced dizziness, feeling like was going to pass out, not coherent, BP high, fast heart rate, light headed. Got chills, freezing cold, shivering, and later in the day my ears were ringing. Extremely fatigued.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TINNITUS	903274-1	numbness to right ear and in front of ear. Also right ear feels plugged/underwater sound, Very sore left arm injection site.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TINNITUS	903344-1	severe, acute hearing loss and tinnitus in R ear.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TONGUE DISCOMFORT	902793-1	My symptoms started about 15 minutes after shot. Initially I felt slight dizziness begin in my head. Then I felt slight uncomfortable feeling in my lungs, throat, and tongue. They were very slight so I left the vaccine center about 25 minutes after injection. On drive home my lips started to feel numb as well as my tongue & throat. Arriving home very tired. BP 135/ 80 P70 R20 T97.6 Blood sugar 101. Slept for about 4 hours. Called in sick for 7PM shift. Too weak & tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TONIC CLONIC MOVEMENTS	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil themselves and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TREMOR	902465-1	Pt felt wave come over body @ 1218 starting in head and going down. Bad taste in mouth, tingling in body , legs, back , across stomach, BP 150/100 P 120@ 1219, EMS activated. BP 120/80, P 80 Pt alert and oriented, Pt declined transport and Benadryl. Symptoms come and go, pt feels better but then bad taste in mouth starts, shaking of hands, tingling starts again in stomach and back. @ 1300 pt requests Benadryl, 25 mg administered. Pt notified family by phone of circumstances and family in transit.@1324 BP 120/80, P 84, tongue tingling and pt reports smelling chemical smell. @1345 Pt complained of mouth itching, EMS activated and will transport to Medical Center. Pt oriented and transported at @13
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TREMOR	902768-1	Nausea, tremors, and decrease in HR. Patient taken to ED. No epinephrine injection administered.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TREMOR	902836-1	Patient received covid-19 vaccine. 20+ minutes later patient states she began feeling flushed and nauseous. Patient states she look at her injection site, and it was hot and red. Local reaction approx. 2 inches x 2 inches. Dr. ordered 25 mg oral Benadryl. Vitals stable at 1840 133/88, 66 for pulse and regular, SPO2 99% on room air, respirations 20. Patient continued having complaints of light headedness and nausea. 1850 119/79, 74, 99% RA. Dr. states patient may depart from clinic if able to sit up and walk out, patient given instructions go to ED in symptoms progress. 1857 120/82, 70, 99.4. Patient's face becomes flushed and hot on left side, patient states she is shaky, and does not feel well at all. 1905 patient transferred to ED on 2L O2 for further evaluation and workup. Narrative ER Medical decision making narrative: Accu-Chek was obtained noting a glucose to be at 80. She received IV fluids as well as Solu-Medrol Benadryl and IV Pepcid. She also received IV Tylenol as she developed a headache while in the emergency department. Headache resolved and she was able to ambulate without assistance. Requested to go home states she felt much improved near normal. Clinical Impression: Adverse reaction to drug Patient Education: Anaphylaxis (ED)
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TREMOR	903016-1	Approximately 11 minutes after receiving the vaccine, the patient complained of shortness of breath, tingling in arms and hands, numbness and tingling in legs and feet, and was observably shaking, with no complaints of swelling in throat or other signs of anaphylaxis. Patient was brought to ER in same facility via stretcher and was examined by staff there. ER report states the patient presented with shortness of breath and what appeared to be a panic attack, with fast breathing, slight flushing, and shaking. Per ER report, the patient was treated for an acute anaphylactic reaction, with clear lungs and given an EpiPen shot in the right thigh. IV was initiated and given a fluid bolus, solu medrol, famotidine, and lorazepam. Labs and a chest x-ray done and reviewed. After treatment, patient found to be stable and was discharged home at 4:42 pm with orders for famotidine, albuterol inhaler, and epinephrine pen.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TREMOR	903030-1	~30 minutes after vaccination, patient reported lightheadedness, difficulty swallowing, SOB, feeling flushed, pallor, bilateral arm tingling, brief chest pain and tremors. Symptoms lasted approximately 30 minutes and then resolved. Benadryl given after resolution of acute symptoms. Reported a metallic taste in her mouth immediately after receiving the COVID vaccine (dose #1). Had uneventful 15 minute recovery period immediately after vaccination.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TROPONIN	903130-1	Shortly Administration of vaccine I experienced a metallic taste. approximately 40 minutes after administration of vaccine I experienced difficulty swallowing, dyspnea, tachycardia and numbness in tingling in bilateral hands. I am a healthcare provider and I received the vaccine at my place of employment. I was taken to the emergency department for monitoring.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TROPONIN	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TUNNEL VISION	902557-1	1750- IM injection ot R Deltoid. She was sitting, and felt short of breath without wheeze or tightness in the chest or throat. She stood up, and then felt tunneling. Assisted to chair and floor. Pulse weak, skin flushed, sweating on torso. Face and Neck remained flushed and red. She refused epi at first. So we gave her benedryll 25 mg po with apple juice. She said she just had a big meal 30 min prior, but we checked her blood sugar- it was 85. 10 min after the first SOB feeling, it returned. BP was recorded as 160/100.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	TUNNEL VISION	903338-1	5-10 minutes after vaccination, vasovagal syncope: pallor, diaphoresis, dizziness, tunnel vision, nausea, weakness, tingling in arms/legs, BP 103/69
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	UNRESPONSIVE TO STIMULI	902790-1	11 minutes after first dose of Covid Pfizer vaccine, patient became unresponsive, pale, diaphoretic with possible seizure activity. Patient dropped all belongings, leaned to the left side, with eyes rolling back in her head. Episode lasted about a minute. Patient could not remember what had happened. Vitals were BP 110/60, HR 64, RR 22. Patient was advised to go to ED for further evaluation but she refused. Patient was given a snack and an RN stayed with her for about 20 more minutes to monitor.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	UNRESPONSIVE TO STIMULI	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil themselves and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	URINARY ASSISTANCE DEVICE USER	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil themselves and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	URINARY TRACT INFECTION	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil themselves and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	URINE ANALYSIS NORMAL	903283-1	6 minutes after receiving the vaccine I became lightheaded. I was the worst for about 1-2 hours after the vaccine but then symptoms improved some. 11 hours later I am still mildly lightheaded.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	URTICARIA	902902-1	"Patient presented with feeling of ""headrush"" dizziness, tachycardia to 130's, itching to neck, visible hives to face and neck."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	URTICARIA	902903-1	Hives within 3 hours lasted 12 hours. Left Arm edema and erythema 24 hours
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	URTICARIA	903175-1	sudden onset of rinorrhea 5 minutes after receiving vaccine. then itching near ears, 5 minutes later had diffuse itching a rash, was sent to ED. There was evaluated for mild shortness of breath and hives on wrists. Did NOT et epi but did get benedryl and steroids, discharge home
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	URTICARIA	903178-1	Two minutes after vaccination, she reported itching at the site. Upon assessment, red hives started to develop. Dr. came and assessed patient. Benadryl 50 mg. PO and 2 puffs Albuterol administered by Rapid Response Team RN. Tightness in chest, lightheaded, lungs clear throughout, itchiness in left arm. Resolved within 15 minutes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	URTICARIA	903243-1	Patient developed hives, facial swelling, throat swelling/itching, and nausea approximately 13min after vaccination while in observation. Patient immediately taken to Emergency Department where epinephrine was given IM in the left thigh followed by 125mg IV solumedrol, 50mg IV benadryl, 1000mL NS, and 20mg IV famotidine. Hemodynamically stable throughout ED course.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	URTICARIA	903373-1	Dizzy,Hives on neck and chest, body aches
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	URTICARIA	903380-1	hives all over body. with swelling.. Red eyes.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VACCINATION COMPLICATION	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VACCINATION SITE BRUISING	902766-1	Vaccinator Nurse noted upon vaccination there was bleeding from site and immediate bruising. Extended post vaccination monitoring to 30 minutes and asked patient to not leave before being reevaluated. Visual monitoring in post vaccination space by this RN. á Upon reassessment @ 1352 pt stated she felt the need to use her inhaler and chest tightness. Pt denies SOB and able to transfer independently to wheelchair. Pt began to cough and was immediately transferred to ED per FNP. á á Upon ED arrival, pt was transferred to back hall 9, report given to RN and assessed by physician. Vital signs 98% on RA, t- 98.2, HR 78.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VACCINATION SITE HAEMORRHAGE	902766-1	Vaccinator Nurse noted upon vaccination there was bleeding from site and immediate bruising. Extended post vaccination monitoring to 30 minutes and asked patient to not leave before being reevaluated. Visual monitoring in post vaccination space by this RN. á Upon reassessment @ 1352 pt stated she felt the need to use her inhaler and chest tightness. Pt denies SOB and able to transfer independently to wheelchair. Pt began to cough and was immediately transferred to ED per FNP. á á Upon ED arrival, pt was transferred to back hall 9, report given to RN and assessed by physician. Vital signs 98% on RA, t- 98.2, HR 78.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VACCINATION SITE PAIN	903541-1	Symptoms began 30 min after vaccinated was tired then HAd fatigue. Took Tylenol/Advil. Fatigue persists > 24 hours Sore @ vaccine site. No induration . nl appetite. Increased fluid intake. takes Allegra + Flonase regularly. Recent sinus surgery in Oct.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VENTRICULAR EXTRASYSTOLES	903112-1	Patient felt flushed, heart racing. Had irregular rhythm. Transported to Emergency Department. Treated with epinephrine. EKG performed, having pre-ventricular contractions. Checked in to ED for further evaluation.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VERTIGO	902669-1	Immediately after the vaccine, I got severely nauseaed, got a yucky metal taste in my mouth and got super lightheaded and hadnt even gotten up. The agent helped walk me to a chair and I felt really loopy in the head. After the 15 minutes, I got up and immediately felt the whole room was spinning causing me to have to sit back down another 15 minutes. Closing my eyes made the dizziness much worse. I was given juice, my sugar was checked at was 115. After about 30 minutes I stood and felt alot better. I went back to my assigned duties but was feeling super bad and my supervisor sent me home because they states I didnt look good. On the drive home I threw up and my PCP called in Zopran to help with the nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VERTIGO	903034-1	"Individual received vaccine on 12/17/20 at 0815. Began with feeling faint and ""spinning"" at approx. 11:00 am, reported resolution of symptoms at approx. 11:11 am on 12/17/20."
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VISUAL IMPAIRMENT	902492-1	About 25 minutes after receiving vaccine complained of dizziness and being hot and nauseated. No difficulty breathing. No chest pain. B/P was 130/90 and was monitored. It went down to 124/80 after he started feeling better. He was wearing sweater over shirt and it was warm in building. Took sweater off. Cool wet cloth applied to back of neck. States he had only had a donut and cup of hot chocolate before receiving vaccine. Sprite and peanut butter crackers given. Became nauseated after eating peanut butter crackers Blood pressure monitored monitored. He laid on exam table for about 15 minutes. He felt better. Stood up and walked to conference room for another 15 minutes. Stated he felt much better and was ready to leave. Coworker drove him back. Received email from him letting us know he had made it back and they had stopped and eaten pizza on the way. Received text from coworker that he was dizzy and seeing spots and that his blood pressure had been 120/80 and then spiked to 160/100. Coworkers taking him to ER for evaluation.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VISUAL IMPAIRMENT	903009-1	Patient complained of vision disturbance confusion dizziness, chills, clammy, no trouble breathing. Nausea, Patient stated she did not have any breakfast. gave patient diphenhydramine 25 mg and EMS arrived to take her to the hospital.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VISUAL IMPAIRMENT	903010-1	After receiving vaccine patient started complain of vision disturbance, confusion, nurses started he was slow to respond. Nurses also documented that he was acting the same way the day before due to UTI. No SOB . no signs of allergic reaction
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VISUAL IMPAIRMENT	903202-1	Severe dizzy spell about 5-10 following injection, helped to the floor, this lasted approximately 30-40 minutes after start of symptom. Hot flashes and visual disturbance lasting into following day.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VISUAL TRACKING TEST ABNORMAL	902997-1	SWEATY, NAUSEA, DIZZY, EYES GLAZED OVER, NOT TRACKING RIGHT, STARTED MORNING AFTER SHOT
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	902572-1	Pfizer-BioNTech COVID-19 Vaccine EUA Developed chills, nausea and vomiting beginning at 2 AM the night after receiving the vaccine. Potential fever as well (I don't have a thermometer to check). Symptoms have lasted over 3 hours thus far, still continuing.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	902621-1	Patient received shot around 1pm later that night he started to experience chills, hot/cold, nausea, headache, extreme fatigue, low grade temp (99.1) Associate vomited several times the early the next morning. By the next day, day patient was vomiting less and was able to keep food down. Patient is feeling better the second day, experiencing some nausea.

Vaccine	Serious	Symptoms	VAERS ID	Adverse Event Description
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	902669-1	Immediately after the vaccine, I got severely nauseated, got a yucky metal taste in my mouth and got super lightheaded and hadn't even gotten up. The agent helped walk me to a chair and I felt really loopy in the head. After the 15 minutes, I got up and immediately felt the whole room was spinning causing me to have to sit back down another 15 minutes. Closing my eyes made the dizziness much worse. I was given juice, my sugar was checked at was 115. After about 30 minutes I stood and felt a lot better. I went back to my assigned duties but was feeling super bad and my supervisor sent me home because they states I didn't look good. On the drive home I threw up and my PCP called in Zopran to help with the nausea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	902796-1	I inserted my NuvaRing birth control on 12/14/2020. I have the Covid19 vaccine on 12/15/2020 at about 8:30am. The injection site was mildly sore and that continued into the next day. I woke up on 12/16/2020 feeling a little off and it progressed throughout the day. I felt a headache that I knew was turning into a migraine, threw up a few times (this is normal for me when I get migraines), and started having hot flashes. My temperature never went above 98. After sleeping a few hours and taking some Excedrin migraine I was feeling much better, though still a little sickly, by 4pm. I really think this is due to my migraines (which I get roughly once a month) even though it was a day later than normal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	902928-1	Stomach crump & vomiting
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	902995-1	pt developed chills, nausea and vomiting. Reports > 10 episodes of vomiting total. Went to lunch and continued to have chills and vomiting. Also developed chest pain - described as burning and heaviness. Denies any shortness of breath. CT negative for any changes. Chest X ray normal.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	903118-1	Patient came to workplace clinic 12/17 @ 1215 saying she had a reaction to the COVID vaccination. She stated she took ibuprofen in the morning for the headache, however, rash was still present. N/V on 12/16 at night. Patient reported no throat swelling or SOB. Rash on injection site (left) arm and chest. Patient received Benadryl 50 mg po x 1 dose and Tylenol 500 mg po x 1 dose. After Benadryl and Tylenol, patient felt better and was able to go back to work. recommended to go home and rest.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	903149-1	1215 pm on 12/16/2020: pfizer covid vac in left arm Poor nights sleep with left arm pain at injection site 500am on 12/17/2020: stood up to get ready and immediately started to dizzy. Then immediately threw up and had darker green diarrhea. Once that finished I had the sweats and felt cold with a subjective fever until around 9 am with continued nausea. Symptoms resolved 11:40 AM.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	903247-1	I had arm pain. Yesterday I had a hot flash with throwing up and diarrhea.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	903279-1	After an hour I got vaccinated, I started to feel nauseated and started throwing up. There's pain and heaviness on the injection site. I had a headache as well.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	903327-1	Patient reported that she started to feel unwell immediately after the vaccine with some nausea. She presented to the Emergency Department where she was treated by myself approximately 17 hours vaccine administration. She was having vomiting, diarrhea, diffuse rash, and throat discomfort. She was successfully treated for anaphylaxis and was able to discharge to home.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	VOMITING	903614-1	I didn't eat after because I lost my appetite. I was nauseous with chills , sweating and vomiting and tired.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	WHEELCHAIR USER	902766-1	Vaccinator Nurse noted upon vaccination there was bleeding from site and immediate bruising. Extended post vaccination monitoring to 30 minutes and asked patient to not leave before being reevaluated. Visual monitoring in post vaccination space by this RN. á Upon reassessment @ 1352 pt stated she felt the need to use her inhaler and chest tightness. Pt denies SOB and able to transfer independently to wheelchair. Pt began to cough and was immediately transferred to ED per FNP. á á Upon ED arrival, pt was transferred to back hall 9, report given to RN and assessed by physician. Vital signs 98% on RA, t- 98.2, HR 78.
COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	No	WHEEZING	902815-1	Feeling flush and wheezing when walking.

Note: Submitting a report to VAERS does not mean that healthcare personnel or the vaccine caused or contributed to the adverse event (possible side effect).

Notes:

Caveats: VAERS accepts reports of adverse events and reactions that occur following vaccination. Healthcare providers, vaccine manufacturers, and the public can submit reports to VAERS. While very important in monitoring vaccine safety, VAERS reports alone cannot be used to determine if a vaccine caused or contributed to an adverse event or illness. The reports may contain information that is incomplete, inaccurate, coincidental, or unverifiable. Most reports to VAERS are voluntary, which means they are subject to biases. This creates specific limitations on how the data can be used scientifically. Data from VAERS reports should always be interpreted with these limitations in mind.

The strengths of VAERS are that it is national in scope and can quickly provide an early warning of a safety problem with a vaccine. As part of CDC and FDA's multi-system approach to post-licensure vaccine safety monitoring, VAERS is designed to rapidly detect unusual or unexpected patterns of adverse events, also known as "safety signals." If a safety signal is found in VAERS, further studies can be done in safety systems such as the CDC's Vaccine Safety Datalink (VSD) or the Clinical Immunization Safety Assessment (CISA) project. These systems do not have the same limitations as VAERS, and can better assess health risks and possible connections between adverse events and a vaccine.

Key considerations and limitations of VAERS data:

- Vaccine providers are encouraged to report any clinically significant health problem following vaccination to VAERS, whether or not they believe the vaccine was the cause.
- Reports may include incomplete, inaccurate, coincidental and unverified information.
- The number of reports alone cannot be interpreted or used to reach conclusions about the existence, severity, frequency, or rates of problems associated with vaccines.
- VAERS data are limited to vaccine adverse event reports received between 1990 and the most recent date for which data are available.
- VAERS data do not represent all known safety information for a vaccine and should be interpreted in the context of other scientific information.

Some items may have more than 1 occurrence in any single event report, such as Symptoms, Vaccine Products, Manufacturers, and Event Categories. If data are grouped by any of these items, then the number in the Events Reported column may exceed the total number of unique events. If percentages are shown, then the associated percentage of total unique event reports will exceed 100% in such cases. For example, the number of Symptoms mentioned is likely to exceed the number of events reported, because many reports include more than 1 Symptom. When more than 1 Symptom occurs in a single report, then the percentage of Symptoms to unique events is more than 100%. [More information.](#) ([/wonder/help/vaers.html#Suppress](#))

Data contains VAERS reports processed as of the previous Friday. The VAERS data in WONDER are updated weekly, yet the VAERS system receives continuous updates including revisions and new reports for preceding time periods. [More information.](#) ([/wonder/help/vaers.html#Reporting](#))

Under [Title 21, Code of Federal Regulations Section 600.80](#) ([/wonder/help/vaers/21CFR600-80.htm](#)), a serious event is defined with any of the following outcomes: Death, a life-threatening adverse experience, inpatient hospitalization or prolongation of existing hospitalization, a persistent or significant disability/incapacity, or a congenital anomaly/birth defect.

Help: See [The Vaccine Adverse Event Reporting System \(VAERS\) Documentation](#) ([/wonder/help/vaers.html](#)) for more information.

Query Date: Jan 3, 2021 8:58:11 AM

Suggested Citation:

United States Department of Health and Human Services (DHHS), Public Health Service (PHS), Centers for Disease Control (CDC) / Food and Drug Administration (FDA), Vaccine Adverse Event Reporting System (VAERS) 1990 - last month, CDC WONDER On-line Database. Accessed at <http://wonder.cdc.gov/vaers.html> on Jan 3, 2021 8:58:11 AM

Query Criteria:

State / Territory: The United States/Territories/Unknown
Vaccine Products: COVID19 VACCINE (COVID19)
VAERS ID: All
Group By: Vaccine; Serious; Symptoms; VAERS ID
Show Totals: False
Show Zero Values: Disabled